

ASSIGNMENT 8

Name : K.Sumanth

Class: sec A

Roll no:422172

```
ranik@RANIK: ~/Sumanth
$ git clone https://github.com/rahboddeda/rahboddeda
fatal: destination path 'rahboddeda' already exists and is not an empty directory.
ranik@RANIK:~/Sumanth$ git clone https://github.com/ruok-sumanth/Sumanth.git
Cloning into 'Sumanth'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
ranik@RANIK:~/Sumanth$ cd Sumanth
ranik@RANIK:~/Sumanth$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    unix/

nothing added to commit but untracked files present (use "git add" to track)
ranik@RANIK:~/Sumanth$ git checkout -b sum
Switched to a new branch 'sum'
ranik@RANIK:~/Sumanth$ git status
On branch sum
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    unix/

nothing added to commit but untracked files present (use "git add" to track)
ranik@RANIK:~/Sumanth$ git add .
ranik@RANIK:~/Sumanth$ git status
On branch sum
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   unix/3
    new file:   unix/3:Zone.Identifier
    new file:   unix/a.out
    new file:   unix/a.out:Zone.Identifier
    new file:   unix/awk.sh
    new file:   unix/awk.sh:Zone.Identifier
    new file:   unix/cpio.sh
    new file:   unix/cpio.sh:Zone.Identifier
    new file:   unix/directory.cpio
```

```
create mode 100644 unix/main.o
create mode 100644 unix/main.o:Zone.Identifier
create mode 100644 unix/main_dynamic
create mode 100644 unix/main_dynamic:Zone.Identifier
create mode 100644 unix/main_static
create mode 100644 unix/main_static:Zone.Identifier
create mode 100644 unix/merge.c
create mode 100644 unix/merge.c:Zone.Identifier
create mode 100644 unix/merge.h
create mode 100644 unix/merge.h:Zone.Identifier
create mode 100644 unix/merge.o
create mode 100644 unix/merge.o:Zone.Identifier
create mode 100644 unix/mu.sh
create mode 100644 unix/mu.sh:Zone.Identifier
create mode 100644 unix/num.txt
create mode 100644 unix/num.txt:Zone.Identifier
create mode 100644 unix/prime.sh
create mode 100644 unix/prime.sh:Zone.Identifier
create mode 100644 unix/repeat.sh
create mode 100644 unix/repeat.sh:Zone.Identifier
create mode 100644 unix/romtoint.o
create mode 100644 unix/romtoint.o:Zone.Identifier
create mode 100644 unix/secl.sh
create mode 100644 unix/secl.sh:Zone.Identifier
create mode 100644 unix/sed.sh
create mode 100644 unix/sed.sh:Zone.Identifier
create mode 100644 unix/square.sh
create mode 100644 unix/square.sh:Zone.Identifier
create mode 100644 unix/static.a
create mode 100644 unix/static.a:Zone.Identifier
create mode 100644 unix/tar.sh
create mode 100644 unix/tar.sh:Zone.Identifier
create mode 100644 unix/text1.txt
create mode 100644 unix/text1.txt:Zone.Identifier
create mode 100644 unix/tree.cpio
create mode 100644 unix/unix.sh
create mode 100644 unix/unix.sh:Zone.Identifier
create mode 100644 unix/week11.sh
create mode 100644 unix/week11.sh:Zone.Identifier
ranik@RANIK:~/Sumanth$ git push origin sum
```

ASSIGNMENT 8

```
ranik@RANIK: ~/Sumanth
new file:   unix/file1.txt
new file:   unix/file1.txt:Zone.Identifier
new file:   unix/file:Zone.Identifier
new file:   unix/files.tar
new file:   unix/files.tar.bz2
new file:   unix/files.tar.bz2:Zone.Identifier
new file:   unix/files.tar.gz
new file:   unix/files.tar.gz:Zone.Identifier
new file:   unix/files.tar.xz
new file:   unix/files.tar.xz:Zone.Identifier
new file:   unix/files.tar:Zone.Identifier
new file:   unix/files_copy.tar
new file:   unix/files_copy.tar:Zone.Identifier
new file:   unix/libFunctions.a
new file:   unix/libFunctions.a:Zone.Identifier
new file:   unix/libFunctions.so
new file:   unix/libFunctions.so:Zone.Identifier
new file:   unix/ll.c
new file:   unix/ll.c:Zone.Identifier
new file:   unix/main.c
new file:   unix/main.c:Zone.Identifier
new file:   unix/main.o
new file:   unix/main.o:Zone.Identifier
new file:   unix/main.dynamic
new file:   unix/main.dynamic:Zone.Identifier
new file:   unix/main.static
new file:   unix/main.static:Zone.Identifier
new file:   unix/merge.c
new file:   unix/merge.c:Zone.Identifier
new file:   unix/merge.h
new file:   unix/merge.h:Zone.Identifier
new file:   unix/merge.o
new file:   unix/merge.o:Zone.Identifier
new file:   unix/mu.sh
new file:   unix/mu.sh:Zone.Identifier
new file:   unix/num.txt
new file:   unix/num.txt:Zone.Identifier
new file:   unix/prime.sh
new file:   unix/prime.sh:Zone.Identifier
new file:   unix/repeat.sh
new file:   unix/repeat.sh:Zone.Identifier
```

```
ranik@RANIK: ~/Sumanth
new file:   unix/unix.sh:Zone.Identifier
new file:   unix/week11.sh
new file:   unix/week11.sh:Zone.Identifier

ranik@RANIK:~/Sumanth$ git commit -m abc
[sum 306da36] abc
80 files changed, 803 insertions(+)
create mode 100644 unix/3
create mode 100644 unix/3:Zone.Identifier
create mode 100644 unix/a.out
create mode 100644 unix/a.out:Zone.Identifier
create mode 100644 unix/awk.sh
create mode 100644 unix/awk.sh:Zone.Identifier
create mode 100644 unix/cpio.sh
create mode 100644 unix/cpio.sh:Zone.Identifier
create mode 100644 unix/directory.cpio
create mode 100644 unix/directory.cpio:Zone.Identifier
create mode 100644 unix/dll.c
create mode 100644 unix/dll.c:Zone.Identifier
create mode 100644 unix/dynamic.so
create mode 100644 unix/dynamic.so:Zone.Identifier
create mode 100644 unix/fact.sh
create mode 100644 unix/fact.sh:Zone.Identifier
create mode 100644 unix/fib.sh
create mode 100644 unix/fib.sh:Zone.Identifier
create mode 100644 unix/file
create mode 100644 unix/file1.txt
create mode 100644 unix/file1.txt:Zone.Identifier
create mode 100644 unix/file:Zone.Identifier
create mode 100644 unix/files.tar
create mode 100644 unix/files.tar.bz2
create mode 100644 unix/files.tar.bz2:Zone.Identifier
create mode 100644 unix/files.tar.gz
create mode 100644 unix/files.tar.gz:Zone.Identifier
create mode 100644 unix/files.tar.xz
create mode 100644 unix/files.tar.xz:Zone.Identifier
create mode 100644 unix/files.tar:Zone.Identifier
create mode 100644 unix/files_copy.tar
create mode 100644 unix/files_copy.tar:Zone.Identifier
create mode 100644 unix/libFunctions.a
create mode 100644 unix/libFunctions.a:Zone.Identifier
```

ASSIGNMENT 8

Commands used in terminal

`https://github.com/ruok-sumanth/422172.git`

`cd sumanth`

`git status`

`git checkout -b sum`

`git status`

`git add .`

`git status`

`git push origin sum`

`git commit -m abc`