

Labrecord Output

Unit-1

1.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit1-1.html

This is my first web page

This is a **bold** and *italic* paragraph


H₂O and E=mc₂

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit1-2.html

2.

This is an image

[click me](#)



ORDERED LIST

- A. Hardware
- B. Software

UNORDERED LIST

- PFC
- IWI

NESTED LIST

- IWI
 - 1. Unit 1
 - 2. Unit 2
 - 3. Unit 3

3.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit1-3.html

Weekly Class Schedule

Time	Monday	Tuesday	Wednesday
9:00 AM - 10:00 AM	IWI	Digital Logic	
10:00 AM - 11:00 AM	Maths	NALS	C language Lab
11:00 AM - 12:00 PM	Lunch Break		

4.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit1-4.html

ENTER YOUR NAME

CLICK TO AGREE

CLICK TO SELECT

MUNCH

SELECT YOUR CHOCOLATE

CLICK TO SUMBIT

CLICK TO RESET

5.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit1-5.html

My Semantic Web Paeg

Welcome to simple example of HTML5 semantic elements.

Navigation

[HOME](#) [ABOUT](#) [ARTICLES](#) [CONTACT](#)

Home Section

This is the home page website. It introduces visitors to the purpose of the page.

About Section

This section provides information about author or the website's goal.

Articles

Article 1: The Importance of Semantic HTML.

Semantic HTML improves accessibility, SEO, and makes code easier to understand for both developers and browsers.

Article 2: Using HTML Tages Effectively.

Tages like section, article, and aside help structur to manage.

Sidebar

This is an aside section it contains additional information, like related links or advertisements.

2025 My Semantic Website | Contact: info@example.com

Unit-2

1.

A screenshot of a web browser window. The address bar shows the file path: C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit2-1.html. The main content area has a light gray background. At the top, there is a dark gray header bar containing the text "Welcome to CSS Example." in white. Below the header, there are two paragraphs of text: "This paragraph uses **internal CSS** styling" and "This box is styled using **external CSS**".

This paragraph uses **internal CSS** styling

This box is styled using **external CSS**

2.

A screenshot of a web browser window. The address bar shows the file path: C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit2-2.html. The main content area has a dark gray header bar containing the text "Advanced CSS Styling Demo" in white. Below the header, there is a sub-section titled "Using Box Model, Background, Borders, Margins, and Padding". The main content area contains three boxes labeled "Box 1", "Box 2", and "Box 3", each with its own unique styling. At the bottom, there is a dark gray footer bar containing the text "2025 Advanced CSS Example. All Rights Reserved."

Box Model Example

Box 1

This box show margin, padding, and border applied around the content.

Box 2

Each box has its own spacing, border style, and internal padding.

Box 3

The background and border radius make it look more visually appealing.

2025 Advanced CSS Example. All Rights Reserved.

3.

A screenshot of a web browser window. The address bar shows the file path: C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit2-3.html. The main content area has a dark gray header bar containing the text "Welcome to CSS Selector" in green. Below the header, there are two sections: "Class Selector Example" and "Descendant Selector Example". The "Class Selector Example" section contains the text "This paragraph uses a class selector". The "Descendant Selector Example" section contains the text "This paragraph is inside a div(descendant selector)." and "This paragraph is outside the div.".

This paragraph uses a **class selector**

Descendant Selector Example


This paragraph is inside a div(**descendant selector**).

This paragraph is outside the div.

4.





5.



Unit-3

1.



← → ⌄ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit3-1.html

Basic Arithmetic Operations


Addition: 1218

Subtraction: -288

Multiplication: 350145

Division: 0.6175298804780877

2.



← → ⌛ Ⓜ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit3-2.html

JavaScript: Conditional Statement and loops

Conditional Statement Result

The number is Positive

While Loop: Printing number 1 to 5

1 2 3 4 5

While Loop: Printing number 1 to 5

1 2 3 4 5

Do-While Loop: Printing number 1 to 5

1 2 3 4 5

3.

← → ⌛ Ⓜ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit3-3.html

JavaScript User Defined Function and Scope

I am global (var)

I am global (let)

I am global (const)

Function scope (var)

Function scope (let)

Function scope (const)

Block scope? (var)

4.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit3-4.html

Registration Form

Name:

Email:

Password:

5.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit3-5.html

Original Title

This is original paragraph text.

← → ⌂ ⌂ File C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit3-5.html

Title changed using getElementById()

Paragraph updated using querySelector()


Unit-4

1.

The screenshot shows a browser window with the title "Show / Hide & Toggle CSS Class". The address bar indicates the file path: C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit4-1.html. The main content area displays the heading "JavaScript Show / Hide & Toggle Class Demo". Below the heading is the text "This text can be shown or hidden." which is highlighted with a yellow background. At the bottom of the content area are two buttons: "Show / Hide Text" and "Toggle Highlight".

2.

The screenshot shows a browser window with the title "Event Listeners Example". The address bar indicates the file path: C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit4-2.html. The main content area displays the heading "Mouse & Keyboard Events". Below the heading is a large green rectangular button with the text "Hover Me" in the center. At the bottom of the content area is a button labeled "Remove Mouse Event".



3.



DOM Manipulation Example

C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit4-3.html

JavaScript DOM Manipulation

- Modified Item
- New Item

Append Item Remove Last Item Modify First Item

4.

Canvas Drawing

C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit4-4.html

Simple Canvas Drawing

Canvas Drawing

5.

My Portfolio

C:/Users/HP/OneDrive/Desktop/BCA-1B-B2/Rupakshi/html.practical/labrecord.html/LRunit4-5.html

Rupakshi Sakharkar

BCA Student | Web Developer

About Me

I am learning web development and building projects using HTML, CSS, and JavaScript.

Projects

- Calculator App
- To-Do List
- Portfolio Website

Contact

Email: rupakshisakharkar006@email.com

© 2025 Your Name