QuerySurge MCQ Bank — High-Importance Edition

Focused, weighted questions with answers & explanations across QueryPairs, Wizard, Design-Time Runs, Test Suites/Scenarios, Agents, Reporting, Snippets, Admin, and Mapping/ETL.

Generated on Jan 19, 2026

Legend:
• **MC** = single correct • **MS** = multiple correct. Attempt first, then check the explanation.

Prepared for: Data/ETL testers using QuerySurge

Table of Contents

Placeholder for table of contents 0

1. QueryPairs

Q1.

MC

What is a QueryPair in QuerySurge?

- **A.** A report format
- **B.** A pair of SQL queries comparing source and target data
- **C.** A dashboard widget
- **D.** A scheduled run

Answer: **B**

Explanation: A QueryPair holds two queries: one aimed at the source, one at the target, used for validation.

Q2.

MS

Select all elements typically configured on a QueryPair Properties tab. (Select all that apply)

- **A.** Data Type Checking
- **B.** Row Count Options
- **C.** Shared Key Column Definition
- **D.** Agent installation path

Answers: **A, B, C**

Explanation: Properties include data type checking, row count options, and shared key definition; agent install path is not here.

Q3.

MC

Which statement about keys in QueryPairs is true?

- **A.** Keys are optional but improve mismatch analysis
- **B.** Keys are mandatory
- **C.** Keys are only for table-level tests
- **D.** Keys exist only at suite level

Answer: **A**

Explanation: Defining key columns improves matching of rows between source and target, but isn't mandatory.

Q4.

MC

What happens if no keys are defined and you view failures?

- **A.** You cannot see any failure
- **B.** QuerySurge shows inferred mismatches if enabled
- **C.** Only row count shows
- **D.** The run aborts

Answer: **B**

Explanation: You can enable inferred data mismatches to get insights without explicit keys.

Q5.

MC

Which option lets you tolerant minor numeric differences?

- **A.** Ignorable Columns
- **B.** Column Threshold Options
- **C.** Duplicate Row Options
- **D.** Data Intelligence

Answer: **B**
Explanation: Column Threshold Options allow tolerance bands for numeric deltas.

Q6.
MS
Choosing to convert all types to VARCHAR prior to analysis will: (Select all that apply)

- **A.** Avoid type mismatch noise
- **B.** Hide legitimate numeric scale issues
- **C.** Speed up database execution always
- **D.** Standardize comparison

Answers: **A, B, D**
Explanation: String conversion standardizes comparison but can mask type/scale issues; not necessarily faster.

Q7.
MS
Design Library structure allows: (Select all that apply)

- **A.** Folder-based organization
- **B.** History tracking per QueryPair
- **C.** Multiple queries in one QueryPair side
- **D.** Only one folder allowed

Answers: **A, B, C**
Explanation: You can organize in folders, see history, and compose complex queries per side.

Q8.
MS
A passing QueryPair indicates: (Select all that apply)

- **A.** Equal row counts
- **B.** All matched rows within thresholds
- **C.** No non-matching rows
- **D.** No differences in ignored columns

Answers: **A, B, C, D**
Explanation: Passing means counts match, matches within thresholds, no non-matching rows; ignored columns are excluded from evaluation.

Q9.
MC
Where can you export detailed QueryPair results from?

- **A.** Source/Target/Failures tabs
- **B.** Only from Run Dashboard

- **C.** Only from Reports
- **D.** Only via API

Answer: **A**
Explanation: Export options (Excel/CSV/XML) are available from results tabs.

Q10.
MC
Duplicate Row Options are used to:

- **A.** Auto-fix ETL duplicates
- **B.** Adjust comparison algorithm for duplicates
- **C.** Delete duplicates from target
- **D.** Create deduped materialized views

Answer: **B**
Explanation: They fine-tune how duplicates are handled during comparison.

—

2. Query Wizard

Q11.
MS
Which comparison types can the Query Wizard generate? (Select all that apply)

- **A.** Column-Level Comparison
- **B.** Table-Level Comparison
- **C.** Row Count Comparison
- **D.** UI Layout Comparison

Answers: **A, B, C**
Explanation: The wizard supports Column, Table, and Row Count comparisons.

Q12.
MC
Column-Level Comparison is best used when:

- **A.** No transformations exist anywhere
- **B.** Most columns are direct-map and some have transformations
- **C.** Only file-to-file testing
- **D.** Only during upgrades

Answer: **B**
Explanation: It quickly covers large portions with direct maps; transformed columns are handled with authored SQL.

Q13.
MS
Table-Level Comparison is ideal for: (Select all that apply)

- **A.** Migrations without transformations
- **B.** Database upgrades

- **C.** Heavily transformed fact tables
- **D.** Full table parity checks

Answers: **A, B, D**
Explanation: Straight parity checks like upgrades/migrations benefit most.

Q14.
MC

Row Count Comparison validates:

- **A.** Column-by-column equality
- **B.** Only record counts between tables
- **C.** Primary keys only
- **D.** Performance metrics

Answer: **B**
Explanation: Row Count checks validate counts only, fast sanity checks.

Q15.
MS

Selecting schemas and mapping tables in the wizard will: (Select all that apply)

- **A.** Autogenerate SQL
- **B.** Create a folder in Design Library (if chosen)
- **C.** Create a Test Suite (if chosen)
- **D.** Create Agents

Answers: **A, B, C**
Explanation: Wizard can generate SQL, library folders, and a suite; agents are separate.

Q16.
MC

Which filter/sort options can be added in Column-Level Comparison?

- **A.** WHERE and ORDER BY criteria
- **B.** DDL changes
- **C.** Index hints
- **D.** Email alerts

Answer: **A**
Explanation: You can add filter/sort criteria to stabilize result sets.

Q17.
MS

When mapping columns in the wizard, the UI shows: (Select all that apply)

- **A.** Link lines between source and target columns
- **B.** Auto-updating SQL panes
- **C.** Agent CPU graphs
- **D.** Query Mapping list

Answers: **A, B, D**
Explanation: Mappings are visual; SQL updates and a mapping list is maintained.

Q18.

MS

Output of the wizard may include: (Select all that apply)

- **A.** New folder with generated QueryPairs
- **B.** A scheduled Scenario
- **C.** A Test Suite ready to run
- **D.** Reusable Snippets

Answers: **A, C**

Explanation: Wizard creates library folder and optional suite; scenarios/specific snippets are separate tasks.

—

3. Design-Time Run & Failures

Q19.

MC

Design-Time Run is used to:

- **A.** Smoke-test a QueryPair behavior
- **B.** Replace suite execution
- **C.** Install drivers
- **D.** Schedule nightly runs

Answer: **A**

Explanation: DTR verifies correctness during authoring; not meant for full execution scheduling.

Q20.

MS

A failing QueryPair can indicate: (Select all that apply)

- **A.** Data mismatches on fields
- **B.** Non-matching rows
- **C.** Row count differences
- **D.** Agent offline

Answers: **A, B, C**

Explanation: Failures report any of these data issues; agent status is separate erroring condition.

Q21.

MC

Where do you find Non-Matching Source/Target row counts after a run?

- **A.** DTR results metrics pane
- **B.** Only in Reports
- **C.** Only via API
- **D.** Nowhere

Answer: **A**

Explanation: Displayed in the results summary panel for the QueryPair.

Q22.

MC

To better diagnose failures without keys you should:

- **A.** Enable Inferred Data Mismatches in View Options
- **B.** Turn on Duplicate Row Options only
- **C.** Always switch to VARCHAR
- **D.** Disable thresholds

Answer: **A**

Explanation: Inferred mismatches help when keys aren't defined.

Q23.

MC

Exporting results to Excel/CSV/XML is possible from:

- **A.** Source/Target/Failures tabs
- **B.** Only Run Dashboard
- **C.** Only Scheduling
- **D.** Only Admin

Answer: **A**

Explanation: Exports are available directly on results tabs.

Q24.

MC

A QueryPair passes but a report shows failures. Most likely:

- **A.** Thresholds/ignored columns allowed pass but report is filtered differently
- **B.** Agent glitch
- **C.** Report bug always
- **D.** Suite mismatch

Answer: **A**

Explanation: Check thresholds/ignored lists and report scope.

Q25.

MC

Which is NOT a common DTR phase?

- **A.** Loading
- **B.** Running
- **C.** Analyzing
- **D.** Packaging

Answer: **D**

Explanation: DTR phases include Loading, Running, Analyzing.

—

4. Test Suites & Scenarios

Q26.

MC

A Test Suite is:

- **A.** A group of QueryPairs for execution
- **B.** A single QueryPair
- **C.** A scheduler
- **D.** A data source

Answer: **A**

Explanation: Suites bundle QueryPairs for execution independent of design folders.

Q27.

MS

Scenarios are used to: (Select all that apply)

- **A.** Group suites for scheduling
- **B.** Run immediately or at a future time
- **C.** View progress on Run Dashboard
- **D.** Define database connections

Answers: **A, B, C**

Explanation: Scenarios schedule suites and are tracked on the Run Dashboard.

Q28.

MC

Which can you set per Test Suite in a Scenario schedule?

- **A.** Agent selection
- **B.** Date/time of run
- **C.** Email recipients
- **D.** Storage quotas

Answer: **A, B**

Explanation: Per-suite agent and schedule can be specified.

Q29.

MC

Right-click ‘Run Now’ on a Suite will:

- **A.** Queue a Scenario and jump to Run Dashboard
- **B.** Open DTR
- **C.** Change admin settings
- **D.** Install Agent

Answer: **A**

Explanation: Execution jumps to the Run Dashboard for monitoring.

Q30.

MC

A Suite containing folders from multiple sources means:

- **A.** Cross-source execution is supported
- **B.** Suite will fail

- **C.** Only same-connection allowed
- **D.** Requires code deploy

Answer: **A**
Explanation: You can mix QueryPairs from different source/target types.

Q31.
MC

Idle state in Run Dashboard for a Suite in a Scenario typically indicates:

- **A.** Future scheduled time not yet reached
- **B.** Permanent deadlock
- **C.** No agents exist
- **D.** Missing license

Answer: **A**
Explanation: Idle until its scheduled time begins.

Q32.
MC

A Scenario Detail report shows:

- **A.** Overall status and pass/fail counts
- **B.** Detailed per-QueryPair results
- **C.** Mapping document upload
- **D.** Run duration metrics

Answer: **A, B, D**
Explanation: Scenario Detail consolidates execution metrics and statuses.

—

5. Agents & Architecture

Q33.
MS

QuerySurge Agents: (Select all that apply)

- **A.** Execute queries against source and target
- **B.** Return results to QuerySurge DB
- **C.** Must reside on DB servers
- **D.** Can run multiple threads

Answers: **A, B, D**
Explanation: Agents execute and return results; they needn't live on DB servers and can be multi-threaded.

Q34.
MC

Increasing agents typically increases:

- **A.** Throughput until bottlenecks hit
- **B.** Report variety
- **C.** Schema discovery

- **D.** Mapping generation

Answer: **A**
Explanation: More agents => more parallelism up to environment limits.

Q35.
MS

Which components are core to QuerySurge architecture? (Select all that apply)

- **A.** Application Server (Tomcat)
- **B.** QuerySurge Database (MySQL)
- **C.** Agents
- **D.** Embedded BI Server

Answers: **A, B, C**
Explanation: App server, database, and agents constitute the core.

Q36.
MC

Best way to find optimal agent count is:

- **A.** Trial and measurement in environment
- **B.** Always 10 agents
- **C.** Only 1 agent
- **D.** Depends on Java version only

Answer: **A**
Explanation: Iteratively increase agents and observe source/target response.

Q37.
MC

If an Agent is offline during execution:

- **A.** Runs may queue or fail for that agent assignment
- **B.** DTR auto-migrates
- **C.** Reports still generate for missing runs
- **D.** Suite silently passes

Answer: **A**
Explanation: Runs may wait/fail depending on configuration and available agents.

Q38.
MC

QuerySurge supports connections to:

- **A.** Any JDBC-compliant data source
- **B.** Only MySQL
- **C.** Only Oracle
- **D.** Only flat files

Answer: **A**
Explanation: Supports many JDBC sources including Oracle, SQL Server, DB2, flat files, etc.

—

6. Reporting & Dashboard

Q39.

MS

Reporting Center includes: (Select all that apply)

- **A.** Scenario Detail report
- **B.** Configurable date-range filters
- **C.** Export to PDF/Excel
- **D.** Agent installation wizard

Answers: **A, B, C**

Explanation: Reports are configurable and exportable; agent install is elsewhere.

Q40.

MS

Data Health Dashboard widgets can show: (Select all that apply)

- **A.** Pass/Fail verifications over time
- **B.** Data Reliability line
- **C.** Editable titles and zoom
- **D.** DDL diffs

Answers: **A, B, C**

Explanation: Widgets visualize outcomes, reliability, and support interaction.

Q41.

MC

You can point a widget to a specific subset by:

- **A.** Using View Settings
- **B.** Editing SQL in Admin
- **C.** Adding a Snippet
- **D.** Changing JDBC driver

Answer: **A**

Explanation: Widgets have view settings for scoping.

Q42.

MC

Which exports are supported from QueryPair results view?

- **A.** Excel
- **B.** CSV
- **C.** XML
- **D.** PowerPoint

Answer: **A, B, C**

Explanation: PP is not a built-in export option in results view.

Q43.

MC

A Scenario Detail shows FAILED overall even if most QueryPairs passed because:

- **A.** Any failure marks scenario failed
- **B.** Reports are random
- **C.** Widget bug
- **D.** Agent thread count low

Answer: **A**
Explanation: Overall failure is marked if any QueryPair fails.

Q44.
MC

To archive results externally you can:

- **A.** Export reports as PDF/Excel
- **B.** Export detailed results as CSV/XML
- **C.** Copy the QuerySurge DB file manually during run
- **D.** Email notifications with attachments

Answer: **A, B, D**
Explanation: Multiple export mechanisms exist; DB copying during a run isn't advised.

—

7. Reusable Snippets

Q45.
MC

Reusable Query Snippets are:

- **A.** Reusable SQL fragments embedded into queries
- **B.** Only full queries
- **C.** Only WHERE clauses
- **D.** Non-editable

Answer: **A**
Explanation: Snippets can be any reusable fragment or full subquery.

Q46.
MS

Benefits of snippets: (Select all that apply)

- **A.** Single-point change for shared logic
- **B.** Consistent filtering across many QueryPairs
- **C.** Automatic inclusion in wizard
- **D.** Faster edits at scale

Answers: **A, B, D**
Explanation: Snippets centralize and accelerate shared SQL maintenance.

Q47.
MC

How do you create a snippet from existing SQL?

- **A.** Highlight text and Save as Reusable Snippet
- **B.** Only via Admin
- **C.** Only via API
- **D.** From Run Dashboard

Answer: **A**
Explanation: You can highlight and save as snippet from the editor.

Q48.
MC

When a snippet is used in two QueryPairs and modified once:

- **A.** Both QueryPairs reflect the change
- **B.** Neither updates
- **C.** Only one updates
- **D.** Compilation required

Answer: **A**
Explanation: Snippets propagate to all references.

—

8. Admin & Connections

Q49.
MS

Administration module allows: (Select all that apply)

- **A.** User and Agent management
- **B.** Connection management
- **C.** Storage tools and licensing info
- **D.** Run dashboard filters

Answers: **A, B, C**
Explanation: Admin handles users, agents, connections, storage, licensing.

Q50.
MC

To connect to a new source/target you need:

- **A.** JDBC driver and connection details
- **B.** A BI report template
- **C.** Only OS ODBC
- **D.** Widget configuration

Answer: **A**
Explanation: JDBC and proper connection strings are essential.

Q51.
MC

If a connection uses wrong credentials:

- **A.** Runs fail at execution time for affected QueryPairs
- **B.** Wizard still maps columns correctly
- **C.** Agents automatically fix passwords
- **D.** Reports synthesize data

Answer: **A**
Explanation: Authentication failures surface during execution.

Q52.
MC

Tagging Scenarios/Assets is useful for:

- **A.** Filtering reports and dashboards
- **B.** Changing ETL logic
- **C.** Boosting agent threads
- **D.** Auto-snippet creation

Answer: **A**
Explanation: Tags improve filtering and organization.

Q53.
MC

Command Line/API integration supports:

- **A.** Event-based Suite runs in CI/CD
- **B.** Altering DW schemas
- **C.** Replacing Admin UI
- **D.** Agentless runs

Answer: **A**
Explanation: APIs trigger runs from ETL/CI systems; they don't modify schemas or remove agents.

—

9. Mapping & ETL Validation

Q54.
MS

Mapping document is critical because: (Select all that apply)

- **A.** Defines source-to-target rules
- **B.** Guides QueryPair design
- **C.** Forms audit trail
- **D.** Replaces all testing

Answers: **A, B, C**
Explanation: Mapping drives test design; it doesn't replace testing.

Q55.
MC

Direct-map vs transformed columns imply:

- **A.** Wizard for direct maps, authored SQL for transforms

- **B.** Always wizard
- **C.** Transforms are ignored
- **D.** Row count only

Answer: **A**
Explanation: Use wizard for direct maps and custom SQL for transformations.

Q56.
MC
Row Count checks are best used as:

- **A.** Fast gate before deep comparisons
- **B.** Final proof of quality
- **C.** Replacement for field checks
- **D.** Agent provisioning

Answer: **A**
Explanation: Use counts as a quick sanity to gate deeper comparisons.

Q57.
MS
A failure showing target has extra rows suggests: (Select all that apply)

- **A.** Duplicate loads in ETL
- **B.** Filter mismatch between queries
- **C.** Key mismatch causing aggregation differences
- **D.** Agent UI cache

Answers: **A, B, C**
Explanation: Investigate ETL duplicates, inconsistent filters, and key choices.

Q58.
MC
To validate complex transforms such as string parsing/date logic you should:

- **A.** Author explicit SQL in QueryPairs
- **B.** Rely on Table-Level wizard only
- **C.** Use only thresholds
- **D.** Skip keys

Answer: **A**
Explanation: Write precise SQL mirroring mapping rules.

—

10. Best Practices & Performance

Q59.
MS
To stabilize comparisons over unordered sources you should: (Select all that apply)

- **A.** ORDER BY on keys
- **B.** Consistent filters on both sides

- **C.** Random sampling each run
- **D.** Use threshold for all text

Answers: **A, B**
Explanation: Stable ORDER BY and identical filters create deterministic result sets.

Q60.
MS

When large fact tables cause long run times, consider: (Select all that apply)

- **A.** Partitioned testing by date/batch
- **B.** Incremental suites per ETL window
- **C.** Reduce agents always
- **D.** Optimize SQL with appropriate indexes

Answers: **A, B, D**
Explanation: Partition/incremental runs and SQL tuning help; fewer agents isn't inherently better.

Q61.
MC

The best time to run heavy Scenarios is often:

- **A.** During non-peak hours via scheduling
- **B.** Only at noon
- **C.** Only after CI finishes nightly backups
- **D.** Any random time

Answer: **A**
Explanation: Off-hours reduce contention on shared systems.

Q62.
MC

For numeric tolerance mismatches you should:

- **A.** Set Column Thresholds appropriately
- **B.** Convert everything to text
- **C.** Disable comparisons
- **D.** Use inferred mismatches only

Answer: **A**
Explanation: Thresholds manage rounding/scale differences.

Q63.
MS

To prevent brittle tests on whitespace differences: (Select all that apply)

- **A.** TRIM in SQL or use View Options to show whitespace
- **B.** Normalize case as needed
- **C.** Ignore columns blindly
- **D.** Use regex in WHERE always

Answers: **A, B**
Explanation: Normalize formatting consciously; avoid blind ignores.

Q64.

MC

For maintainability at scale:

- **A.** Leverage snippets for shared filters
- **B.** Tag assets and use folders
- **C.** Use meaningful names and mapping references
- **D.** Avoid saving history

Answer: **A, B, C**

Explanation: Snippets, organization, and naming improve long-term maintenance; history is useful.

—