

Name	: Ms. PRABHA DEVI	Age	: 45 Years
Lab No.	: 449349805	Gender	: Female
Ref By	: SELF	Reported	: 11/6/2023 2:15:37PM
Collected	: 11/6/2023 12:04:00PM	Report Status	: Final
A/c Status	: P	Processed at	: LPL-GHAZIABAD
Collected at	: LPL-GHAZIABAD		: C-30, BEHIND HDFC BANK, RDC, Raj Nagar,
	: C-30, BEHIND HDFC BANK, RDC, Raj Nagar,		: Ghaziabad-201002 GHAZIABAD, U.P.
	: GHAZIABAD		: Ghaziabad-201002



Test Report

Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE,TOTAL, SERUM (Chemiluminescent Immunoassay)			
T4, Total	12.60	µg/dL	4.50 - 11.60
TSH	2.69	µIU/mL	0.35 - 5.50

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals

Interpretation

PREGNANCY	REFERENCE RANGE FOR TSH IN µIU/mL (As per American Thyroid Association)
1st Trimester	0.100 - 2.500
2nd Trimester	0.200 - 3.000
3rd Trimester	0.300- 3.000

THYROID PROFILE,TOTAL, SERUM

(Chemiluminescent Immunoassay)

T3, Total	1.41	ng/mL	0.60 - 1.81
-----------	------	-------	-------------

Note



Name : Ms. PRABHA DEVI	Age : 45 Years
Lab No. : 449349805	Gender : Female
Ref By : SELF	Reported : 11/6/2023 2:15:37PM
Collected : 11/6/2023 12:04:00PM	Report Status : Final
A/c Status : P	Processed at : LPL-GHAZIABAD
Collected at : LPL-GHAZIABAD C-30, BEHIND HDFC BANK, RDC, Raj Nagar, Ghaziabad-201002 GHAZIABAD, U.P. GHAZIABAD	Processed at : LPL-GHAZIABAD C-30, BEHIND HDFC BANK, RDC, Raj Nagar, Ghaziabad-201002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
1.	TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.		
2.	Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.		
3.	Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration		
4.	Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals		

Interpretation

PREGNANCY	REFERENCE RANGE FOR TSH IN μ IU/mL (As per American Thyroid Association)
1st Trimester	0.100 - 2.500
2nd Trimester	0.200 - 3.000
3rd Trimester	0.300- 3.000



Dr Gaurav Jyoti Phukan
DCP, Pathology
Chief of Laboratory
Dr Lal PathLabs Ltd



Dr Swati Singh
MD, Pathology
Chief of Laboratory
Dr Lal PathLabs Ltd

-----End of report-----



Name	: Ms. PRABHA DEVI	Age	: 45 Years
Lab No.	: 449349805	Gender	: Female
Ref By	: SELF	Reported	: 11/6/2023 2:15:37PM
Collected	: 11/6/2023 12:04:00PM	Report Status	: Final
A/c Status	: P	Processed at	: LPL-GHAZIABAD
Collected at	: LPL-GHAZIABAD		
	C-30, BEHIND HDFC BANK, RDC, Raj Nagar,		C-30, BEHIND HDFC BANK, RDC, Raj Nagar,
	Ghaziabad-201002 GHAZIABAD, U.P.		Ghaziabad-201002
	GHAZIABAD		

Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory .

•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician .•Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted .•Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050,Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

