Employee.csv

```
EMPLOYEE_ID,NAME,SALARY,DEPARTMENT_ID,JOINING_DATE
100,'Jennifer',4400,10,'2017-01-05'
101,'Michael',13000,10,'2018-08-24'
102,'Pat',6000,10,'2018-12-10'
103,'Den', 11000,20,'2019-02-17'
104,'Alexander',3100,20,'2019-07-01'
105,'Shelli',2900,20,'2020-04-22'
106,'Sigal',2800,30,'2020-09-05'
107,'Guy',2600,30,'2021-05-25'
108,'Karen',2500,30,'2021-12-21'
```

1. Create an Employee table in database **bootcamp** and in schema **snow.**

```
CREATE DATABASE IF NOT EXISTS bootcamp;
CREATE SCHEMA IF NOT EXISTS bootcamp.snow;
```

   a. Requirements:
      i. Create a table with name as Employee on Employee.csv
      ii. Copy data from snowflake Employee table to a output S3 dir.

   b. Expectations - I want you to provide / submit followings
      i. Commands to create table and load data.

```
CREATE OR REPLACE TABLE Employee (
    EMPLOYEE_ID INT,
    NAME STRING,
    SALARY INT,
    DEPARTMENT_ID INT,
    JOINING_DATE DATE
);
```

```
CREATE OR REPLACE STAGE employee_int_stage;

COPY INTO Employee
FROM @employee_int_stage/employee.csv
FILE_FORMAT = (
    TYPE = CSV
    SKIP_HEADER = 1
    FIELD_OPTIONALLY_ENCLOSED_BY = ''''
);
```

Here I uploaded employee.csv into snowflake managed (internal) stage and loaded to the Employee table from the internal stage.

c. Commands to copy data from snowflake table to s3 dir

```
CREATE OR REPLACE STAGE employee_output_stage
URL = 's3://redshiftbucket7rupesh/output/snowflake/employee_output/'
CREDENTIALS = (
    AWS_KEY_ID = 'AKIAXLFVJE65CVXPA32E'
    AWS_SECRET_KEY = 'Um5SQV/hjzm/RT1ihfyo6an7V1FDSuEBX8mEgEcY'
);

COPY INTO @employee_output_stage/exmployee_export_
FROM Employee
FILE_FORMAT = (
    TYPE = CSV
    FIELD_OPTIONALLY_ENCLOSED_BY = '"'
    COMPRESSION = NONE
)
HEADER = TRUE
SINGLE = TRUE
OVERWRITE = TRUE;
```



2. Create a listing table in database **bootcamp** and in schema **snow.**
   a. Requirements:
      i. Unload the data for the listing table from redshift to s3 in a parquet file. This data should be loaded in snowflake staging directory in a separate folder.
      ii. Now create a listing table in snowflake on this unloaded data.

   b. Expectations - I want you to provide / submit followings

      i. Redshift unload script.

```
UNLOAD ('SELECT * FROM test.listing')
TO 's3://redshiftbucket7rupesh/input/listing_parquet/listing_'
IAM_ROLE 'arn:aws:iam::505038841786:role/redshift_admin'
FORMAT AS PARQUET
PARALLEL OFF;
```

ii. Copy command which will load the parquet data from s3 to snowflake table.

```sql
CREATE OR REPLACE STAGE listing_stage
URL = 's3://redshiftbucket7rupesh/input/listing_parquet/'
CREDENTIALS = (
    AWS_KEY_ID = 'AKIAXLFVJE65CVXPA32E'
    AWS_SECRET_KEY = 'Um5SQV/hjzm/RT1ihfyo6an7V1FDSuEBX8mEgEcY'
)
FILE_FORMAT = (TYPE = PARQUET);



CREATE OR REPLACE TABLE listing (
    listid INT,
    sellerid INT,
    eventid INT,
    dateid INT,
    numtickets INT,
    priceperticket NUMBER(8,2),
    totalprice NUMBER(8,2),
    listtime TIMESTAMP
);

COPY INTO listing
FROM @listing_stage
MATCH_BY_COLUMN_NAME = CASE_INSENSITIVE;

SELECT * FROM listing;
```



	LISTID	SELLERID	EVENTID	DATEID	NUMTICKETS	PRICEPERTICKET	TOTALPRICE	LISTTIME
1	3	21461	4256	2131	2	182.00	364.00	2008-11-01 07:35:33.000
2	8	11891	8036	2139	6	82.00	492.00	2008-11-09 05:07:30.000
3	3	21461	4256	2131	2	182.00	364.00	2008-11-01 07:35:33.000
4	8	11891	8036	2139	6	82.00	492.00	2008-11-09 05:07:30.000
5	6	47402	8240	2053	18	77.00	1386.00	2008-08-15 02:08:13.000
6	6	47402	8240	2053	18	77.00	1386.00	2008-08-15 02:08:13.000
7	1	36861	7872	1850	10	182.00	1820.00	2008-01-24 06:43:29.000
8	1	36861	7872	1850	10	182.00	1820.00	2008-01-24 06:43:29.000
9	4	8117	4337	1970	8	38.00	304.00	2008-05-24 01:18:37.0
10	4	8117	4337	1970	8	38.00	304.00	2008-05-24 01:18:37.0
11	10	24858	3375	1994	16	197.00	3152.00	2008-06-17 09:44:54.000
12	10	24858	3375	1994	16	197.00	3152.00	2008-06-17 09:44:54.000

Note: I want you to load the data in the snowflake table into the individual cells not as json records.