Submitted By: Tenzin Lektso (11902824)

Rupika Kumari (11902850)

Shivam Tej (11902861)

Section: K19CJ; Group-2

Project No.: 19

Course Code: CSE 326

Submitted To: Amandeep Kaur

www.goldsgym.com

Introduction

It is an online website where people who are interested in joining this particular gym

can easily get information. Like what the gym can provide to its members, some

details on fitness programs, gears recommended by the gym to buy and the

membership fee structures.

Objective

The key objective of this website is to let people join this gym, by showing pictures

of the gym and giving information on the gym like how things work at the gym.

Through that the user will have more knowledge about the gym so they can decide

whether they need to join the gym or not, and all the necessary equipments related

to assurance.

Description

Gold's gym website is to get access to more information on this gym and how the

things work there. Modules are as follow:

1

- **Home:** It's the home page or the first page where the user can access all the information roughly and give the user a clear idea about what kind of information they are searching for and give an overview about the whole gym.
- Gallery: As the topic stated, it's a gallery of gym and it gives users some visual data on the gym as it is easier to imagine and have some impact on the brain more than the words only. To access the gallery, the user will find the option in the home page or by clicking a random image showing in the home page, the website will direct the user to that particular image in the gallery.
- Packages: This module is to show the fee system or the package system to the user and some extra information related to the package. Package system will be mainly divided on the basis of time duration and under that, users will see discounts and benefits included with the membership package. But to access this, the user has to login into the gym first.
- **Login:** The login page is to let the user be part of the gym. In this page,the user has to give some personal data like name, gender, age, gmail address, phone number, country and the city where the user is living.
- Careers: users can access it through the home menu. In this page it gives information about the employee at the gold's gym. Like how the reward and recognition system works and the employee ranking pyramid and some videos of employees describing the work life there at the gym. At the end, the user will see an instruction of sending a copy of CV to an email address.

• Gears: It is an e-market of the gym where the user will be able to see the gym's kit. The main function is to form the home menu but in some gallery images features, a certain product will have hyperlink on it and by clicking on

it, the user will be directed to that product in the gears module.

• FAQs: this module consists of some questions and answers on which most of

the users get confused.

1. Can I really build muscles if I join this gym?

2. What will happen if I cancel the membership before the contract

expires?

3. After getting the membership can I go to the gym any time?

Contact us: Contact number and email address would be written there for

users to contact the gym if they face any problem or have any doubts.

• Feedback: An email address would be given there for any suggestion on the

gym or the website.

• **Biography:** 1. goldsgym.in

2. Oxygengym.com

3

Making of the Project

We have made this website by using Javascript, Html and CSS. Code is given below:

CSS Code for Styling the website:

```
margin: 0;
  padding: 0;
  font-family: century gothic;
}
body{
  background-image: linear-gradient(rgba(0,0,0,0.5),rgba(0,0,0,0.5)),
url(img2.jpg);
  height: 100vh;
  background-size: cover;
  background-position: center;
.mol{
  float:right;
  outline-offset: 10px;
  text-align: right;
  margin-top: 10px;
  margin-right: 10px;
.mol a
  text-decoration:none;
  color:white;
  padding: 5px 20px;
  transition: : 0.6s ease;
}
.logo ul{
  list-style-type: none;
```

```
float: right;
  margin-top: 25px;
.logo ul li{
  display: inline-block;
.logo ul li a
  text-decoration: none;
  color: #fff;
  padding: 5px 20px;
  border: 1px solid transparent;
  transition: 0.6s ease;
.logo ul li a:hover{
  background-color: yellow;
  color: #000;
.logo ul li.active a{
  background-color: yellow;
  color: #000;
}
.logo img{
  float: left;
  width: 100px;
  height: auto;
  margin-top: 15px;
}
.top img{
  float: left;
  width: 100%;
  height: 170px;
  margin-top: 35px;
  background-color: #000;
  background-size: 100%
```

```
}
table,th,td{
  border:1px solid #000000;
  border-collapse:collapse;
td,th{
  padding;15px;
  text-align:right;
table#t01{
  float:left;
  margin-top: 50px;
  width:100%;
  background-color: black;
img#A{
  height: 500px;
  width: 300px;
}
img#A:hover
  transform: scale(1.2,1.2);
  transition: 1s transform;
}
.table a
  text-decoration: none;
  color: #fff;
  padding: 5px 20px;
  border: 1px solid transparent;
  transition: 0.6s ease;
table a:hover
```

```
background-color: #fff;
  color: #000;
}
.line
{
  height:10px;
  width:100%;
  background-color:yellow;
  float: left;
  margin-top: 100px;
}
.lop
{
  float: left;
  margin-top:10px;
}
.lop a
  text-decoration:none;
  color:white;
  padding: 5px 20px;
  transition: : 0.6s ease;
}
.gallery
       .gallery .toy{
       margin:5px;
       font-size: 30px;
      .gallery .hit{
       float: left;
       text-align: center;
       margin-top: 10px;
       width:100%;
       font-size: 100px;
```

```
.gallery .box{
    float: left;
    margin:10px;
    margin-left: 20px;
   .gallery main img
     float:left;
     margin-left: `10px;
     height:200px;
     width:300px;
   }
    .gallery main img:hover{
  transform: scale(1.5,1.5);
  transition: 1s transform;
}
.hit{
     float:left;
     margin-top:100px;
     margin:left:100px;
     width:1000px;
.q{
  float:left;
  margin-top:10px;
  margin-left:100px;
}
```

HTML Code for "HOME":

```
<!DOCTYPE html>
<head>
<title>Document</title>
```

```
<link rel="stylesheet" href="gymx.css">
</head>
<body>
  <div class="logo">
    <img src="./newfolder/myimg2.png">
      ul>
        <a href ="home.html">HOME</a>
        <a href = "gallery.html">gallery</a>
        <a href ="quarries.html">quarries</a>
        <a href = "aboutus.html">about us</a>
        <a href ="contact.html">contact</a>
      </div>
  <div class="top">
    <img src="./newfolder/myimg1.png">
  </div>
  <div class="table">
  <img id="A" src="./newfolder/myimg3.jpg">
      <img id="A" src="./newfolder/myimg4.jpg">
      <img id="A" src="./newfolder/myimg5.jpg">
    <a href ="login.html">join us now</a>
      <a href = "gallery.html">gallery</a>
      <a href = "contact.html" > contact us </a> 
    </div>
  <div class="line"></div>
  <div class="lop">
    <b><font face="georgia" size=8 color="white">**PACKAGES:
</font><b>
```

```
ul>
       <a href="package1.html">Package 1</a>
       <a href="package2.html">Package 2</a>
       <a href="package3.html">Package 3</a>
    </div>
  <div class="mol">
    <font face="Arial Rounded MT" size=8 color="white"> FAQ </font>
<br>
    <a href="q1.html">1. What if i am not able to open the Packages</a>
    <br/> <a href="q2.html">2. What if i am not able to open contactus
</a>
    <br/><br><a href="q3.html">3. What if i am not able to open Gallery</a>
    <br/><br/><a href="q4.html">4. More problems not listed here?</a>
  </div>
</body>
</html>
```

HTML Code for "About us"

```
}
 a:visited{
 color:#ff0000;
  }
.toy{
 margin:5px;
font-size: 30px;
}
.hit{
   float:left;
   margin-top:100px;
   margin:left:100px;
   width:1000px;
}
.cards{
   top:20px;
   right: 400px;
   height: 400px;
   width: 400px;
   overflow: hidden;
   background: #000;
   box-shadow: 0 5px 10px rgba(0, 0, 0, 0.5);
   margin: 10% auto;
   outline: 8px solid black;
   position: relative;
   border-radius: 10px;
}
.cards span{
   height: 100%;
   left:0;
   background: url(SHIVAM.jpg);
   background-size: cover;
   position: absolute;
   transition: 1s;
```

```
}
.cards span:nth-child(1){
  z-index: 10;
  width: 25%;
  transition-delay: 0s;
.cards span:nth-child(2){
  z-index: 9;
  width: 50%;
  transition-delay: 0.3s;
}
.cards span:nth-child(3){
  z-index: 8;
  width: 75%;
  transition-delay: 0.6s;
}
.cards span:nth-child(4){
  z-index: 7;
  width: 100%;
  transition-delay: 0.9s;
}
.cards:hover span{
  transform: translateY(-100%);
  transition: .5s;
}
.cards:hover span:nth-child(1){
  transition-delay: .4s;
}
.cards:hover span:nth-child(2){
  transition-delay: .3s;
}
.cards:hover span:nth-child(3){
  transition-delay: .2s;
.cards:hover span:nth-child(4){
```

```
transition-delay: 0s;
.content{
  color: #fff;
  text-align: center;
  padding: 80px 20px;
  width: 100%;
  height: 100%;
  box-sizing: border-box;
}
.card{
  right: 400px;
  height: 400px;
  width: 400px;
  overflow: hidden;
  background: #000;
  box-shadow: 0 5px 10px rgba(0, 0, 0, 0.5);
  margin: 10% auto;
  outline: 8px solid black;
  position: relative;
  border-radius: 10px;
.card span{
  height: 100%;
  left:0;
  background: url(TENZIN.jpg);
  background-size: cover;
  position: absolute;
  transition: 1s;
.card span:nth-child(1){
  z-index: 10;
  width: 25%;
  transition-delay: 0s;
}
```

```
.card span:nth-child(2){
  z-index: 9;
  width: 50%;
  transition-delay: 0.3s;
}
.card span:nth-child(3){
  z-index: 8;
  width: 75%;
  transition-delay: 0.6s;
.card span:nth-child(4){
  z-index: 7;
  width: 100%;
  transition-delay: 0.9s;
}
.card:hover span{
  transform: translateY(-100%);
  transition: .5s;
}
.card:hover span:nth-child(1){
  transition-delay: .4s;
.card:hover span:nth-child(2){
  transition-delay: .3s;
}
.card:hover span:nth-child(3){
  transition-delay: .2s;
}
.card:hover span:nth-child(4){
  transition-delay: 0s;
}
.contents{
  color: #fff;
  text-align: center;
  padding: 80px 20px;
```

```
width: 100%;
  height: 100%;
  box-sizing: border-box;
}
.cardss{
  right: 400px;
  height: 400px;
  width: 400px;
  overflow: hidden;
  background: #000;
  box-shadow: 0 5px 10px rgba(0, 0, 0, 0.5);
  margin: 10% auto;
  outline: 8px solid black;
  position: relative;
  border-radius: 10px;
}
.cardss span{
  height: 100%;
  left:0;
  background: url(RUPIKA.jpg);
  background-size: cover;
  position: absolute;
  transition: 1s;
}
.cardss span:nth-child(1){
  z-index: 10;
  width: 25%;
  transition-delay: 0s;
}
.cardss span:nth-child(2){
  z-index: 9;
  width: 50%;
  transition-delay: 0.3s;
.cardss span:nth-child(3){
```

```
z-index: 8;
       width: 75%;
       transition-delay: 0.6s;
     }
     .cardss span:nth-child(4){
       z-index: 7;
       width: 100%;
       transition-delay: 0.9s;
     }
     .cardss:hover span{
       transform: translateY(-100%);
       transition: .5s;
     }
     .cardss:hover span:nth-child(1){
       transition-delay: .4s;
     }
     .cardss:hover span:nth-child(2){
       transition-delay: .3s;
     .cardss:hover span:nth-child(3){
       transition-delay: .2s;
     .cardss:hover span:nth-child(4){
       transition-delay: 0s;
}
     .contentss{
       color: #fff;
       text-align: center;
       padding: 80px 20px;
       width: 100%;
       height: 100%;
       box-sizing: border-box;
     }
  </style>
```

```
</head>
<body>
  <div class="logo">
    <img src="./newfolder/myimg2.png">
      ul>
        <a href ="home.html">HOME</a>
        <a href = "gallery.html">gallery</a>
        <a href ="quarries.html">quarries</a>
        <a href = "aboutus.html">about us</a>
        <a href ="contact.html">cotact</a>
      </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
  <div class="cards">
    <span></span> <span></span>
    <span></span> <span></span>
    <div class="content">
      <h1>Shivam tej</h1>
      This person has done the css styling in this project.
    </div>
  </div>
  <div class="card">
    <span></span> <span></span>
    <span></span> <span></span>
    <div class="contents">
      <h1>TENZIN</h1>
      This person has done the html styling in this project.
    </div>
  </div>
  <div class="cardss">
    <span></span> <span></span>
    <span></span> <span></span>
```

HTML Code for "Gallery":

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
</head>
<body>
  <div class="gallery">
  <div class="logo">
    <img src="./newfolder/myimg2.png">
      ul>
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
      </div>
  <h1><font color="yellow"><div class="hit">GALLERY</div></font><h1>
  <main>
    <div class="box"><img src="./imagess/download (11).jfif" alt=""></div>
```

```
<div class="box"><img src="./imagess/download (12).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (4).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (5).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (7).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (8).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (9).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (10).jfif" alt=""></div>
<div class="box"><img src="./imagess/download (10).jfif" alt=""></div>
</main>
</div>
</hd>
</hd>
</hr>
</pr>
</html>
```

HTML Code for Packages:

Package-1:

```
<!DOCTYPE html>
   <html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta http-equiv="X-UA-Compatible" content="ie=edge">
   <title>Document</title>
   link rel="stylesheet" href="gymx.css">
   <style>

   a:visited{
   color:#ff0000;
   }
   .toy{
   margin:5px;
   font-size: 30px;
```

```
}
  .cards{
  top:20px;
  right: 400px;
  height: 400px;
  width: 400px;
  margin-left: -49px;
  overflow: hidden;
  background: #000;
  box-shadow: 0 5px 10px rgba(0, 0, 0, 0.5);
  margin: 10% auto;
  outline: 8px solid black;
  position: relative;
  border-radius: 10px;
}
.cards span{
  height: 100%;
  left:0;
  background: url(package1.jfif);
  background-size: cover;
  position: absolute;
  transition: 1s;
}
.cards span:nth-child(1){
  z-index: 10;
  width: 25%;
  transition-delay: 0s;
}
.cards span:nth-child(2){
  z-index: 9;
  width: 50%;
  transition-delay: 0.3s;
}
.cards span:nth-child(3){
  z-index: 8;
```

```
width: 75%;
       transition-delay: 0.6s;
     }
     .cards span:nth-child(4){
       z-index: 7;
       width: 100%;
       transition-delay: 0.9s;
     }
     .cards:hover span{
       transform: translateY(-100%);
       transition: .5s;
     }
     .cards:hover span:nth-child(1){
       transition-delay: .4s;
     }
     .cards:hover span:nth-child(2){
       transition-delay: .3s;
     .cards:hover span:nth-child(3){
       transition-delay: .2s;
     }
     .cards:hover span:nth-child(4){
       transition-delay: 0s;
     }
     .content{
       color: #fff;
       text-align: center;
       padding: 80px 20px;
       width: 100%;
       height: 100%;
       box-sizing: border-box;
     }
  </style>
</head>
<body>
```

```
<div class="logo">
    <img src="./newfolder/myimg2.png">
       ul>
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href ="contact.html">cotact</a>
       </div>
    <div class="hit">
      <img src="./imagess/banner.jfif" alt="">
    </div>
    <div class="cards">
      <span></span> <span></span>
      <span></span> <span></span>
       <div class="content">
         <h1>Three months</h1>
         This one is best for lean gaining and also with this package
you will get the free coach facility and you can come at day or night but
only once.
       </div>
    </div>
    </body>
    </html>
Package-2:
<!DOCTYPE html>
  <html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
```

```
<link rel="stylesheet" href="gymx.css">
<style>
 a:visited{
 color:#ff0000;
 .toy{
 margin:5px;
  font-size: 30px;
    .cards{
    top:20px;
     right: 400px;
     height: 400px;
     width: 400px;
     margin-left: -49px;
     overflow: hidden;
     background: #000;
     box-shadow: 0 5px 10px rgba(0, 0, 0, 0.5);
     margin: 10% auto;
     outline: 8px solid black;
     position: relative;
     border-radius: 10px;;
  }
  .cards span{
     height: 100%;
     left:0;
     background: url(package2.jpg);
     background-size: round;
     position: absolute;
     transition: 1s;
  }
  .cards span:nth-child(1){
     z-index: 10;
```

```
width: 25%;
  transition-delay: 0s;
}
.cards span:nth-child(2){
  z-index: 9;
  width: 50%;
  transition-delay: 0.3s;
}
.cards span:nth-child(3){
  z-index: 8;
  width: 75%;
  transition-delay: 0.6s;
}
.cards span:nth-child(4){
  z-index: 7;
  width: 100%;
  transition-delay: 0.9s;
.cards:hover span{
  transform: translateY(-100%);
  transition: .5s;
}
.cards:hover span:nth-child(1){
  transition-delay: .4s;
}
.cards:hover span:nth-child(2){
  transition-delay: .3s;
}
.cards:hover span:nth-child(3){
  transition-delay: .2s;
}
.cards:hover span:nth-child(4){
  transition-delay: 0s;
.content{
```

```
color: #fff;
      text-align: center;
      padding: 80px 20px;
       width: 100%;
      height: 100%;
      box-sizing: border-box;
    }
  </style>
</head>
<body>
  <div class="logo">
    <img src="./newfolder/myimg2.png">
       <a href ="home.html">HOME</a>
         <a href ="gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
       </div>
    <div class="hit">
      <img src="./imagess/banner.jfif" alt="">
    </div>
    <div class="cards">
      <span></span> <span></span>
      <span></span> <span></span>
       <div class="content">
         <h1>Six months</h1>
         This one is best for lean gaining and also with this package
you will get the free coach facility and you can come day or at night with
this parking facility is also available and you can use that also.
       </div>
    </div>
    </body>
    </html>
```

Package-3:

```
<!DOCTYPE html>
  <html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
  <style>
   a:visited{
   color:#ff0000;
    .tole{
    margin:5px;
    font-size: 30px;
      }
      .fards{
       top:20px;
       right: 400px;
       height: 400px;
       width: 400px;
       margin-left: -49px;
       overflow: hidden;
       background: #000;
       box-shadow: 0 5px 10px rgba(0, 0, 0, 0.5);
       margin: 10% auto;
       outline: 8px solid black;
       position: relative;
       border-radius: 10px;;
    }
```

```
.fards span{
  height: 100%;
  left:0;
  background: url(package3.jfif);
  background-size: cover;
  position: absolute;
  transition: 1s;
}
.fards span:nth-child(1){
  z-index: 10;
  width: 25%;
  transition-delay: 0s;
}
.fards span:nth-child(2){
  z-index: 9;
  width: 50%;
  transition-delay: 0.3s;
.fards span:nth-child(3){
  z-index: 8;
  width: 75%:
  transition-delay: 0.6s;
}
.fards span:nth-child(4){
  z-index: 7;
  width: 100%;
  transition-delay: 0.9s;
}
.fards:hover span{
  transform: translateY(-100%);
  transition: .5s;
}
.fards:hover span:nth-child(1){
  transition-delay: .4s;
}
```

```
.fards:hover span:nth-child(2){
      transition-delay: .3s;
    }
    .fards:hover span:nth-child(3){
      transition-delay: .2s;
    .fards:hover span:nth-child(4){
      transition-delay: 0s;
    }
    .fontent{
      color: #fff;
      text-align: center;
      padding: 80px 20px;
      width: 100%;
      height: 100%;
      box-sizing: border-box;
    }
  </style>
</head>
<body>
 <div class="logo">
    <img src="./newfolder/myimg2.png">
       <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
       </div>
    <div class="hit">
      <img src="./imagess/banner.jfif" alt="">
    </div>
    <div class="fards">
      <span></span> <span></span>
```

HTML Code for "Login Page":

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" href="gymx.css">
<style>
.format{
          float:left;
          margin-top:250px;
          margin-left: -1000px;
</style>
</head>
<body>
     <div class="logo">
    <img src="./newfolder/myimg2.png">
      ul>
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
```

```
<a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
       </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
     <div class="format">
     <div class="login-box">
           <font color="white">
           <h1>login</h1>
           <div class="textbox">
                <input type="text" placeholder="username" name=""
value="">
           </div>
           <div class="textbox">
                <input type="text" placeholder="password" name=""
value="">
           </div>
           <input class="btn" type="button" name="" value="login">
     </font>
     </div></div></body></html>
```

HTML Code for "Queries":

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
  <style>
    .qa{
      float:left;
      margin-top: 30px;
      margin-left: 100px;
      width:100%;
    }
    .hit{
      float:left;
      margin-top:120px;
      margin:left:100px;
      width:1000px;
    }
  </style>
</head>
<body>
 <div class="logo">
    <img src="./newfolder/myimg2.png">
       <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href = "contact.html">contact</a>
       </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
  <div class="qa">
```

```
<font color="white">
    <label for="name">Phone number</label><br>
    <select name="Phone number" id="">
       <option value="+91">+91</option>
       <option value="+11">+11</option>
       <option value="+61">+61</option>
       <option value="+23">+23</option>
    </select>
    <input type="phone" name="name" id="name">
    <br/>br>
    Description
    <textarea name="Description" id="" cols="30" rows="10"></textarea>
    <but><br/><br/>button>submit</button></br/>
  </font>
  </div>
</body>
</html>
1:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
</head>
<body>
  <div class="logo">
    <img src="./newfolder/myimg2.png">
       <l
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
```

```
<a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
      </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
  <div class="q">
  <font color="white">
  >
    ***If this problem comes to you then you should refresh the page
back.
  </font></div>
</body>
</html>
2:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
</head>
<body>
  <div class="logo">
    <img src="./newfolder/myimg2.png">
      ul>
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
```

```
<a href ="contact.html">contact</a>
       </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
  <div class="q">
  <font color="white">
  >
    ***If this problem comes to you then you try later because of trafic of
crowd this thing is happening
    We apologize to you for this problem.
  </font></div>
</body>
</html>
3:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
</head>
<body>
  <div class="logo">
    <img src="./newfolder/myimg2.png">
       ul>
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
```


```
<a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
       </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
  <div class="q">
  <font color="white">
  >
    ***This thing is open to you only if your chrome or any web is not
allowing the effect or it is off you should go to the setting and on that then it
will be ok.
  </font></div>
</body>
</html>
4:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link rel="stylesheet" href="gymx.css">
</head>
<body>
 <div class="logo">
    <img src="./newfolder/myimg2.png">
       <l
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
```


```
<a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href ="contact.html">contact</a>
       </div>
  <div class="hit">
    <img src="./imagess/banner.jfif" alt="">
  </div>
  <div class="q">
  <font color="white">
  >
    ***Go to the quarries you will get the answer there within 24 hours.
  </font>
  </div>
</body>
</html>
```


HTML Code for "Contact us":


```
.hit{
      float:left;
      margin-top:100px;
       margin:left:100px;
      width:1000px;
    .contactbox{
      float:left:
      margin-left: 100px;
       margin-top: 100px;
    }
  </style>
</head>
<body>
    <div class="logo">
    <img src="./newfolder/myimg2.png">
       ul>
         <a href ="home.html">HOME</a>
         <a href = "gallery.html">gallery</a>
         <a href ="quarries.html">quarries</a>
         <a href = "aboutus.html">about us</a>
         <a href = "contact.html">contact</a>
       </div>
    <div class="hit">
       <img src="./imagess/banner.jfif" alt="">
    </div>
    <font color="white">
    <div class="contactbox">
       <h1>Enter the email and problem below we will help you within
24hours</h1>
       <div class="text">
         <label for="name">Email</label>
         <input type="text" placeholder="email" name="name" id="name">
         <br>
```


Output














Basics of the above code

Our website is covered by mostly CSS and HTML. CSS which stands for Cascading

style sheet.

It is a language used for describing the presentation of a document written in a

markup language like HTML. CSS is a cornerstone technology of the world wide

web, alongside HTML and Javascript. We've added background colour, margin,

padding and images using CSS. HTML which is a hypertext markup language, used

for creating web pages and web applications. We've used table tags in which we

have mentioned rowspan and colspan. We have also used ordered and unordered

lists for making the list of various objects of the gym.

Conclusion

The main motive of this website is to provide a platform to the user by which they

can get all the necessary information about the gym and they can connect with us.

References

1. https://www.w3schools.com/html/html_responsive.asp

2. https://www.thewebshowroom.com.au/well-built-web-design/

3. https://www.webalive.com.au/local-business-website-features/

4. https://learn.g2.com/website-features

Efforts Contribution:

1. Website Development: Shivam Tej (11902861)

2. Project Analysis and Report & Github Repository: Rupika Kumari(11902850)

3. Additional Features to the website: Tenzin Lektso (11902824)

Github Link

This Project can be seen at given Github link:

https://www.github.com/rupikajha39/HTML-Project-of-Gold-Gym

42