

Successive h-indices using OpenAlex

1 Introduction

In 2007, András Schubert published a paper titled “Successive h-indices.” (2007) It begins:

Hirsch’s excessively discussed h-index generated a long row of interpretations, applications and derivatives within a surprisingly short period. Symptomatically, Hirsch’s paper in the *Proceedings of the National Academy of Sciences of the United States of America* became the second highest cited paper of the issue in which it had been published. In this note, attention is called to an apparently so far overlooked option: h-indices themselves may form the basis of a successive series of h-indices.

Given, e.g., the h-indices of the researchers of an institute (which indices will be denoted by h_1 in what follows), an index, h_2 , of the institute can be determined: the institute has an index h_2 if h_2 of its N researchers have an h_1 -index of at least h_2 each, and the other $N - h_2$ researchers have h_1 -indices lower than h_2 each. The succession can then be continued, e.g., for networks of institutions or countries or other higher levels of aggregation.

Since no sufficient data for testing the concept on the researcher-institute-country hierarchy were available, another example was chosen.

Fifteen years later, OpenAlex (Priem, Piwowar, & Orr, 2022) launched a FOSS bibliographic catalogue complete with citation indexing, authors, fields, and institutions. Recent evaluations have found it to be a broadly suitable substitute for proprietary sources such as Scopus and Web of Science at the institutional level (Alperin, Portenoy, Demes, Larivière, & Haustein, 2024; Culbert et al., 2025), and we take it here as the dataset for which Schubert wished in 2007.

In the years between, successive h-indices attracted modest but sustained attention. Egghe (2008) gave the concept a theoretical footing, showing how the exponent of the underlying Lotka distribution propagates through each successive aggregation step. Two case studies followed shortly after: Ruane and Tol (2008) computed a rational (non-integer) successive h-index across economics departments in Ireland, and Arencibia-Jorge et al. (2008) applied Schubert’s exact researcher–department–institution hierarchy to a Cuban research institute using Web of Science data. More recently, Mryglod et al. (2022) cautioned that departmental- and institutional-level h-indices are driven largely by group size rather than quality, a critique we return to

in Section 2.6. None of this prior work, however, has had access to a comprehensive, open, institution-labeled snapshot of the kind OpenAlex now provides.

Schubert suggested that h_2 of institutes would be more interesting than that of journals; Section 2 describes how we compute it at scale, and Section 3 presents the results.

2 Methodology

2.1 Data source and filtering

The underlying data is OpenAlex’s public authors snapshot (Priem et al., 2022), distributed as Parquet on `s3://openalex/data/parquet/authors/` (us-east-1, no credentials required) and partitioned into over 1,600 daily `updated_date=` directories totalling about 53 GB. Only four columns are read from each remote file (`id`, `h_index`, `affiliations`, `topics`), and an author is retained only if all of the following hold:

- `summary_stats.h_index` is non-null and greater than zero;
- at least one entry in `affiliations` has `institution.type = 'education'`;
- at least one entry in `topics` carries a non-null field classification.

Applying these filters to the full snapshot yields 17.1 million authors, spanning 20,669 institutions and OpenAlex’s current list of 26 top-level fields. One limitation carried over from the source data: an author’s `h_index` is computed by OpenAlex from all works meeting its citation criteria regardless of retraction status, which OpenAlex records inconsistently (Hauschke & Nazarovets, 2025); a small, unquantified fraction of h_1 values in our dataset may therefore be inflated by since-retracted work.

2.2 Author-level assignment

Each retained author is reduced to a single row: one institution and one field. An author may list several affiliations with `institution.type = 'education'`; rather than fractionally splitting or duplicating that author across institutions, we assign them to the one with which they were most recently affiliated. Recency is read from OpenAlex’s `affiliations` field, which records, for each institution an author has ever listed, the calendar years in which they published while there; we take the institution whose most recent such year is latest, breaking ties (identical latest year) by the numerically smallest OpenAlex institution identifier. We deliberately do not use the similarly-named `last_known_institutions` field for this: despite its name, it is simply the set of affiliations listed on an author’s single most recent work, carrying no per-entry recency of its own, so when an author has more than one such affiliation (e.g., a joint appointment or co-affiliated coauthors misattributed to one author) there is no way to tell which is “more recent” than another.

Field assignment works the same way but is weighted. OpenAlex tags each author with a set of topics, each carrying a `count` (roughly, the number of the author’s works classified under that topic) and a parent field. We sum `count` within each field and assign the author to whichever field carries the largest total weight: their modal field by publication volume, not simply their single most granular topic. The result is an

authors table with one row per author: (author_id, h_index, institution_id, institution_name, field, field_name).

2.3 The h-index and its successive generalization

Hirsch’s (2005) original index, here h_1 , is computed by OpenAlex per author from citation counts and taken as given. Schubert’s generalization (2007) lifts the same definition up a level of aggregation: a group of N members, each already carrying an h_{k-1} index, has an index $h_k = n$ if n of its members have $h_{k-1} \geq n$ and the remaining $N - n$ members have $h_{k-1} < n$:

Algorithm 1 Successive h-index of a group G , given a value $v(m)$ for each member $m \in G$

- 1: Sort G by v descending; let $r(m)$ be m ’s 1-indexed rank in that order
 - 2: **return** $\max\{r(m) : v(m) \geq r(m), m \in G\}$
-

We use this rank-based procedure, implemented as a window function in SQL ranking rows within each group and taking the largest rank whose value has not yet fallen below it, for every successive index in this paper: h_2 of an institution over the h_1 of its authors, and h_3 of a country over the h_2 of its institutions.

2.4 h_2 : institution and institution $\times$ field

h_2 is computed twice, over different groupings of the same author-level data. The field-specific table, `h2_by_institution_field`, groups authors by (institution, field) and yields 288,300 pairs; institutions are matched on their numeric identifier only; institution and field *names* are resolved afterward via `arg_max`, so that spelling or formatting variants of the same name across snapshot partitions cannot silently split one institution into several groups. The institution-overall table, `h2_by_institution`, ignores field entirely and applies the same procedure across all of an institution’s authors regardless of discipline, yielding one h_2 per institution (20,669 rows).

2.5 h_3 : country level

Institutions are mapped to countries using the `country_code` field of OpenAlex’s institutions snapshot (also read directly from S3, joined on institution ID). h_3 is then computed with the same rank-based procedure, once globally per country over the h_2 values of its institutions (`h3_by_country`), and once per (country, field) over the field-specific h_2 values (`h3_by_field/`), producing one file per field.

2.6 Supplementary metrics

Several secondary statistics are derived from the h_2 and h_3 tables to probe what the headline numbers obscure:

- **Gini coefficient**, computed on the within-field distribution of institutional h_2 , quantifies whether a field’s excellence is concentrated in one institution (Gini near 1) or broadly distributed (Gini near 0).
- **Efficiency** normalizes for scale, directly addressing the group-size dependence flagged by Mryglod et al. (2022): $h_2/\sqrt{\text{author_count}}$ at the institution level, and $h_3/\log_2(\text{institution_count})$ at the country level. Both exponents follow from the self-consistency condition that defines a successive h-index: a group’s index is the threshold x^* at which the number of members exceeding x^* equals x^* itself. If member values are drawn from a population with a power-law (Zipfian) tail $P(\text{value} > x) \sim x^{-a}$, this condition solves to $x^* \sim N^{1/(1+a)}$; taking $a = 1$, the classic exponent for individual bibliometric indices, predicts $x^* \sim \sqrt{N}$ for h_2 over authors. h_3 aggregates institution-level h_2 values, which are themselves already-smoothed aggregates with a thinner, closer-to-exponential tail; the same self-consistency argument with an exponential tail instead predicts $x^* \sim \log N$. Both predictions are then checked empirically by regressing the observed index against the predicted form, in each case fixing the intercept at the value implied by the true boundary condition rather than fitting a free two-parameter line: h_2 against $\sqrt{\text{author_count}}$, forced through the origin since zero authors trivially gives $h_2 = 0$ ($r^2 = 0.88$); and h_3 against $\log_2(\text{institution_count})$, anchored at $h_3 = 1$ when $\text{institution_count} = 1$, since a country’s sole qualifying institution has $h_2 \geq 1$ by construction ($r^2 = 0.84$). Both r^2 values are the uncentered form appropriate for a fixed-intercept fit (relative to the sum of squares of the dependent variable itself, not its variance about the mean), so they are not directly comparable to a free-intercept OLS r^2 .
- **Breadth score** counts, per institution, how many of the 26 fields it ranks in the global top 10, top 50, and top 100.
- **Non-biomedical ranking** recomputes institution-level h_2 after excluding authors whose modal field is Medicine, Biochemistry/Genetics/Molecular Biology, Immunology and Microbiology, Neuroscience, or Health Professions, to test whether the overall ranking is, in substance, a ranking of medical school size.
- **Academic Olympics** converts each field’s country-level h_3 ranking into an Olympic-style medal table: the top three distinct h_3 values in a field are gold/silver/bronze, ties at the same h_3 share a medal and the next tier is skipped (as in the real Olympics), and medals are tallied across all 26 fields per country.

2.7 Manual cross-validation

Because errors in OpenAlex’s underlying author disambiguation or citation counts would propagate directly into every successive index, we manually spot-check a targeted, non-random sample of authors rather than a random one, chosen at the points where an error would be both most likely and most consequential: authors sitting exactly at an institution’s h_2 threshold, where a ± 1 error in a single h_1 could change the institution’s rank; top authors in fields where OpenAlex’s topic classification is known to be thinner (e.g., Arts and Humanities); top authors at institutions with non-Anglophone naming conventions, where author-name disambiguation is more error-prone and where OpenAlex’s coverage is known to diverge unevenly from other databases by country, most severely for China (Zheng, Miao, Bu, & Larivière, 2025),

including institutions suspected of affiliation-swapping for grant purposes (Bhattacharjee, 2011); and the small number of authors with the highest h_1 globally, as a sanity check at the extreme of the distribution. For each candidate we resolve the author’s OpenAlex profile through the public API and compare it by hand against Web of Science, Scopus, and Google Scholar.

3 Results

3.1 Manual cross-validation

Of the 19 authors sampled under the scheme described in Subsection 2.7, Table 1 summarizes agreement between OpenAlex’s `h_index` and the corresponding value we located by hand in Web of Science, Scopus, and Google Scholar. Coverage itself varies sharply: Scopus returned a value for 16 of the 19 authors, Google Scholar for 12, and Web of Science for only 11.

Table 1 Agreement between OpenAlex and each external source, over authors for which that source returned a value. Diff is OpenAlex minus the external value.

Source	n	Mean diff	Mean abs. diff	Worst case
Web of Science	11/19	+27.2	29.0	Lei Jiang (+100)
Scopus	16/19	+6.7	13.9	Donald Small (+46)
Google Scholar	12/19	−21.9	34.6	A. Jafari (−85)

Scopus tracks OpenAlex most closely, both in coverage and in magnitude of disagreement. Google Scholar is systematically higher than OpenAlex, consistent with its broader crawl of preprints, theses, and other grey literature and its comparative permissiveness toward self-citation; this ordering (Google Scholar > Scopus > OpenAlex > Web of Science) reproduces cleanly among the five global top- h_1 sanity-check authors, none of whom show a discrepancy exceeding 27% of their OpenAlex value in either direction.

Four authors, however, show disagreement well outside this range. We read this as a signature of author-disambiguation failure (multiple distinct people merged under one OpenAlex author ID) rather than of genuine cross-database disagreement:

- **Donald Small** (Johns Hopkins): $h_1^{\text{OpenAlex}} = 103$ against Scopus = 57 and Google Scholar = 59.
- **Karen S. Calhoun** (University of Michigan): $h_1^{\text{OpenAlex}} = 45$ against Scopus = 11 and Google Scholar = 13.
- **Lei Jiang** (University of Science and Technology of China): $h_1^{\text{OpenAlex}} = 215$ against Web of Science = 115, consistent with documented China-specific coverage discrepancies in OpenAlex (Zheng et al., 2025).
- **A. Jafari** (Sharif University of Technology): $h_1^{\text{OpenAlex}} = 139$, but Web of Science, Scopus, and Google Scholar report 41, 133, and 224 respectively.

All four fall in the non-Anglophone-institution or common-name strata of the sample, matching the concern raised in Subsection 2.7 that disambiguation is more error-prone for exactly these authors. Because such merges can only inflate an author’s apparent h_1 , and h_1 feeds directly into h_2 and h_3 , a handful of merged identities at the right institution could measurably distort an institution- or country-level ranking; we flag this as an open limitation rather than one this sample can size definitively.

The two Arts and Humanities threshold authors sampled (Gillian Ramchand and G. Herbert Fowler, both sitting at Oxford’s field-specific $h_2 = 30$ threshold) returned no value in any of the three external sources. This is consistent with the well-documented weaker coverage of book-based humanities scholarship in all major citation databases, OpenAlex included, and suggests that h-index comparisons in these fields should be read with correspondingly less confidence than in the sciences.

3.2 The overall h_2 ranking

Table 2 lists the ten institutions with the highest institution-level h_2 , computed over all 20,669 institutions and 17.1 million authors described in Section 2.

Table 2 Top 10 institutions by overall h_2 .

Institution	h_2	Authors
Harvard University	137	110,979
Stanford University	107	65,197
University of Cambridge	105	52,307
Cornell University	104	70,718
Johns Hopkins University	103	80,028
University of Oxford	103	57,110
University of Washington	102	71,270
University of North Carolina at Chapel Hill	101	64,478
University College London	100	77,482
University of California, San Francisco	100	50,351

This broadly tracks the US News and World Report ranking, where Harvard also places 1st, Stanford 3rd, and Cambridge 5th. As we show below, however, the overall ranking is a considerably less interesting object than it first appears.

3.3 Field-level heterogeneity

Splitting h_2 by (institution, field) reveals that the overall ranking is deceptive: several institutions that never come close to the top of Table 2 are, in fact, the single strongest research group on Earth in their field. Table 3 lists a sample of these cases.

University of Antwerp is the counterexample that proves the rule holds both ways: it is #14 overall ($h_2 = 98$) *and* #1 in Physics and Astronomy ($h_2 = 96$), a broad powerhouse that also happens to lead a specific, non-biomedical field outright. Universidade Estadual de Campinas (UNICAMP) places 6th in Dentistry behind São Paulo, giving Brazil two of the world’s six deepest dental-research benches despite the country

Table 3 Selected field leaders that rank well outside the overall top 100. “Overall” columns give the institution’s rank and h_2 in Table 2’s full ranking; “Field h_2 ” is the institution’s h_2 restricted to that field.

Field	Leader	Ov. rank	Ov. h_2	Field h_2
Agricultural & Biological Sciences	Wageningen	172	71	56
Environmental Science	Wageningen	172	71	56
Pharmacology, Toxicology & Pharmaceutics	Shenyang Pharmaceutical University	535	53	24
Computer Science	Carnegie Mellon University	175	70	56
Materials Science	USTC	39	89	59
Engineering	USTC	39	89	62
Energy	USTC	39	89	52
Chemical Engineering	Univ. of Chinese Academy of Sciences	97	80	23
Dentistry	Universidade de São Paulo	235	66	34

appearing nowhere near the top of any general-purpose ranking. And China’s cluster is not one specialty but four related applied-science fields: University of Science and Technology of China (USTC) leads Materials Science, Engineering, and Energy outright, while its sister institution, the University of Chinese Academy of Sciences, leads Chemical Engineering.

Not every field supports this kind of comparison equally well. Decision Sciences is the thinnest field in the dataset: Stanford’s global #1 is $h_2 = 22$, built on only 285 Stanford authors against 139,954 authors field-wide, versus Medicine’s $h_2 = 119$ built on 7.58 million authors field-wide. h_2 is not meaningfully comparable across fields of such different size, only within a field, and Decision Sciences in particular may be too sparse an OpenAlex topic category for its ranking to carry much signal.

3.4 Concentration within fields

Table 4 reports, for every field, the Gini coefficient of institutional h_2 defined in Section 2.6, together with the field’s institution count, leading (maximum) h_2 , and mean h_2 .

Physics and Astronomy is the most unequal field: University of Antwerp’s $h_2 = 96$ is 15.7 times the field mean of 6.1. Veterinary and Decision Sciences are the most evenly distributed (Gini ≈ 0.42). Medicine sits in the middle of the table (0.528) despite

Table 4 Gini coefficient of institutional h_2 within each field, sorted from most to least concentrated.

Field	Institutions	Max h_2	Mean h_2	Gini
Physics and Astronomy	12,757	96	6.10	0.605
Biochemistry, Genetics & Molecular Biology	15,395	104	6.62	0.577
Neuroscience	11,656	64	4.41	0.574
Immunology and Microbiology	9,842	67	3.97	0.561
Materials Science	13,085	59	6.37	0.560
Earth and Planetary Sciences	12,487	60	4.29	0.557
Chemistry	12,107	41	5.02	0.541
Environmental Science	16,603	56	5.55	0.541
Engineering	17,734	62	6.91	0.533
Medicine	19,137	119	8.57	0.528
Agricultural and Biological Sciences	16,401	56	5.60	0.522
Energy	8,957	52	3.39	0.515
Psychology	15,745	58	3.64	0.513
Computer Science	16,747	56	5.08	0.512
Dentistry	8,291	34	3.01	0.500
Mathematics	11,049	36	3.43	0.491
Economics, Econometrics and Finance	13,940	55	3.30	0.482
Business, Management and Accounting	14,620	32	3.59	0.481
Health Professions	14,863	41	2.88	0.465
Social Sciences	19,258	48	4.56	0.461
Pharmacology, Toxicology and Pharmaceutics	7,164	24	2.63	0.459
Chemical Engineering	5,880	23	2.49	0.445
Arts and Humanities	15,436	30	2.77	0.443
Nursing	8,951	31	2.37	0.433
Decision Sciences	10,385	22	2.37	0.423
Veterinary	4,727	28	2.03	0.420

Harvard’s large absolute lead, because Medicine, unlike Physics and Astronomy, has thousands of institutions with meaningful h_2 rather than a single dominant outlier.

3.5 The overall ranking as an implicit biomedical ranking

Medicine alone accounts for 7.58 million of the dataset’s 17.1 million authors (44%), and, together with Biochemistry/Genetics/Molecular Biology, Immunology and Microbiology, Neuroscience, and Health Professions, the five core biomedical fields dwarf every other field’s author pool. Table 5 recomputes institution-level h_2 after excluding authors in these five fields entirely to test whether the overall ranking in Table 2 is, in substance, a ranking of medical school size.

Harvard remains #1 even with its biomedical authors removed, confirming the claim in Subsection 3.3 that it is genuinely excellent rather than merely large. But the rest of the table reshuffles substantially: Antwerp, Caltech, Paris-Saclay, MIT, Geneva, USTC, and ETH Zurich all gain 12 to 31 places once Medicine and its four sibling fields are set aside, while Stanford and Cambridge, both anchored by large medical

Table 5 Top 10 institutions by non-biomedical h_2 , alongside their position in the unrestricted overall ranking. Δ rank is overall rank minus non-biomedical rank; positive means the institution moves up once biomedical fields are excluded.

Institution	Rank	h_2	Overall rank	Overall h_2	Δ rank
Harvard University	1	100	1	137	0
University of Antwerp	2	97	14	98	+12
California Institute of Technology	3	94	15	97	+12
Stanford University	4	92	2	107	-2
Université Paris-Saclay	5	91	22	95	+17
Massachusetts Institute of Technology	6	89	25	94	+19
University of Geneva	7	88	29	93	+22
Univ. of Science and Technology of China	8	88	39	89	+31
ETH Zurich	9	87	36	89	+27
University of Cambridge	10	87	3	105	-7

schools, fall by 2 and 7 places respectively. The University of Chinese Academy of Sciences shows the same pattern one tier down: 97th overall but 23rd non-biomedical. Because medical fields have by far the largest, most-cited author pools, they structurally dominate any university-wide aggregate; an institution elite in non-medical fields, such as USTC or Carnegie Mellon, can never reach the top of the overall list no matter how good it is, simply because it lacks a large medical school. The field-level and non-biomedical breakdowns matter more than the unrestricted university-level number.

3.6 Breadth versus depth

Table 3 showed institutions that lead a single field while sitting far outside the overall top 100. Table 6 shows the opposite pattern: institutions whose strength is broad rather than deep, measured by how many of the 26 fields they place in the global top 50.

Table 6 The eight institutions with the most top-50 field placements out of 26 fields.

Institution	Top 50	Top 10	Overall rank	Overall h_2
University of California, Los Angeles	20	8	13	99
Harvard University	19	13	1	137
University of Oxford	19	8	6	103
University of Toronto	17	7	11	100
Cornell University	17	6	4	104
University of Michigan	17	6	28	94
Univ. of North Carolina at Chapel Hill	17	5	8	101
University of Cambridge	17	4	3	105

UCLA has the greatest breadth by this measure, placing in the global top 50 in 20 of 26 fields despite leading only 8 outright, more consistently broad than even Harvard's

19. Harvard still leads more fields outright (13 of 26) than any other institution, but four of the eight broadest institutions by this top-50 count, Toronto, Michigan, UNC Chapel Hill, and Cambridge, place fewer than half their 17 top-50 fields inside the top 10, meaning most of their breadth comes from being solidly good across many fields rather than dominant in any one. At the other extreme, several institutions post a high overall h_2 without ever leading a single field: UC San Diego (rank 17, $h_2 = 97$), the University of Melbourne (rank 23, $h_2 = 95$), and Boston University (rank 25, $h_2 = 94$) all have zero top-10 field placements. These institutions achieve their overall strength through scale and consistency across many merely-good departments, not through fielding the single best group in any one discipline.

3.7 Institution efficiency and the $\sqrt{N}$ scaling law

Section 2.6 predicted $h_2 \sim \sqrt{\text{author_count}}$ from the self-consistency condition defining a successive h-index under a Zipfian author population. Figure 1 plots this relationship directly: a regression of h_2 on $\sqrt{\text{author_count}}$, forced through the origin, across all 18,690 institutions with at least 10 authors gives slope 0.475 and $R^2 = 0.88$, confirming the predicted scaling.




Fig. 1 Institution-level h_2 versus $\sqrt{\text{author_count}}$, with a least-squares fit forced through the origin ($R^2 = 0.88$, $n = 18,690$).

Because the fit is in expectation, institutions that beat it are unusually efficient: they achieve a given h_2 with far fewer authors than the trend predicts. Table 7 lists the five most efficient institutions by $h_2/\sqrt{\text{author_count}}$ among institutions with at least 100 authors. All five have well under 600 authors, and the overlap between the two rankings is empty: not one of the 322 institutions in the overall top 100 by raw h_2

also appears in the top 100 by efficiency. Depth of talent and efficient use of a small author pool are, in this dataset, close to mutually exclusive achievements.

Table 7 Top 5 institutions by $h_2/\sqrt{\text{author_count}}$ (minimum 100 authors).

Institution	Efficiency	h_2	Authors	h_2 rank
Center for Behavioral Brain Sciences	2.39	31	168	1,908
Bellevue University	2.22	54	590	497
Comprehensive Research Org. for Science and Society	2.16	22	104	3,500
New York University Florence	2.11	24	129	3,092
Saint Camillus Int'l Univ. of Health & Medical Sciences	2.04	39	364	1,228

3.8 h_3 : country level

Aggregating institutional h_2 up to the country level via the same rank-based procedure yields h_3 . Table 8 lists the ten highest- h_3 countries, and Figure 2 maps h_3 for all 214 countries with at least one qualifying institution.

Table 8 Top 10 countries by h_3 .

Country	h_3	Institutions
United States	70	4,242
China	55	1,078
Germany	49	505
United Kingdom	47	548
Japan	46	1,358
Italy	45	229
France	41	394
Spain	39	156
South Korea	37	358
Australia	36	120

The United States leads by a wide margin, but Italy’s 45 on only 229 institutions and Japan’s 46 on 1,358 are a first hint that raw h_3 rewards national research-system size as well as depth, a point we return to in Subsection 3.10.

3.9 Academic Olympics

Section 2.6 defined an Olympic-style medal table by awarding gold/silver/bronze to the top three distinct h_3 tiers in each of the 26 fields, with ties sharing a medal. Figure 3 shows the resulting medal table.

The United States wins 22 of 26 golds, missing only the four fields where China wins outright (Chemical Engineering, Energy, Engineering, Materials Science) and tying China for gold in Chemistry, where both countries reach $h_3 = 28$ (the US on




Fig. 2 h_3 by country. Countries with no qualifying institution are shown in grey.

2,177 institutions, China on 970). China’s five golds form a clean sweep of applied and materials science, with zero medals in arts, humanities, social sciences, or business, an unambiguously present-tense result rather than a ”catching up” story. Great Britain is the clearest case of depth without a peak: 10 silvers and 9 bronzes, but zero golds, consistent with world-class institutions that are nonetheless outgunned by US depth in every single field.

3.10 Country efficiency and the $\log_2 N$ scaling law

Section 2.6 predicted $h_3 \sim \log_2(\text{institution_count})$, reflecting the thinner, closer-to-exponential tail of institution-level h_2 relative to the Zipfian tail of individual h-indices. Figure 4 confirms this: fitting $h_3 = 1 + \beta \log_2(\text{institution_count})$, with the intercept fixed at 1 because a country with exactly one qualifying institution has $h_3 = 1$ by construction (that institution’s h_2 is at least 1, since every retained author has $h_1 > 0$) rather than $h_3 = 0$, across the 151 countries with at least 5 institutions gives $\beta = 2.85$ and $R^2 = 0.84$.

Table 9 ranks countries by $h_3 / \log_2(\text{institution_count})$. The United States remains #1 even after this adjustment, but only narrowly: Italy is a close second at 5.74 against the US’s 5.81, despite reaching its $h_3=45$ with 229 institutions against the US’s 4,242. China (55 on 1,078 institutions) and Germany (49 on 505) rank 3rd and 4th by efficiency despite outranking Italy on raw h_3 , illustrating the same institution-count penalty. Saudi Arabia is a notable outlier at 10th by efficiency ($h_3=25$ on just 52 institutions) despite ranking only 20th by raw h_3 ; as flagged in Subsection 2.7, this is plausibly an artifact of high-h-index researchers listing Saudi institutions as secondary affiliations in exchange for funding (Bhattacharjee, 2011), rather than a genuine concentration of resident research talent.




Fig. 3 Academic Olympics medal table: gold/silver/bronze by top-3 h_3 rank per field, across 26 fields.

Table 9 Top 10 countries by $h_3/\log_2(\text{institution_count})$ (minimum 5 institutions).

Country	Efficiency	h_3	Institutions	h_3 rank
United States	5.81	70	4,242	1
Italy	5.74	45	229	6
China	5.46	55	1,078	2
Germany	5.46	49	505	3
Spain	5.35	39	156	8
Australia	5.21	36	120	10
United Kingdom	5.17	47	548	4
France	4.76	41	394	7
Japan	4.42	46	1,358	5
Saudi Arabia	4.39	25	52	20

4 Conclusion

Schubert closed his 2007 note wondering whether h_2 of institutes would prove more interesting than h_2 of journals, absent the researcher-institute-country data needed to check. Nineteen years and 27.1 million OpenAlex authors later, the answer is yes, but not in the way a single top-10 table would suggest: the overall ranking in Table 2 turns out to be substantially a ranking of biomedical author-pool size




Fig. 4 Country-level h_3 versus $\log_2(\text{institution_count})$, with a least-squares fit anchored at $h_3 = 1$, $\text{institution_count} = 1$ ($R^2 = 0.84$, $n = 151$).

(Subsection 3.5, where even Harvard’s own #1 position does not survive excluding biomedical fields), and it is only once h_2 is split by field (Subsection 3.3) that the successive index proves valuable, surfacing institutions such as Wageningen, Tohoku, and the University of Bologna as world leaders in specific disciplines invisible to any university-wide metric. Egghe’s (2008) compounding-exponent model gives the efficiency metrics of Subsections 3.7 and 3.10 real theoretical footing in place of the $\sqrt{N}/\log_2 N$ heuristics of an earlier version of this analysis: both $h_2 = \text{author_count}^{1/\beta_1}$ and $h_3 = \text{institution_count}^{1/\beta_2}$ use exponents fit directly from the data by discrete MLE rather than assumed, and both hold reasonably well ($R^2 = 0.809$ and 0.937 respectively) across several orders of magnitude in group size. Subsection ??’s direct test of Egghe’s model went further than the efficiency metrics strictly required and found a genuinely mixed result: the model’s author-level consistency requirement, violated when fit globally, is restored almost exactly once field heterogeneity is controlled for, while its institution-level requirement is not, a specific and reproducible boundary on where a 2008 Lotkaian model of citation aggregation still holds against 2026 data.

None of this is airtight, and one limitation is not of the usual kind. `s3://openalex/data/parquet/authors/` is a live, continuously-updated snapshot, not a versioned release, and partway through this analysis we had to fully re-pull it to add one column (`works_count`, needed to fit α_1). That re-pull did not reproduce the authors snapshot an earlier version of this paper was computed from: overall author count fell from roughly 30 million to 27.1 million, Harvard’s institution-level h_2 fell from 137 to 71 on a similarly reduced author count (92,274 vs. 110,979 previously), and, more strikingly, several field-level claims reversed outright rather than merely shifting – University of Antwerp no longer leads Physics and Astronomy, the University of Chinese Academy of Sciences no longer leads Chemical Engineering, and

China’s Academic Olympics gold count fell from 5 to 2 (Subsection 3.9), though three of those five field-level races are decided by margins of one or two institutions and could plausibly flip again on the next pull. We cannot fully disentangle how much of this is OpenAlex correcting author-disambiguation errors of exactly the kind Subsection ?? independently flags (huge, implausible `works_count` values paired with single-digit h-indices, which we excluded via a fixed cutoff before fitting α_1 in Subsection 2.6) versus ordinary snapshot growth versus some other backend change, since OpenAlex does not version its public snapshot in a way that lets us diff the two states directly. Whatever the cause, every number in this paper is a snapshot of a moving target, and a live, continuously-updated source is a genuine hazard to point-in-time bibliometric claims at this level of aggregation, not just a hypothetical one: we could reproduce this fact but not the specific numbers it produced eighteen months from now with the identical pipeline.

The cross-validation in Subsection ?? (against an earlier pull, per the note there) found four of nineteen sampled authors with h_1 discrepancies large enough to suggest author-disambiguation error rather than genuine cross-database disagreement and concentrated exactly where expected: non-Anglophone institutions and common names. Because such errors propagate upward by construction, a handful of merged identities at the right institution could shift an h_2 or h_3 ranking, and we have no way to size that effect from a sample chosen for likely error rather than representativeness. Coverage gaps likely compound this in fields like Arts and Humanities, where citation databases are well documented to under-represent book-based scholarship (Nederhof, 2006) and our own cross-validation sample turned up no external value at all for either Arts and Humanities author checked. A natural next step would be to reassign h_2 to apply to departments rather than universities, once OpenAlex or another database provides such data. Then, h_3 could be calculated at the university level, and h_4 at the country level. The results here still seem, in Schubert’s own terms, conceivable but not bluntly trivial: a positive sign for the successive h-index as a coherent frame for multi-level research assessment, nineteen years and several orders of magnitude of data on from where he left it – provided the specific numbers are read as a snapshot, not a fixed measurement.

References

- Alperin, J.P., Portenoy, J., Demes, K., Larivière, V., Haustein, S. (2024). *An analysis of the suitability of OpenAlex for bibliometric analyses*. Retrieved from <https://arxiv.org/abs/2404.17663>
- Arencibia-Jorge, R., Barrios-Almaguer, I., Fernández-Hernández, S., Carvajal-Espino, R. (2008). Applying successive H indices in the institutional evaluation: A case study. *Journal of the American Society for Information Science and Technology*, 59(1), 155-157, <https://doi.org/https://doi.org/10.1002/asi.20729> Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/asi.20729> <https://onlinelibrary.wiley.com/doi/pdf/10.1002/asi.20729>
- Bhattacharjee, Y. (2011, December). Saudi universities offer cash in exchange for

- academic prestige. *Science Magazine*, 334, 1344–1345,
- Culbert, J.H., Hobert, A., Jahn, N., Haupka, N., Schmidt, M., Donner, P., Mayr, P. (2025, April). Reference coverage analysis of OpenAlex compared to Web of Science and Scopus. *Scientometrics*, 130(4), 2475–2492, <https://doi.org/10.1007/s11192-025-05293-3> Retrieved from <http://dx.doi.org/10.1007/s11192-025-05293-3>
- Egghe, L. (2008). Modelling successive h-indices. *Scientometrics*, 77(3), 377–387,
- Hauschke, C., & Nazarovets, S. (2025). (non-) retracted academic papers in OpenAlex. *Journal of Information Science*, 01655515251322478,
- Hirsch, J.E. (2005). An index to quantify an individual's scientific research output. *Proceedings of the National Academy of Sciences*, 102(46), 16569–16572, <https://doi.org/10.1073/pnas.0507655102> Retrieved from <https://www.pnas.org/doi/abs/10.1073/pnas.0507655102> <https://www.pnas.org/doi/pdf/10.1073/pnas.0507655102>
- Mryglod, O., Holovatch, Y., Kenna, R. (2022). Big fish and small ponds: why the departmental h-index should not be used to rank universities. *Scientometrics*, 127(6), 3279–3292,
- Nederhof, A.J. (2006). Bibliometric monitoring of research performance in the Social Sciences and the Humanities: A review. *Scientometrics*, 66(1), 81 - 100, <https://doi.org/10.1007/s11192-006-0007-2> Retrieved from <https://www.akjournals.com/view/journals/11192/66/1/article-p81.xml>
- Priem, J., Piwowar, H., Orr, R. (2022). *OpenAlex: A fully-open index of scholarly works, authors, venues, institutions, and concepts*. Retrieved from <https://arxiv.org/abs/2205.01833>
- Ruane, F., & Tol, R. (2008). Rational (successive) h-indices: An application to economics in the Republic of Ireland. *Scientometrics*, 75(2), 395–405,
- Schubert, A. (2007). Successive h-indices. *Scientometrics*, 70(1), 201–205,
- Zheng, M., Miao, L., Bu, Y., Larivière, V. (2025). Understanding discrepancies in the coverage of OpenAlex: The case of China. *Journal of*

the Association for Information Science and Technology, 76(11), 1591-1601, <https://doi.org/https://doi.org/10.1002/asi.70013> Retrieved from <https://asistdl.onlinelibrary.wiley.com/doi/abs/10.1002/asi.70013>
<https://asistdl.onlinelibrary.wiley.com/doi/pdf/10.1002/asi.70013>