

```
Last login: Thu Sep 24 17:02:30 on ttys049
crus@Calins-MacBook-Air oratoriu % curl -sI http://localhost:3000/
today | head -n 20
HTTP/1.1 307 Temporary Redirect
location: /login?next=%2Ftoday
Date: Thu, 24 Sep 2026 14:08:53 GMT
Connection: keep-alive
Keep-Alive: timeout=5

crus@Calins-MacBook-Air oratoriu % cd ~/Projects/oratoriu

echo "==== SCHEMA ====="
sed -n '1,250p' prisma/schema.prisma

echo "==== REPORTS PAGES ====="
find src -iname '*report*' -o -iname '*export*' | sort

echo "==== REPORTS PAGE ====="
find src -path '*reports*' -name '*.tsx' -print -exec sed -n
'1,200p' {} \;

echo "==== CSV ROUTE ====="
find src -path '*export*' -name 'route.ts' -print -exec sed -n
'1,200p' {} \;
find src -path '*reports*' -name 'route.ts' -print -exec sed -n
'1,200p' {} \;
==== SCHEMA =====
generator client {
  provider = "prisma-client-js"
}

datasource db {
  provider = "postgresql"
  url      = env("DATABASE_URL")
}

enum Role {
  ADMIN
  EMPLOYEE
}

enum ProjectStatus {
  ACTIVE
  ARCHIVED
}

enum DayStatus {
  MISSING
  DRAFT
  SUBMITTED
}
```

```

enum EntryStatus {
  DRAFT
  SUBMITTED
}

model User {
  id          String    @id @default(cuid())
  email       String    @unique
  name        String
  role        Role      @default(EMPLOYEE)
  active      Boolean   @default(true)
  expectedDailyHours Decimal @default(8) @db.Decimal(4, 2)
  reminderTime String    @default("17:30")
  notifyEmail Boolean   @default(true)
  passwordHash String?
  costRate    Decimal?  @db.Decimal(10, 2)
  billRate    Decimal?  @db.Decimal(10, 2)
  createdAt   DateTime  @default(now())

  memberships ProjectMember[]
  timeEntries TimeEntry[]
  dayReports   DayReport[]
  timeOff      TimeOff[]
}

model Client {
  id      String    @id @default(cuid())
  name    String
  active  Boolean   @default(true)
  projects Project[]
}

model Project {
  id          String    @id @default(cuid())
  clientId    String
  client      Client    @relation(fields: [clientId],
references: [id])
  name        String
  status      ProjectStatus @default(ACTIVE)
  billRate    Decimal?    @db.Decimal(10, 2)
  budgetHours Decimal?    @db.Decimal(8, 2)
  tasks       Task[]
  members     ProjectMember[]
  timeEntries TimeEntry[]
}

model Task {
  id          String    @id @default(cuid())
  projectId   String
  project     Project   @relation(fields: [projectId], references:

```

```

[id])
  name      String
  active     Boolean      @default(true)
  timeEntries TimeEntry[]
}

model ProjectMember {
  projectId String
  userId    String
  project   Project @relation(fields: [projectId], references: [id])
  user      User    @relation(fields: [userId], references: [id])

  @@id([projectId, userId])
}

model TimeEntry {
  id          String      @id @default(cuid())
  userId      String
  projectId   String
  taskId      String?
  workDate    DateTime    @db.Date
  minutes     Int
  billable    Boolean      @default(true)
  notes       String?
  status      EntryStatus @default(DRAFT)
  createdAt   DateTime    @default(now())
  updatedAt   DateTime    @updatedAt
  user        User        @relation(fields: [userId], references:
[id])
  project     Project      @relation(fields: [projectId], references:
[id])
  task        Task?        @relation(fields: [taskId], references:
[id])

  @@index([userId, workDate])
}

model DayReport {
  id          String      @id @default(cuid())
  userId      String
  workDate    DateTime    @db.Date
  status      DayStatus   @default(MISSING)
  submittedAt DateTime?
  lastRemindedAt DateTime?
  reminderCount Int        @default(0)
  user        User        @relation(fields: [userId], references:
[id])

  @@unique([userId, workDate])
}

```

```

model TimeOff {
  id      String   @id @default(cuid())
  userId  String
  date    DateTime @db.Date
  hours   Decimal  @db.Decimal(4, 2)
  type    String
  user    User      @relation(fields: [userId], references: [id])
}

model Holiday {
  date DateTime @id @db.Date
  name String
}

===== REPORTS PAGES =====
src/app/api/export
src/app/api/reports
src/app/reports
===== REPORTS PAGE =====
src/app/reports/page.tsx
"use client";

import { useEffect, useState } from "react";
import { format } from "date-fns";

function lei(n: number) {
  return (n ?? 0).toLocaleString("ro-RO", { minimumFractionDigits:
0, maximumFractionDigits: 0 }) + " lei";
}

export default function ReportsPage() {
  const [month, setMonth] = useState(format(new Date(), "yyyy-MM"));
  const [data, setData] = useState<any>(null);
  const [error, setError] = useState("");

  async function load(m = month) {
    const res = await fetch(`/api/reports?month=${m}`);
    const json = await res.json();
    if (!res.ok) return setError(json.error || "Eroare raport");
    setData(json);
  }

  useEffect(() => { load(month); }, [month]);

  return (
    <main>
      <h1>Profitabilitate lunară</h1>
      <div className="actions">
        <input type="month" value={month} onChange={(e) =>
setMonth(e.target.value)} />
        <a href={`\api/export/csv?from=${data?.from ?? ""}&to=$
{data?.to ?? ""}`}>
          <button type="button" className="ghost">CSV</button>

```

```

    </a>
  </div>
  {error && <p style={{ color: "#8a2e1a" }}>{error}</p>}

  {data && (
    <>
      <p>
        {data.from} → {data.to} · {data.totals.hours} h · venit
        {lei(data.totals.revenue)} ·
        cost {lei(data.totals.cost)} · <b>profit
        {lei(data.totals.profit)}</b>
      </p>

      <h2>Pe angajat</h2>
      <table className="sheet">
        <thead>
          <tr>
            <th>Angajat</th><th>Ore</th><th>Venit</th><th>Cost</
th><th>Profit</th>
          </tr>
        </thead>
        <tbody>
          {data.employees.map((r: any) => (
            <tr key={r.id}>
              <td>{r.name}</td>
              <td>{r.hours}</td>
              <td>{lei(r.revenue)}</td>
              <td>{lei(r.cost)}</td>
              <td>{lei(r.profit)}</td>
            </tr>
          ))}
        </tbody>
      </table>

      <h2>Pe proiect</h2>
      <table className="sheet">
        <thead>
          <tr>
            <th>Proiect</th><th>Ore</th><th>Venit</th><th>Cost</
th><th>Profit</th>
          </tr>
        </thead>
        <tbody>
          {data.projects.map((r: any) => (
            <tr key={r.id}>
              <td>{r.label}</td>
              <td>{r.hours}</td>
              <td>{lei(r.revenue)}</td>
              <td>{lei(r.cost)}</td>
              <td>{lei(r.profit)}</td>
            </tr>
          ))}
        </tbody>
      </table>
    </>
  )}

```

```

        ))}
      </tbody>
    </table>
  </>
  )}
</main>
);
}
===== CSV ROUTE =====
src/app/api/export/csv/route.ts
import { NextResponse } from "next/server";
import { prisma } from "@lib/prisma";
import { toWorkDate } from "@lib/timezone";
import { format } from "date-fns";

function csvEscape(value: string | number) {
  const s = String(value ?? "");
  if (/["\n;] /.test(s)) return ` "${s.replace(/"/g, '""')} "`;
  return s;
}

export async function GET(req: Request) {
  const url = new URL(req.url);
  const from = url.searchParams.get("from") ?? format(new Date(),
"yyyy-MM-01");
  const to = url.searchParams.get("to") ?? format(new Date(), "yyyy-
MM-dd");

  const entries = await prisma.timeEntry.findMany({
    where: {
      workDate: { gte: toWorkDate(from), lte: toWorkDate(to) },
    },
    include: {
      user: true,
      project: { include: { client: true } },
    },
    orderBy: [{ workDate: "asc" }, { createdAt: "asc" }],
  });

  const header = [
    "Data",
    "Angajat",
    "Email",
    "Client",
    "Proiect",
    "Ore",
    "Minute",
    "Facturabil",
    "Status",
    "Nota",
  ];
};

```

```

const rows = entries.map((e) => [
  format(e.workDate, "yyyy-MM-dd"),
  e.user.name,
  e.user.email,
  e.project.client.name,
  e.project.name,
  (e.minutes / 60).toString().replace(".", ","),
  e.minutes,
  e.billable ? "da" : "nu",
  e.status,
  e.notes ?? "",
]);

const csv =
  "\uFEFF" +
  [header, ...rows].map((r) =>
r.map(csvEscape).join(",")).join("\n");

return new NextResponse(csv, {
  headers: {
    "Content-Type": "text/csv; charset=utf-8",
    "Content-Disposition": `attachment; filename="oratoriu-${
from}-${to}.csv"`,
  },
});
}
src/app/api/reports/route.ts
import { NextResponse } from "next/server";
import { prisma } from "@lib/prisma";
import { toWorkDate } from "@lib/timezone";
import { endOfMonth, format, startOfMonth } from "date-fns";

function money(hours: number, rate?: any) {
  const r = rate == null ? 0 : Number(rate);
  return Math.round(hours * r * 100) / 100;
}

export async function GET(req: Request) {
  try {
    const url = new URL(req.url);
    const month = url.searchParams.get("month") || format(new
Date(), "yyyy-MM");
    const from = `${month}-01`;
    const fromDate = toWorkDate(from);
    const toDate = toWorkDate(format(endOfMonth(fromDate), "yyyy-MM-
dd"));

    const entries = await prisma.timeEntry.findMany({
      where: { workDate: { gte: fromDate, lte: toDate } },
      select: {

```

```

        minutes: true,
        billable: true,
        userId: true,
        projectId: true,
        user: { select: { id: true, name: true, costRate: true,
billRate: true } },
        project: {
            select: {
                id: true,
                name: true,
                billRate: true,
                client: { select: { name: true } },
            },
        },
    },
});

```

```

const byEmp = new Map<string, any>();
const byProj = new Map<string, any>();
let hours = 0, revenue = 0, cost = 0;

```

```

for (const e of entries) {
    const h = e.minutes / 60;
    const billRate = e.project.billRate ?? e.user.billRate ?? 0;
    const costRate = e.user.costRate ?? 0;
    const rev = e.billable ? money(h, billRate) : 0;
    const cst = money(h, costRate);

```

```

    hours += h;
    revenue += rev;
    cost += cst;

```

```

    const emp = byEmp.get(e.userId) ?? {
        id: e.userId,
        name: e.user.name,
        hours: 0,
        revenue: 0,
        cost: 0,
    };

```

```

    emp.hours += h;
    emp.revenue += rev;
    emp.cost += cst;
    byEmp.set(e.userId, emp);

```

```

    const label = `${e.project.client.name} / ${e.project.name}`;
    const proj = byProj.get(e.projectId) ?? {
        id: e.projectId,
        label,
        hours: 0,
        revenue: 0,
        cost: 0,
    };

```

```

    };
    proj.hours += h;
    proj.revenue += rev;
    proj.cost += cst;
    byProj.set(e.projectId, proj);
  }

  const fin = (row: any) => ({
    ...row,
    hours: Math.round(row.hours * 100) / 100,
    revenue: Math.round(row.revenue * 100) / 100,
    cost: Math.round(row.cost * 100) / 100,
    profit: Math.round((row.revenue - row.cost) * 100) / 100,
  });

  return NextResponse.json({
    month,
    from,
    to: format(endOfMonth(fromDate), "yyyy-MM-dd"),
    totals: fin({ hours, revenue, cost }),
    employees: [...byEmp.values()].map(fin).sort((a, b) =>
b.profit - a.profit),
    projects: [...byProj.values()].map(fin).sort((a, b) =>
b.profit - a.profit),
  });
} catch (e) {
  return NextResponse.json({ error: String(e) }, { status: 400 });
}
}

```

crus@Calins-MacBook-Air oratoriu % ls -la prisma src/app src/app/api

prisma:

permissions	size	owner	group	size	date	time	file
total	32						
drwxr-xr-x	6	crus	staff	192	Sep 24	17:31	.
drwxr-xr-x	23	crus	staff	736	Sep 24	16:49	..
-rw-r--r--@	1	crus	staff	6148	Sep 24	17:31	.DS_Store
drwxr-xr-x	5	crus	staff	160	Sep 24	10:37	migrations
-rw-r--r--	1	crus	staff	3223	Sep 24	10:37	schema.prisma
-rw-r--r--	1	crus	staff	1157	Sep 23	16:57	seed.ts

src/app:

permissions	size	owner	group	size	date	time	file
total	120						
drwxr-xr-x	4	crus	staff	128	Sep 23	16:52	(app)
drwxr-xr-x	17	crus	staff	544	Sep 24	17:31	.
drwxr-xr-x	6	crus	staff	192	Sep 24	17:31	..
-rw-r--r--@	1	crus	staff	10244	Sep 24	17:32	.DS_Store
drwxr-xr-x	14	crus	staff	448	Sep 24	17:32	api
drwxr-xr-x	3	crus	staff	96	Sep 23	17:21	clients
-rw-r--r--	1	crus	staff	25931	Sep 23	11:12	favicon.ico
-rw-r--r--	1	crus	staff	4579	Sep 24	16:29	globals.css
-rw-r--r--	1	crus	staff	574	Sep 24	11:15	layout.tsx
drwxr-xr-x	3	crus	staff	96	Sep 24	10:12	login

```

drwxr-xr-x   3 crus  staff    96 Sep 23 22:28 missing
-rw-r--r--   1 crus  staff   102 Sep 24 10:47 page.tsx
drwxr-xr-x   3 crus  staff    96 Sep 23 17:21 people
drwxr-xr-x   3 crus  staff    96 Sep 23 17:21 projects
drwxr-xr-x   3 crus  staff    96 Sep 23 17:21 reports
drwxr-xr-x   3 crus  staff    96 Sep 24 11:43 today
-rw-r--r--   1 crus  staff   791 Sep 24 11:15 who.tsx

```

src/app/api:

total 24

```

drwxr-xr-x  14 crus  staff   448 Sep 24 17:32 .
drwxr-xr-x  17 crus  staff   544 Sep 24 17:31 ..
-rw-r--r--@  1 crus  staff  8196 Sep 24 17:32 .DS_Store
drwxr-xr-x   4 crus  staff   128 Sep 23 22:09 clients
drwxr-xr-x   3 crus  staff    96 Sep 23 17:21 cron
drwxr-xr-x   4 crus  staff   128 Sep 24 17:32 export
drwxr-xr-x   3 crus  staff    96 Sep 23 22:28 missing
drwxr-xr-x   2 crus  staff    64 Sep 23 16:52 pending
drwxr-xr-x   4 crus  staff   128 Sep 23 22:13 people
drwxr-xr-x   4 crus  staff   128 Sep 23 22:13 projects
drwxr-xr-x   3 crus  staff    96 Sep 23 17:21 reports
drwxr-xr-x   3 crus  staff    96 Sep 24 10:38 session
drwxr-xr-x   3 crus  staff    96 Sep 24 11:37 tasks
drwxr-xr-x   4 crus  staff   128 Sep 23 22:31 today

```

crus@Calins-MacBook-Air oratoriu %