

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
CARDIOVASCULAR CARE		
●Acute Coronary Syndrome (STEMI / NSTEMI)	• ACS (Unstable angina / NSTEMI)	• Stable angina
–Requiring thrombolysis and primary PCI.	- Non-candidate for thrombolysis and primary PCI	• Low probability ACS
●Acute Decompensated Heart Failure	• Congestive Heart Failure, stable	• Congestive Heart Failure, stable
–Due to valvular heart disease.		
–Cardiomyopathies.		
–Myocarditis.		
●Cardiac Tamponade		
●Pericarditis that need invasive procedure	Pericarditis	
●Infective Endocarditis that need invasive procedure	Infective Endocarditis	
●Bradyarrhythmia / Tachyarrhythmia NEEDS SURGICAL INTERVENTION	Bradyarrhythmia / Tachyarrhythmia NEEDS MEDICAL INTERVENTION	

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
CARDIOVASCULAR CARE		
●Peripheral Vascular Diseases that need vascular intervention		
– <i>Acute limb Ischemia of any cause.</i>		
●Aortic Dissection		
●Hypertensive Emergencies.	• HYPERTENSIVE URGENCY/ EMERGENCIES	• HYPERTENSIVE URGENCY/ EMERGENCIES

INTERNAL MEDICINE

LEVEL 3 OF CARE (Sub-specialist)	LEVEL 2 OF CARE (Specialist)	LEVEL 1 OF CARE (Generalist)
<u>RENAL CARE</u>		
<i>–Acute / Chronic Renal Failure requiring Renal Replacement Therapy (RRT).</i>	Acute Kidney Failure (no RRT required)	Acute Kidney Injuries (reversible causes) e.g. dehydration, medications
<i>–Nephrotic Syndrome</i>	<i>Nephrotic Syndrome , UTI, complicated</i>	UTI, complicated/uncomplicated
<u>NEUROLOGY CARE</u>		
<i>–Cerebrovascular Disease (Infarct / Bleed) (that needs Neurosurgical Intervention)</i>	<i>Cerebrovascular Disease (Infarct/Bleed) that needs medical management</i>	<i>Cerebrovascular Disease (Infarct)</i>
<i>–Transient Ischemic Attack (TIA).</i>	<i>Transient Ischemic Attack (TIA)</i>	<i>Transient Ischemic Attack (TIA)</i>
<i>–Status Epilepticus</i>	Seizure Disorder controlled; <i>Status Epilepticus</i>	
<i>–Meningitis / Encephalitis / Brain Abscess</i>	<i>Meningitis / Encephalitis / Brain Abscess</i>	
<i>–Demyelinating diseases (Multiple Sclerosis, Guillain Barre Syndrome (GBS), Myasthenia Gravis)</i>	<i>Demyelinating diseases (Multiple Sclerosis, Guillain Barre Syndrome (GBS), Myasthenia Gravis)</i>	
<i>–Brain Tumors</i>		

INTERNAL MEDICINE

LEVEL 3 OF CARE (Sub-specialist)	LEVEL 2 OF CARE (Specialist)	LEVEL 1 OF CARE (Generalist)
<u>GASTROENTEROLOGY CARE</u>		
<i>–Acute Upper and Lower GI Bleeding.</i>	PUD without perforation / bleeding; <i>Acute Upper and Lower GI Bleeding.</i>	PUD without perforation / bleeding; Functional / organic disorders e.g. dyspepsia, constipation
<i>–Encephalopathy secondary to Liver Failure</i>	Chronic liver diseases / hepatitis; <i>Encephalopathy secondary to Liver Failure;</i>	
	AGE severe dehydration with complications; in hypovolemic shock	AGE mild-severe dehydration without complications
<i>–Cholangitis</i>	Pancreatitis / Cholecystitis	Cholecystitis
<i>–Hepatic Abscess that needs surgical/medical intervention</i>	<i>Hepatic Abscess that needs surgical/medical intervention</i>	<i>Hepatic Abscess that needs medical intervention</i>

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
RHEUMATOLOGY CARE		
<i>–Arthritis requiring arthrocentesis</i>	<i>Arthritis requiring arthrocentesis</i>	
<i>–Flares of autoimmune disease with or without co-morbidities.</i>		
<i>–SLE for work up.</i>		
ENDOCRINE		
<i>–DM Emergencies (DKA/HHS)</i>	DKA (mild-moderate); HHS	DM for work-up
<i>–Non healing wound / DM foot Infection with sepsis or with uncontrolled DM.</i>	DM complications e.g infections or with neuroglycopenia; Non healing wound / DM foot Infection with sepsis or with uncontrolled DM.	DM, diagnosed in hyper / hypoglycemic state; Non healing wound / DM foot Infection with controlled comorbid conditions
<i>–Thyroid storm / Thyrotoxic heart disease.</i>	Hyperthyroidism with impending storm	Thyroid disease for work-up
<i>–Post Pituitary surgeries with co-morbid conditions</i>		

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
INFECTIOUS AND TROPICAL MEDICINE		
<i>–Septic shock with end organ damage or needing source control.</i>	Sepsis with no organ damage	Community Acquired Infections
<i>–Immunocompromised patients with co-morbid conditions.</i>	Immunocompromised state	
<i>–Fulminant Rabies</i>	<i>Fulminant Rabies</i>	<i>Fulminant Rabies</i>
<i>–Severe Tetanus requiring mechanical ventilation</i>	<i>Severe Tetanus requiring mechanical ventilation;</i>	Tetanus infection mild to moderate
<i>–COVID Pneumonia severe; critical or with decompensated co-morbid condition</i>	Covid pneumonia moderate, stable co-morbidities	Covid pneumonia, mild with co-morbidities to moderate

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
MEDICAL ONCOLOGY CARE		
<i>–Oncologic emergencies (Febrile Neutropenia, SVC Syndrome, Tumor Lysis Syndrome)</i>		
<i>–Malignant Spinal Cord compression.</i>		
<i>–Primary Brain tumors / metastasis with signs of brain compression.</i>		
<i>–Acute bleeding 2nd to any cancers</i>	Correction of anemia	Correction of anemia with stable condition
<i>–Acute pain 2nd to any cancers</i>	<i>For palliative/hospice care</i>	<i>For palliative/hospice care</i>
HEMATOLOGY		
<i>–Blood dyscrasia requiring further work up</i>	Correction of anemia	Correction of anemia with stable condition
<i>–Acute Leukemias</i>		
<i>–Fever of Unknown Origin</i>	<i>Fever of Unknown Origin</i>	
<i>–Aplastic Anemia</i>		
LUNG CARE		
●Lung Infections		
<i>Community Acquired Pneumonia, High-risk</i>	<i>Community Acquired Pneumonia, Moderate-High risk (with stable co-morbid conditions)</i>	<i>Community Acquired Pneumonia, Low to moderate-risk</i>
<i>Hospital-Acquired Pneumonia</i>	<i>Hospital-Acquired Pneumonia</i>	Bronchitis / Other URTIs

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
<i>Ventilator-Associated Pneumonia</i>	<i>Ventilator-Associated Pneumonia</i>	
<i>Disseminated Tuberculosis, Complicated Extrapulmonary TB; PTB with massive hemoptysis</i>	• PTB with complications e.g. effusions, pneumothorax, fibrosis; <i>PTB with hemoptysis</i>	• PTB with stable co-morbid condition
<i>Lung Abscess</i>	<i>Lung Abscess</i>	
<i>Fungal Infections</i>	<i>Fungal Infections</i>	
<i>Parasitic Infections</i>	<i>Parasitic Infections</i>	<i>Parasitic Infections</i>
•Obstructive Diseases		
<i>Bronchial Asthma, Severe and Difficult to Status Asthmaticus</i>	• <i>Bronchial Asthma, Severe and Difficult to Status Asthmaticus</i>	• <i>Bronchial Asthma, Mild-Moderate</i>
<i>COPD, severe to very severe exacerbation</i>	• <i>COPD, moderate to severe</i>	• COPD mild-moderate
<i>Smoking Cessation, Intensive Therapy</i>	<i>Smoking Cessation, Intensive Therapy</i>	
<i>Bronchiectasis, severe</i>		
<i>Upper Airway Disorders (usually needs multidisciplinary management)</i>	<i>Upper Airway Disorders (usually needs multidisciplinary management)</i>	
<i>Large Airway Disorders (would need bronchoscopy)</i>		
•Lung Neoplasms		
<i>Lung Cancers</i>	For palliative/hospice care	For palliative/hospice care

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
<i>Benign Lung Tumors (needs TCVS Evaluation)</i>		
<i>Mediastinal masses</i>		
● Pulmonary Circulation Disorders		
<i>Pulmonary thromboembolism (needs Chest CT PE for diagnosis)</i>		
<i>Pulmonary Hypertension in Cor Pulmonale</i>	<i>Pulmonary Hypertension in Cor Pulmonale</i>	
<i>Pulmonary Vascular Anomalies</i>		
● Environmental and Occupational		
<i>Pulmonary thromboembolism (needs Chest CT PE for diagnosis)</i>		
<i>Pneumoconioses</i>		
<i>Inhalational/Blast Injuries</i>	<i>Inhalational/Blast Injuries</i>	
<i>Barotrauma, Decompression Sickness severe</i>	<i>Barotrauma, Decompression Sickness moderate</i>	
<i>Altitude-related Lung Disease (Acute/Chronic Mountain Sickness, High Altitude Cerebral Edema)</i>		
● Interstitial Lung Diseases (needs work-up like bronchoscopy with lavage, CT scan, and biopsy)		
<i>Idiopathic Pulmonary Fibrosis</i>		
<i>Hypersensitivity Pneumonitis</i>		

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
<i>Connective Tissue Disease</i>	<i>Connective Tissue Disease</i>	
<i>Diffuse Alveolar Hemorrhage</i>		
<i>Eosinophilic Lung Diseases</i>		
<i>Lymphangiioleiomyomatosis</i>		
<i>Pulmonary Alveolar Proteinosis</i>		
●Pleural Disorders		
<i>Pleural effusion, complicated</i>	<i>Pleural effusion, complicated</i>	<i>Pleural effusion, uncomplicated</i>
<i>Empyema (needs TCVS intervention)</i>		
<i>Pneumothorax, large or complicated</i>	<i>Pneumothorax, large or complicated</i>	
<i>Chylothorax</i>		
<i>Hemothorax</i>	<i>Hemothorax (for initial/emergency intervention)</i>	<i>Hemothorax (for initial/emergency intervention)</i>
<i>Pleural malignancies</i>		
●Sleep Disorders		
<i>Obstructive Sleep Apnea</i>		
<i>Central Sleep Apnea</i>		

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
●Pulmonary Complications		
<i>HIV/Primary Immunodeficiencies/ Transplant</i>		
<i>Abdominal Disease-Related (e.g. Portopulmonary hypertension, post transplant, pulmonary edema sec to kidney disease, etc.)</i>		
<i>Hematologic-Related (e.g.. TRALI, Thromboembolic conditions, etc)</i>		
<i>Endocrine-related (e.g Pleural effusion sec to hypothyroidism, Pulmonary hypertension sec to hyperthyroidism, OSA in growth hormone disorders, etc)</i>		
<i>OB-Gyne-Related (e.g., Pulmonary edema in pregnancy, Pulmonary embolism/amniotic fluid embolism, Meig's syndrome, Catamenial pneumothorax, etc)</i>		
<i>Neuromuscular Diseases (ARF sec to GBS, Myasthenia gravis)</i>		
<i>Chest Wall abnormalities (Scoliosis for surgery or rehab, Flail chest, etc)</i>		
●Respiratory Failure		
<i>Acute Respiratory Failure, all forms</i>	<i>Acute Respiratory Failure, all forms</i>	
<i>Chronic Respiratory Failure</i>	<i>Chronic Respiratory Failure</i>	
<i>Acute Respiratory Distress Syndrome</i>	<i>Acute Respiratory Distress Syndrome</i>	
<i>Non-invasive ventilation</i>	<i>Non-invasive ventilation</i>	

INTERNAL MEDICINE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
<i>High Flow Nasal Cannula</i>	<i>High Flow Nasal Cannula</i>	<i>High Flow Nasal Cannula</i>
<i>ECMO</i>		
<i>Pulmonary Rehabilitation</i>	<i>Pulmonary Rehabilitation</i>	
<i>Lung Transplant</i>		
●Procedures		
<i>Bronchoscopy</i>		
<i>Spirometry</i>		
<i>Cardio-Pulmonary Exercise Test</i>		
<i>Whole Body Pletysmography</i>		
<i>Sleep Studies</i>		
●Pre-op Evaluation		
<i>Pre-op evaluation for thoracic, lung resection surgeries or complex procedures</i>		

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
NEONATAL CARE		
● <i>Inborn Sick Neonates</i>	• <i>Inborn Sick Neonates</i>	• <i>Inborn Sick Neonates for initial care</i>
–Prematurity, Sepsis, Congenital Anomaly	–Prematurity, Sepsis, Congenital Anomaly	Prematurity, Sepsis, Congenital Anomaly for Initial Care
● <i>Outborn Neonates</i>		
–Prematurity <32 weeks AOG	Prematurity >32 weeks AOG	Prematurity 36 weeks AOG
–Complications of prematurity	–Complications of prematurity	–Complications of prematurity for initial care
–Sepsis	–Sepsis	–Sepsis
–Congenital Anomalies		
–Asphyxia, poor suck, cyanosis	Asphyxia, poor suck, cyanosis	Asphyxia, poor suck, cyanosis for initial intervention
–High Risk delivery (DM, primi <18 y.o) (as per DOH protocol)	High Risk delivery (as per DOH protocol)	High Risk delivery (as per DOH protocol)

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
CARDIOVASCULAR CARE		
<i>–Organic Heart Diseases</i>		
● <i>Valvular heart disease that needs medical and surgical intervention</i>	<i>Valvular heart disease that needs medical intervention</i>	<i>Valvular heart disease that needs initial intervention</i>
● <i>Congenital Heart Disease that needs medical and surgical intervention</i>	<i>Congenital Heart Disease that needs medical intervention</i>	<i>Congenital Heart Disease that needs initial intervention</i>
<i>–Rheumatic Heart Disease that needs medical and surgical intervention</i>	<i>Rheumatic Heart Disease that needs medical intervention</i>	<i>Rheumatic Heart Disease that needs initial intervention</i>

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
–Cardiac Dysrhythmias	Cardiac Dysrhythmias	
–Cardiomyopathies	Cardiomyopathies	
–Myocarditis	Myocarditis	
–Cardiac Tamponade that need surgical intervention	Cardiac Tamponade	
–Pericarditis	Pericarditis	
LUNG CARE		
–Severe PCAP requiring invasive and non-invasive ventilation.	PCAP moderate to severe	PCAP moderate
–Status asthmaticus	Severe Bronchial Asthma	Moderate Bronchial asthma
–Acute Respiratory Distress Syndrome	Acute Respiratory Distress Syndrome	
–Acute Respiratory Failure requiring advanced airway.	Acute Respiratory Failure requiring advanced airway.	
–Chronic cough secondary to primary disease.	Chronic cough secondary to primary disease.	
–Pulmonary and Extra Pulmonary Tuberculosis with Complications.	Pulmonary and Extra Pulmonary Tuberculosis with no complications.	Pulmonary and Extra Pulmonary TB, with no complications
–Chronic Lung Disease (Interstitial Lung Disease)		
–Cerebral Palsy (Restrictive Lung Disease)		
–Drowning	Drowning	
–Smoke Inhalation	Smoke Inhalation	

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
RENAL CARE		
<i>–Renal Failure requiring Renal Replacement Therapy (RRT)</i>	Acute Kidney Failure (no RRT required)	Acute Kidney Injuries (reversible causes) e.g. dehydration, medications
<i>–Glomerulonephritis</i>	<i>Glomerulonephritis</i>	
<i>–Nephrotic and Nephritic Syndromes</i>	<i>Nephrotic and Nephritic Syndromes</i>	
<i>–Complicated UTI</i>	UTI complicated	UTI, complicated
<i>–Acute Kidney Failure regardless of any cause</i>		
ENDOCRINE		
<i>–DM Emergencies (DKA/HHS)</i>	DKA (mild-moderate); HHS	DM for work-up
<i>–Thyroid storm / Thyrotoxic heart disease.</i>	Hyperthyroidism with impending storm	Thyroid disease for work-up
<i>–Myxedema Coma</i>	<i>Myxedema Coma</i>	
<i>–Diabetes Insipidus</i>		
<i>–Adrenal Insufficiency</i>		
<i>–Inborn Errors of Metabolism in Crisis</i>		
<i>•Maple Syrup Urine Disease</i>		

PEDIATRICS		
LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
● <i>Fructose Intolerance</i>		
● <i>Galactosemia</i>		
● <i>Phenylketonria</i>		
RHEUMATOLOGY		
– <i>Rheumatoid disorders</i>	<i>Rheumatoid disorders</i>	
– <i>Collagen Diseases</i>	<i>Collagen Diseases</i>	
– <i>SLE</i>	<i>SLE</i>	
NEUROLOGY		
– <i>Seizure Disorders / Status Epilepticus leading to Cardio-pulmonary compromise</i>	Controlled Seizure Disorder; Benign / Complex febrile seizure	Benign / Complex febrile seizure
– <i>Neuromuscular Disorders</i>		
– <i>Guillain Barre Syndrome</i>	<i>Guillain Barre Syndrome</i>	
– <i>CNS Infections</i>	<i>CNS Infections</i>	<i>CNS Infections</i>
GASTROENTEROLOGY		
– <i>Severe GI Bleeding</i>		
– <i>AGE in hypovolemic shock</i>	AGE severe dehydration with complications; in hypovolemic shock	AGE mild-severe dehydration without complications

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
<i>–GI Obstruction</i>		
<i>–Acute Severe Malnutrition</i>	<i>Acute Severe Malnutrition</i>	Acute moderate malnutrition with co-morbidities
<i>–Chronic Malnutrition requiring Nutritional Rehabilitation</i>		
HEMA-ONCOLOGY CARE		
<i>–New cases considering malignancy</i>		
• <i>Pancytopenic, bicytopenic patients</i>	Correction of anemia	Correction of anemia
• <i>Fever of unknown origin</i>	<i>Fever of unknown origin</i>	
• <i>Presence of a mass</i>		
<i>–Hyperleukocytosis</i>		
<i>–Superior vena cava syndrome</i>		
<i>–Anterior/posterior mediastinal mass</i>		
<i>–Tumor lysis syndrome</i>		
<i>–Spinal cord compression</i>		
<i>–Febrile neutropenia</i>	<i>Febrile neutropenia</i>	
<i>–Beta Thalassemia</i>		

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
–Aplastic anemia		
–Primary/Secondary care:		
–Immune thrombocytopenia	Immune thrombocytopenia	Immune thrombocytopenia
INFECTIOUS DISEASE AND TROPICAL MEDICINE		
–Meningococemia with meningitis	Meningococemia with meningitis	Meningococemia with meningitis
–Diphtheria	Diphtheria	Diphtheria
–Rabies	Rabies	Rabies
Disseminated Tuberculosis, Complicated Extrapulmonary TB; PTB with massive hemoptysis	• PTB with complications e.g. effusions, pneumothorax, fibrosis; PTB with hemoptysis	• PTB with stable co-morbid condition
–Disseminated Tuberculosis	Disseminated Tuberculosis	
–Ventriculitis/ shunt infections/ Neurosis		
–Brain abscess	Brain abscess	
–Fungal meningitis/ Viral enceph		
–Cavernous sinus thrombosis	Cavernous sinus thrombosis	
–Generalized tetanus or tetanus with complications	Generalized tetanus or tetanus with complications	

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
–Malaria	<i>Malaria</i>	
–Schistosomiasis	<i>Schistosomiasis</i>	<i>Schistosomiasis</i>
–Complicated typhoid fever	<i>Complicated typhoid fever</i>	<i>Complicated typhoid fever</i>
–Acute septic arthritis	<i>Acute septic arthritis</i>	
–Acute flaccid paralysis to consider polio	<i>Acute flaccid paralysis to consider polio</i>	
–Necrotizing fascitis	<i>Necrotizing fascitis</i>	
–Ecthyma gangrenosum		
–Kawasaki disease with cardiac component	Kawasaki Disease	
●Infectious Disease and Tropical Medicine		
–COVID Pneumonia severe; critical or with decompensated co-morbid condition	Covid pneumonia moderate, stable co-morbidities	Covid pneumonia, mild with co-morbidities to moderate
–Dengue shock	<i>Dengue severe</i>	<i>Dengue severe</i>
–Infective Endocarditis once cleared by cardio maintenance level 2		
–Disseminated MRSA		
–Osteomyelitis		
–HIV stage 3/4/AIDS	HIV infection, stable	

PEDIATRICS

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
<i>–Recurrent infections that warrants work up</i>	<i>Recurrent infections that warrants work up</i>	
<i>–Diagnostic dilemma of infectious patient</i>	<i>Diagnostic dilemma of infectious patient</i>	
<i>–MDRO and Panresistant growths sepsis</i>		
<i>Perinatal Infections:</i>		
<i>–Torch Syndrome</i>		
<i>–Congenital HIV</i>		
<i>–Congenital TB</i>		

CUTTING SPECIALTIES

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
GENERAL SURGERY		
<i>–Acute Abdomen of any cause</i>	Acute appendicitis, complicated/uncomplicated	Acute appendicitis, complicated/uncomplicated
<i>Complete mechanical bowel obstructions</i>	Incomplete Mechanical Bowel obstructions	Incomplete Mechanical Bowel obstructions
<i>– Strangulated Hernia</i>	Strangulated hernia	Incarcerated hernia
<i>–Colorectal Disease</i>	Fistula in ano; hemorrhoids	Fistula in ano; hemorrhoids
<i>–Hepatobiliary Disease</i>	Cholelithiasis (for cholecystectomy)	Cholelithiasis (for cholecystectomy)
<i>–Surgical Oncology Cases</i>	Breast CA for Surgery	Breast CA for Surgery
<i>–Pediatric Surgery Cases</i>	Intussusception	Herniotomy
<i>–TCVS cases</i>	Cases for CTT	Cases for CTT
<i>–Vascular diseases</i>		

CUTTING SPECIALTIES

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
TRAUMA CARE		
<i>–Multiply Injured Patients requiring management of 2 or more surgical specialties</i>	Simple / Multiple physical injuries: lacerations, abrasions with deformity	Simple / Multiple physical injuries: lacerations, abrasions without deformity / fracture with simple procedure
<i>–Massive Bleeding of any cause</i>		
<i>–Blunt Abdominal & Chest Trauma</i>		
<i>–Vascular Injuries</i>		

CUTTING SPECIALTIES

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
BURN CARE		
<i>–Partial Thickness Burns greater than 10% TBSA</i>	<i>Partial Thickness Burns less than 10% TBSA</i>	<i>Superficial Burns</i>
<i>–Burns involving the face, hands, feet, genitalia, perineum or major joints.</i>		
<i>–Third degree burn in any age</i>		
<i>–Electrical burn, including lightning injury</i>		
<i>–Chemical burn</i>		
<i>–Inhalational injury</i>		
<i>–Burn injury in patients with complicated preexisting medical disorders</i>		
<i>–Burn with concomittant trauma in which the burn is the greatest risk.</i>		
<i>–Burned children</i>		
<i>–Burn in patients who require special social, emotional, or rehabilitative intervention.</i>		
OPHTHALMOLOGY		
<i>–Ruptured Globe</i>	<i>Lacerations, subconjunctival hemorrhage; Corneal abrasions</i>	
<i>–Acute Angle Closure Glaucoma</i>	<i>Acute Angle Closure Glaucoma</i>	
<i>–Central Retinal Artery Occlusion</i>	<i>Central Retinal Artery Occlusion</i>	
<i>–Chemical Eye Injury</i>	<i>Chemical Eye Injury</i>	
<i>–Foreign body</i>	<i>Foreign body</i>	
<i>–Periorbital / orbital cellulitis</i>	<i>Periorbital / orbital cellulitis</i>	

CUTTING SPECIALTIES

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
PLASTIC AND RECONSTRUCTIVE SURGERY		
<i>–Pan-facial fractures with airway compromise.</i>		
<i>–Ophthalmologic Emergencies</i>		
<i>*Orbital floor fractures with muscle entrapment.</i>		
<i>–*Pressure ulcers with sepsis</i>		
<i>–*Bleeding and Hematoma after surgery</i>		
ENT		
<i>–Upper Airway Obstruction of any cause</i>	Ear infections and Mastoid disorder e.g. otitis media, externa	Ear infections and Mastoid disorder e.g. otitis media, externa
	Minor injuries, wounds involving nose, mouth, ears	Minor injuries, wounds involving nose, mouth, ears
<i>–Foreign Body</i>		
<i>–Nasal Cavity</i>		
<i>–Ear Canal</i>		
<i>–Ingestion</i>		
<i>–Facial Fractures with bleeding or Functional Compromise</i>		
<i>–Septic Infections requiring immediate intervention</i>		

CUTTING SPECIALTIES

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
NEUROSURGERY		
– <i>Brain Tumors with signs of ICP</i>	Scalp lacerations	Scalp lacerations
– <i>Traumatic Brain Injuries</i>	Traumatic Brain Injuries	
– <i>Vascular Emergencies (Ruptured Aneurysm)</i>		
– <i>Hypertensive Hemorrhages</i>		
UROSURGERY		
– <i>Acute Scrotum</i>	Nephrolithiasis with no significant medical comorbidities	Renal colic (for pain mgt)
– <i>Testicular Tortion</i>		
– <i>Phemosis</i>		
– <i>Priapism</i>		
– <i>Trauma Cases (penile fracture, Renal, Bladder, Urethral injuries)</i>		
– <i>Acute Urinary Retention of any cause</i>		

CUTTING SPECIALTIES

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
ORTHOPEDICS AND TRAUMATOLOGY		
Expected Level of Care: Level 3	Expected Level of Care: Level 2	Expected Level of Care: Level 1
1.Polytrauma cases	1.All isolated tibia fibula shaft fractures	1.X-rays for those patients with deformities and suspected fractures for purposes of diagnosis
2.Periarticular trauma cases	2.All isolated radius ulna shaft fractures	2.Splinting for purposes of immobilization
3.Congenital disorders of pediatric patients requiring corrective osteotomy	3.All isolated hand injuries including bone, soft tissue, and tendinous entities	3.Superficial lacerations with no tendons or ligaments involved
4.Adult cases requiring joint and reconstruction surgery	4.All isolated foot injuries including bone, soft tissue, and tendinous entities	4.Basic first aid and wound care; Simple Joint Dislocation
5.Sports and Ligamentous injuries requiring surgery		5.TT and TIG administration for open and dirty wounds
6.Musculoskeletal Tumors	5.All isolated midshaft clavicular fractures	
7.Spine Cases		
8. Pediatric Orthopedic Cases		

TOXICOLOGY

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
TOXICOLOGY		
<i>–All Caustic Ingestions</i>	- Kerosene ingestion	Kerosene ingestion
<i>–All poisoning cases requiring pharmacologic antidotes (e.g., Overdose of pharmaceuticals and other medicaments, anticholinesterase pesticide ingestion, etc.)</i>		
<i>–Animal and Marine envenomation.</i>		
<i>–Severe marine poisoning cases (e.g. pufferfish, red tide poisoning, etc.)</i>		
<i>–Acute Withdrawal Syndrome from substances of abuse</i>		
<i>–Acute severe intoxications of substances of abuse.</i>		
<i>–Acute and chronic Heavy Metal Poisoning</i>		
<i>–Poisoning cases requiring extracorporeal removal of the toxic agent and its metabolites (e.g., Methanol, Formaldehyde poisoning, etc.)</i>		
<i>–Highly suspected toxicologic cases with unknown etiology.</i>		
<i>–Severe cases of Adverse Drug Events (e.g., Neuroleptic Malignant Syndrome)</i>		
ENVIRONMENTAL INJURIES		
-Decompression sickness (Type II and III)	-Decompression sickness (Type I)	
-Drowning	Drowning	

OB-GYNE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
OBSTETRICS		
<i>–Pregnancy with co-morbidities requiring multispecialty management and intensive care</i>	<i>–Pregnancy requiring:</i> •CS delivery •Blood transfusion •Co-morbidities (controlled DM, HTN)	<i>–Pregnancy requiring:</i> •CS delivery •Blood transfusion •Co-morbidities (controlled DM, HTN)
<i>–Preterm labor (<35 weeks AOG)</i>	<i>–Preterm labor (>35 weeks AOG)</i>	<i>Preterm labor (>35 AOG)</i>
<i>–Septic abortion</i>	<i>-Abortion with stable condition</i>	<i>-Abortion with stable condition</i>
<i>–Unstable ectopic pregnancy</i>	<i>-Stable Ectopic pregnancy</i>	<i>Stable Ectopic pregnancy</i>
<i>–H. mole with medical complications</i>	<i>-H.mole with no medical complication</i>	<i>H.mole with no medical complication</i>

OB-GYNE

LEVEL 3 OF CARE	LEVEL 2 OF CARE	LEVEL 1 OF CARE
GYNECOLOGIC CASES		
<i>–Malignant reproductive tumors</i>	<i>-Benign gynecologic lesions</i>	<i>Benign gynecologic lesions;</i>
<i>–Tubo-Ovarian Abscess (TOA) for surgery</i>	<i>-Tubo-Ovarian Abscess (TOA) with medical management.</i>	
<i>–Gestational Trophoblastic Neoplasia (GTN)</i>		
<i>–Pelvic Organ Prolapse (POP) or with urinary incontinence</i>	<i>Pelvic Organ Prolapse (POP) with no complications</i>	<i>Pelvic Organ Prolapse (POP) with no complications</i>
<i>–Patients for Minimally Invasive Surgery (MIS)</i>		
<i>-Abnormal uterine bleeding with hemorrhagic shock</i>	<i>Abnormal uterine bleeding with hemorrhagic shock</i>	<i>Abnormal uterine bleeding with hemorrhagic shock</i>