```
com-
pi-
la-
tion
com-
piler
For-
tran
_{a}nalysis)[rec]lexical analysis; (syntactic_{a}nalysis)[rec, right of = 1] \\
lexical_a nalysis, xshift =
2.5cm] syntactical analysis; [arrow](lexical_analysis)-
-node[anchor =
south](syntactic_analysis); (semantic_analysis)[rec, right of =
syntactic_a nalysis, xshift =
2.5cm] semantic analysis; [arrow] (syntactic analysis) –
-node[anchor =
south](semantic_a nalysis); (codegen)[rec, rightof =
semantic_a nalysis, x shift =
2.5cm code generation; [arrow](semantic_analysis) –
-node[anchor =
south](codegen);
\underset{ing}{lex}
to-
kens
pars-
ing
data
in-
te-
ger
over-
flow
\stackrel{be-}{hav}-
\dot{est}, float =
H]semantic_analysis_simple.rush
For-
tran
s+
1
\label{eq:constraint} \begin{array}{l} \cdot \\ a nalysis)[rec]lexical analysis; (syntactic_analysis)[rec, right of = \\ lexical_analysis, xshift = \\ \end{array}
2.5 cm] \ddot{s}ynt \ddot{a}ctical analysis; [arrow] (lexical_analysis) - \\
-node[anchor =
south[syntactic_analysis]; (semantic_analysis)[rec, right of =
syntactic_a nalysis, xshift =
2.5cm]semanticanalysis; [arrow](syntactic_analysis) -
-node[anchor =
south](semantic_analysis); (codegen)[rec, right of =
semantic_a nalysis, x shift =
2.5cm] code generation; [arrow] (semantic_analysis) -
-node[anc\check{h}or =
south](codegen);
\lim_{i \to g}
to-
kens
pars-
 ing
data \\ types
```