

AI Helpy와 함께하는 MCP 자동화 실습



실습 1 | MCP 서버 세팅하기

Filesys


로컬 파일 읽기, 수정 등이 가능한 MCP 서버

Raw code




```
npx -y @modelcontextprotocol/server-filesystem /home/elicer/filesys-test
```

- 옵션으로 전달한 디렉토리 내부에만 접근 가능합니다.
- 위 명령어에는 미리 생성해 둔 **filesys-test** 라는 디렉토리가 옵션으로 입력되어 있습니다.
- 다른 디렉토리도 명령어 뒤에 입력해 추가 가능합니다. (공백으로 구분)





실습 2 | GitHub MCP로 웹 게임 제작 및 배포하기





AI 헬피와 함께하는 MCP 실습

GitHub 액세스 토큰 발급

The screenshot shows the GitHub user settings page. The navigation bar at the top includes a search icon, a profile icon, a plus icon, a clock icon, a link icon, and a repository icon. The main content area is divided into three columns. The first column contains links for 'Your organizations', 'Your enterprises', 'Your sponsors', 'Try Enterprise' (with a 'Free' badge), 'Feature preview' (with a 'New' badge), 'Settings' (highlighted with a red box), and 'GitHub Website'. The second column contains 'Integrations' (with sub-links for 'Applications' and 'Scheduled reminders'), 'Archives' (with sub-links for 'Security log' and 'Sponsorship log'), and 'Developer settings' (highlighted with a red box). The third column contains 'GitHub Apps' (with sub-links for 'OAuth Apps' and 'Personal access tokens'), and 'Fine-grained tokens' (highlighted with a red box). Below the settings columns, a message states 'No fine-grained tokens created' and provides instructions on how to generate a personal access token. A green button labeled 'Generate new token' is at the bottom.

No fine-grained tokens created

Need an API token for scripts or testing? Generate a personal access token for quick access to the GitHub API.

[Generate new token](#)



GitHub 액세스 토큰 발급

New fine-grained personal access token

Create a fine-grained, repository-scoped token suitable for personal API use and for using Git over HTTPS.

Token name *

A unique name for this token. May be visible to resource owners or users with possession of the token.

Repository access

☐ Public repositories

Read-only access to public repositories.

☒ All repositories

This applies to all current and future repositories you own. Also includes public repositories (read-only).

☐ Only select repositories

Select at least one repository. Max 50 repositories. Also includes public repositories (read-only).

Token 이름 설정

임의의 토큰 이름을 설정


Repository 접근 권한 설정

전체(All) 로 설정



GitHub 액세스 토큰 발급

Add permissions 클릭 후 좌측 목록 추가 후 Access를 Read and write로 변경



- Actions
- Administration
- Commit statuses
- Contents
- Issues
- Pages



AI 헬피와 함께하는 MCP 실습

GitHub 액세스 토큰 발급

Account permissions

User permissions permit access to resources under your personal GitHub account.

Generate token

Cancel

This token will be ready for use immediately.

발급 후 창을 닫지 마세요!
API키 확인이 불가능합니다.

Make sure to copy your personal access token now as you will not be able to see this again.

github_pat_11B006FGI0H12oxPJQGVwE_whj3AFSTdnuL34AzeF9lXRZZ



실습 2 | GitHub MCP로 웹 게임 제작 및 배포하기

GitHub

GitHub 계정과 연동하여 리포지토리 생성, 파일 업로드, 이슈 관리 등이 가능한 MCP 서버

Raw code




```
GITHUB_PERSONAL_ACCESS_TOKEN=<내 GitHub 액세스 토큰> npx -y  
@modelcontextprotocol/server-github
```

- GitHub 계정 액세스 토큰이 필요합니다.

Snake Game

점수: 20

최고 점수: 210





다시 시작

방향키를 사용하여 뱀을 조작하세요



GitHub Pages 배포





GitHub Pages 배포

Build and deployment

Source

Deploy from a branch ▾

Branch

GitHub Pages is currently disabled. Select a source below to enable GitHub Pages for this repository.
[Learn more about configuring the publishing source for your site.](#)

None ▾ Save

Select branch ×

Q |

main

✓ None

Access to your repository is required to publish to GitHub Pages. [Learn more about GitHub Pages publishing requirements.](#)

main ▾ / (root) ▾ Save

GitHub Enterprise risk-free for 30 days. [Learn more](#)



GitHub Pages 배포

GitHub Pages

[GitHub Pages](#) is designed to host your personal, organization, or project pages from a GitHub repository.


Your site is live at [https://username.github.io/RepositoryName/](#)
Last [deployed](#) by  [username](#) 1 minute ago

[Visit site](#)





실습 3 | GitHub 이슈 기능으로 코드 수정하기



 Create new issue

Add a title *

Add a description

WritePreview

H B I | ☰ <> 🔗 | ☰ ☰ ☰ ↶ ☑

Type your description here...

그래픽 개선 작업 완료

요청하신 그래픽 개선 작업을 모두 완료했습니다. 다음과 같은 변경 사항을 적용했습니다:

1. 배경색 변경

- 기존의 어두운 검정색(#222) 배경을 밝은 녹색(#e8f5e9)으로 변경했습니다.
- CSS와 JS 모두에서 배경색을 업데이트했습니다.

2. 격자 추가

- 게임 영역에 연한 녹색(#c8e6c9) 격자를 추가하여 시각적 가이드를 제공했습니다.




3. 뱀 그래픽 개선

- 뱀의 머리와 몸통을 사각형에서 원형으로 변경했습니다.



AI 헬피와 함께하는 MCP 실습




실습 4 | Figma MCP로 웹 페이지 제작하기





AI 헬피와 함께하는 MCP 실습

Figma 액세스 토큰 발급



Personal access tokens

Personal access tokens allow you to access your own data via the API. Do not give out your personal access tokens to anybody who you don't want to access your files.

[Generate new token](#)



Figma 액세스 토큰 발급

Generate new token

×

A personal access token gives you access to the Figma API as if you were a single user.

Token name

Token 이름 설정

임의의 토큰 이름을 설정

Development

- ☒ **file_dev_resources:read**
Read and list dev resources in accessible files
- ☐ **file_dev_resources:write**
Create and modify dev resources in accessible files

Files

- ☐ **file_comments:read**
Read comments in accessible files
- ☐ **file_comments:write**
Create, modify, and delete comments in accessible files
- ☒ **file_content:read**
Read the contents of and render images from files
- ☐ **file_metadata:read**
Read metadata of files
- ☐ **file_versions:read**
Read version history of files



Figma 액세스 토큰 발급

File content	Read-only ▾
Read the contents of and render images from files	
File metadata	No access ▾
Read metadata of files	
File versions	No access ▾
Read version history of files	
CancelGenerate token	

발급 후 창을 닫지 마세요!
API키 확인이 불가능합니다.

Copy this token. This is your only chance to do so!



실습 4 | Figma MCP로 웹 페이지 제작하기

Figma



Figma 계정과 연동하여 디자인 정보 읽기가 가능한 MCP 서버

Raw code




```
npx -y figma-developer-mcp --figma-api-key=<내 Figma 액세스 토큰> --studio
```

- Figma 계정 액세스 토큰이 필요합니다.





실습 5 | 원하는 웹 앱/게임 제작하기



☀ Reference Servers

These servers aim to demonstrate MCP features and the TypeScript and Python SDKs.

- [AWS KB Retrieval](#) - Retrieval from AWS Knowledge Base using Bedrock Agent Runtime
- [Brave Search](#) - Web and local search using Brave's Search API
- [EverArt](#) - AI image generation using various models
- [Everything](#) - Reference / test server with prompts, resources, and tools
- [Fetch](#) - Web content fetching and conversion for efficient LLM usage
- [Filesystem](#) - Secure file operations with configurable access controls
- [Git](#) - Tools to read, search, and manipulate Git repositories
- [GitHub](#) - Repository management, file operations, and GitHub API integration
- [GitLab](#) - GitLab API, enabling project management
- [Google Drive](#) - File access and search capabilities for Google Drive
- [Google Maps](#) - Location services, directions, and place details
- [Memory](#) - Knowledge graph-based persistent memory system

웹 앱 또는 게임 제작하기
필요하다면 개발 프레임워크 및 다른 MCP 서버 사용 가능