LUGGAGE RATES

												Scale-L
Distar	nce s	slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
			Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilo	meti	res)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
-	1		2	3	4	5	6	7	8	9	10	11
1	-	50	4.73	9.45	14.18	18.90	23.63	28.35	33.08	37.80	42.53	47.25
51	-	60	5.06	10.13	15.19	20.25	25.32	30.38	35.44	40.50	45.57	50.63
61	-	70	5.40	10.80	16.20	21.60	27.00	32.40	37.80	43.20	48.60	54.00
71		80	5.74	11.48	17.21	22.95	28.69	34.43	40.17	45.90	51.64	57.38
81	-	90	6.08	12.15	18.23	24.30	30.38	36.45	42.53	48.60	54.68	60.75
91		100	6.44	12.87	19.31	25.74	32.18	38.61	45.05	51.48	57.92	64.35
101		110	6.75	13.50	20.25	27.00	33.75	40.50	47.25	54.00	60.75	67.50
111		120	7.07	14.13	21.20	28.26	35.33	42.39	49.46	56.52	63.59	70.65
121		130	7.43	14.85	22.28	29.70	37.13	44.55	51.98	59.40	66.83	74.25
131	-	140	7.74	15.48	23.22	30.96	38.70	46.44	54.18	61.92	69.66	77.40
141		150	8.06	16.11	24.17	32.22	40.28	48.33	56.39	64.44	72.50	80.55
151		160	8.39	16.79	25.18	33.57	41.97	50.36	58.75	67.14	75.54	83.93
161		170	8.71	17.42	26.12	34.83	43.54	52.25	60.96	69.66	78.37	87.08
171		180	9.05	18.09	27.14	36.18	45.23	54.27	63.32	72.36	81.41	90.45
181	-	190	9.36	18.72	28.08	37.44	46.80	56.16	65.52	74.88	84.24	93.60
101		200	0.00	40.05	20.02	20.70	40.00	E0.0E	67.70	77.40	07.00	00.75
191 201		200 210	9.68 9.97	19.35 19.94	29.03 29.90	38.70 39.87	48.38 49.84	58.05 59.81	67.73 69.78	77.40 79.74	87.08 89.71	96.75 99.68
211		220	10.24	20.48	30.71	40.95	51.19	61.43	71.67	81.90	92.14	102.38
221		230	10.24	21.02	31.52	42.03	52.54	63.05	73.56	84.06	94.57	102.38
231		240	10.51	21.02	32.33	43.11	53.89	64.67	75.36 75.45	86.22	94.57	103.08
231	-	∠+∪	10.70	21.00	32.33	4 5.11	33.03	04.07	73.43	00.22	31.00	107.70
241	_	250	11.07	22.14	33.21	44.28	55.35	66.42	77.49	88.56	99.63	110.70
251		260	11.34	22.68	34.02	45.36	56.70	68.04	79.38	90.72	102.06	113.40
261		270	11.61	23.22	34.83	46.44	58.05	69.66	81.27	92.88	104.49	116.10
271		280	11.88	23.76	35.64	47.52	59.40	71.28	83.16	95.04	106.92	118.80
281		290	12.17	24.35	36.52	48.69	60.87	73.04	85.21	97.38	109.56	121.73

	Ī										Scale-L
Distance s	slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
		Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilomet	res)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1		2	3	4	5	6	7	8	9	10	11
291 -	300	12.44	24.89	37.33	49.77	62.22	74.66	87.10	99.54	111.99	124.43
301 -	310	12.69	25.38	38.07	50.76	63.45	76.14	88.83	101.52	114.21	126.90
311 -	320	12.92	25.83	38.75	51.66	64.58	77.49	90.41	103.32	116.24	129.15
321 -	330	13.19	26.37	39.56	52.74	65.93	79.11	92.30	105.48	118.67	131.85
331 -	340	13.43	26.87	40.30	53.73	67.17	80.60	94.03	107.46	120.90	134.33
341 -	350	13.68	27.36	41.04	54.72	68.40	82.08	95.76	109.44	123.12	136.80
351 -	360	13.93	27.86	41.78	55.71	69.64	83.57	97.50	111.42	125.35	139.28
361 -	370	14.18	28.35	42.53	56.70	70.88	85.05	99.23	113.40	127.58	141.75
371 -	380	14.42	28.85	43.27	57.69	72.12	86.54	100.96	115.38	129.81	144.23
381 -	390	14.67	29.34	44.01	58.68	73.35	88.02	102.69	117.36	132.03	146.70
391 -	400	14.92	29.84	44.75	59.67	74.59	89.51	104.43	119.34	134.26	149.18
401 -	410	15.17	30.33	45.50	60.66	75.83	90.99	106.16	121.32	136.49	151.65
411 -	420	15.44	30.87	46.31	61.74	77.18	92.61	108.05	123.48	138.92	154.35
421 -	430	15.68	31.37	47.05	62.73	78.42	94.10	109.78	125.46	141.15	156.83
431 -	440	15.91	31.82	47.72	63.63	79.54	95.45	111.36	127.26	143.17	159.08
441 -	450	16.16	32.31	48.47	64.62	80.78	96.93	113.09	129.24	145.40	161.55
451 -	460	16.43	32.85	49.28	65.70	82.13	98.55	114.98	131.40	147.83	164.25
461 -	470	16.67	33.35	50.02	66.69	83.37	100.04	116.71	133.38	150.06	166.73
471 -	480	16.92	33.84	50.76	67.68	84.60	101.52	118.44	135.36	152.28	169.20
481 -	490	17.15	34.29	51.44	68.58	85.73	102.87	120.02	137.16	154.31	171.45
491 -	500	17.42	34.83	52.25	69.66	87.08	104.49	121.91	139.32	156.74	174.15
501 -	510	17.66	35.33	52.99	70.65	88.32	105.98	123.64	141.30	158.97	176.63
511 -	520	17.91	35.82	53.73	71.64	89.55	107.46	125.37	143.28	161.19	179.10
521 -	530	18.16	36.32	54.47	72.63	90.79	108.95	127.11	145.26	163.42	181.58
531 -	540	18.41	36.81	55.22	73.62	92.03	110.43	128.84	147.24	165.65	184.05

											Scale-L
Distance	slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
		Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilometres)		(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1		2	3	4	5	6	7	8	9	10	11
541 -	550	18.68	37.35	56.03	74.70	93.38	112.05	130.73	149.40	168.08	186.75
551 -	560	18.90	37.80	56.70	75.60	94.50	113.40	132.30	151.20	170.10	189.00
561 -	570	19.15	38.30	57.44	76.59	95.74	114.89	134.04	153.18	172.33	191.48
571 -	580	19.40	38.79	58.19	77.58	96.98	116.37	135.77	155.16	174.56	193.95
581 -	590	19.64	39.29	58.93	78.57	98.22	117.86	137.50	157.14	176.79	196.43
591 -	600	19.89	39.78	59.67	79.56	99.45	119.34	139.23	159.12	179.01	198.90
601 -	610	20.23	40.46	60.68	80.91	101.14	121.37	141.60	161.82	182.05	202.28
611 -	620	20.57	41.13	61.70	82.26	102.83	123.39	143.96	164.52	185.09	205.65
621 -	630	20.90	41.81	62.71	83.61	104.52	125.42	146.32	167.22	188.13	209.03
631 -	640	21.22	42.44	63.65	84.87	106.09	127.31	148.53	169.74	190.96	212.18
641 -	650	21.56	43.11	64.67	86.22	107.78	129.33	150.89	172.44	194.00	215.55
651 -	660	21.83	43.65	65.48	87.30	109.13	130.95	152.78	174.60	196.43	218.25
661 -	670	22.10	44.19	66.29	88.38	110.48	132.57	154.67	176.76	198.86	220.95
671 -	680	22.37	44.73	67.10	89.46	111.83	134.19	156.56	178.92	201.29	223.65
681 -	690	22.64	45.27	67.91	90.54	113.18	135.81	158.45	181.08	203.72	226.35
691 -	700	22.95	45.90	68.85	91.80	114.75	137.70	160.65	183.60	206.55	229.50
701 -	710	23.27	46.53	69.80	93.06	116.33	139.59	162.86	186.12	209.39	232.65
711 -	720	23.56	47.12	70.67	94.23	117.79	141.35	164.91	188.46	212.02	235.58
721 -	730	23.83	47.66	71.48	95.31	119.14	142.97	166.80	190.62	214.45	238.28
731 -	740	24.12	48.24	72.36	96.48	120.60	144.72	168.84	192.96	217.08	241.20
741 -	750	24.41	48.83	73.24	97.65	122.07	146.48	170.89	195.30	219.72	244.13
751 -	760	24.68	49.37	74.05	98.73	123.42	148.10	172.78	197.46	222.15	246.83
761 -	770	24.95	49.91	74.86	99.81	124.77	149.72	174.67	199.62	224.58	249.53
771 -	780	25.22	50.45	75.67	100.89	126.12	151.34	176.56	201.78	227.01	252.23
781 -	790	25.52	51.03	76.55	102.06	127.58	153.09	178.61	204.12	229.64	255.15

											Scale-L
Distance	slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
		Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilome	tres)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1		2	3	4	5	6	7	8	9	10	11
791 -	800	25.79	51.57	77.36	103.14	128.93	154.71	180.50	206.28	232.07	257.85
801 -	825	26.60	53.19	79.79	106.38	132.98	159.57	186.17	212.76	239.36	265.95
826 -	850	27.29	54.59	81.88	109.17	136.47	163.76	191.05	218.34	245.64	272.93
851 -	875	27.97	55.94	83.90	111.87	139.84	167.81	195.78	223.74	251.71	279.68
876 -	900	28.67	57.33	86.00	114.66	143.33	171.99	200.66	229.32	257.99	286.65
901 -	925	29.48	58.95	88.43	117.90	147.38	176.85	206.33	235.80	265.28	294.75
926 -	950	30.20	60.39	90.59	120.78	150.98	181.17	211.37	241.56	271.76	301.95
951 -	975	30.89	61.79	92.68	123.57	154.47	185.36	216.25	247.14	278.04	308.93
976 -	1000	31.61	63.23	94.84	126.45	158.07	189.68	221.29	252.90	284.52	316.13
1001 -	1025	32.31	64.62	96.93	129.24	161.55	193.86	226.17	258.48	290.79	323.10
1026 -	1050	32.90	65.79	98.69	131.58	164.48	197.37	230.27	263.16	296.06	328.95
1051 -	1075	33.48	66.96	100.44	133.92	167.40	200.88	234.36	267.84	301.32	334.80
1076 -	1100	34.07	68.13	102.20	136.26	170.33	204.39	238.46	272.52	306.59	340.65
1101 -	1125	34.81	69.62	104.42	139.23	174.04	208.85	243.66	278.46	313.27	348.08
1126 -	1150	35.55	71.10	106.65	142.20	177.75	213.30	248.85	284.40	319.95	355.50
1151 -	1175	36.14	72.27	108.41	144.54	180.68	216.81	252.95	289.08	325.22	361.35
1176 -	1200	36.92	73.85	110.77	147.69	184.62	221.54	258.46	295.38	332.31	369.23
1201 -	1225	37.53	75.06	112.59	150.12	187.65	225.18	262.71	300.24	337.77	375.30
1226 -	1250	38.30	76.59	114.89	153.18	191.48	229.77	268.07	306.36	344.66	382.95
1251 -	1275	39.06	78.12	117.18	156.24	195.30	234.36	273.42	312.48	351.54	390.60
1276 -	1300	39.67	79.34	119.00	158.67	198.34	238.01	277.68	317.34	357.01	396.68
1301 -	1325	40.43	80.87	121.30	161.73	202.17	242.60	283.03	323.46	363.90	404.33
1326 -	1350	41.02	82.04	123.05	164.07	205.09	246.11	287.13	328.14	369.16	410.18
1351 -	1375	41.63	83.25	124.88	166.50	208.13	249.75	291.38	333.00	374.63	416.25
1376 -	1400	42.23	84.47	126.70	168.93	211.17	253.40	295.63	337.86	380.10	422.33

											Scale-L
Distance	slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
		Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilometres)		(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1		2	3	4	5	6	7	8	9	10	11
1401 -	1425	42.86	85.73	128.59	171.45	214.32	257.18	300.04	342.90	385.77	428.63
1426 -	1450	43.47	86.94	130.41	173.88	217.35	260.82	304.29	347.76	391.23	434.70
1451 -	1475	44.08	88.16	132.23	176.31	220.39	264.47	308.55	352.62	396.70	440.78
1476 -	1500	44.69	89.37	134.06	178.74	223.43	268.11	312.80	357.48	402.17	446.85
1501 -	1525	45.18	90.36	135.54	180.72	225.90	271.08	316.26	361.44	406.62	451.80
1526 -	1550	45.65	91.31	136.96	182.61	228.27	273.92	319.57	365.22	410.88	456.53
1551 -	1575	46.13	92.25	138.38	184.50	230.63	276.75	322.88	369.00	415.13	461.25
1576 -	1600	46.58	93.15	139.73	186.30	232.88	279.45	326.03	372.60	419.18	465.75
1601 -	1625	47.09	94.19	141.28	188.37	235.47	282.56	329.65	376.74	423.84	470.93
1626 -	1650	47.57	95.13	142.70	190.26	237.83	285.39	332.96	380.52	428.09	475.65
1651 -	1675	48.02	96.03	144.05	192.06	240.08	288.09	336.11	384.12	432.14	480.15
1676 -	1700	48.49	96.98	145.46	193.95	242.44	290.93	339.42	387.90	436.39	484.88
1701 -	1725	48.98	97.97	146.95	195.93	244.92	293.90	342.88	391.86	440.85	489.83
1726 -	1750	49.46	98.91	148.37	197.82	247.28	296.73	346.19	395.64	445.10	494.55
1751 -	1775	49.93	99.86	149.78	199.71	249.64	299.57	349.50	399.42	449.35	499.28
1776 -	1800	50.40	100.80	151.20	201.60	252.00	302.40	352.80	403.20	453.60	504.00
1801 -	1825	50.87	101.75	152.62	203.49	254.37	305.24	356.11	406.98	457.86	508.73
1826 -	1850	51.35	102.69	154.04	205.38	256.73	308.07	359.42	410.76	462.11	513.45
1851 -	1875	51.82	103.64	155.45	207.27	259.09	310.91	362.73	414.54	466.36	518.18
1876 -	1900	52.29	104.58	156.87	209.16	261.45	313.74	366.03	418.32	470.61	522.90
1901 -	1925	52.79	105.57	158.36	211.14	263.93	316.71	369.50	422.28	475.07	527.85
1926 -	1950	53.24	106.47	159.71	212.94	266.18	319.41	372.65	425.88	479.12	532.35
1951 -	1975	53.73	107.46	161.19	214.92	268.65	322.38	376.11	429.84	483.57	537.30
1976 -	2000	54.20	108.41	162.61	216.81	271.02	325.22	379.42	433.62	487.83	542.03
2001 -	2025	54.90	109.80	164.70	219.60	274.50	329.40	384.30	439.20	494.10	549.00

										Scale-L
Distance slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilometres)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1	2	3	4	5	6	7	8	9	10	11
2026 - 2050	55.17	110.34	165.51	220.68	275.85	331.02	386.19	441.36	496.53	551.70
2051 - 2100	56.12	112.23	168.35	224.46	280.58	336.69	392.81	448.92	505.04	561.15
2101 - 2150	57.04	114.08	171.11	228.15	285.19	342.23	399.27	456.30	513.34	570.38
2151 - 2200	58.01	116.01	174.02	232.02	290.03	348.03	406.04	464.04	522.05	580.05
2201 - 2250	58.93	117.86	176.78	235.71	294.64	353.57	412.50	471.42	530.35	589.28
2201 2200	00.00	117.00	110.10	200	20	000.01	112.00		000.00	000.20
2251 - 2300	59.90	119.79	179.69	239.58	299.48	359.37	419.27	479.16	539.06	598.95
2301 - 2350	60.82	121.64	182.45	243.27	304.09	364.91	425.73	486.54	547.36	608.18
2351 - 2400	61.79	123.57	185.36	247.14	308.93	370.71	432.50	494.28	556.07	617.85
2401 - 2450	62.62	125.24	187.85	250.47	313.09	375.71	438.33	500.94	563.56	626.18
2451 - 2500	63.50	126.99	190.49	253.98	317.48	380.97	444.47	507.96	571.46	634.95
2501 - 2550	64.22	128.43	192.65	256.86	321.08	385.29	449.51	513.72	577.94	642.15
2551 - 2600	64.94	129.87	194.81	259.74	324.68	389.61	454.55	519.48	584.42	649.35
2601 - 2650	65.70	131.40	197.10	262.80	328.50	394.20	459.90	525.60	591.30	657.00
2651 - 2700	66.42	132.84	199.26	265.68	332.10	398.52	464.94	531.36	597.78	664.20
2701 - 2750	67.16	134.33	201.49	268.65	335.82	402.98	470.14	537.30	604.47	671.63
2751 - 2800	67.88	135.77	203.65	271.53	339.42	407.30	475.18	543.06	610.95	678.83
2801 - 2850	68.63	137.25	205.88	274.50	343.13	411.75	480.38	549.00	617.63	686.25
2851 - 2900	69.37	138.74	208.10	277.47	346.84	416.21	485.58	554.94	624.31	693.68
2901 - 2950	70.09	140.18	210.26	280.35	350.44	420.53	490.62	560.70	630.79	700.88
2951 - 3000	70.85	141.71	212.56	283.41	354.27	425.12	495.97	566.82	637.68	708.53
3001 - 3050	71.60	143.19	214.79	286.38	357.98	429.57	501.17	572.76	644.36	715.95
3051 - 3100	72.32	144.63	216.95	289.26	361.58	433.89	506.21	578.52	650.84	723.15
3101 - 3150	73.04	146.07	219.11	292.14	365.18	438.21	511.25	584.28	657.32	730.35
3151 - 3200	73.78	147.56	221.33	295.11	368.89	442.67	516.45	590.22	664.00	737.78
3201 - 3250	74.52	149.04	223.56	298.08	372.60	447.12	521.64	596.16	670.68	745.20

											Scale-L
Distance	slabs	1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
		Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilome	tres)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1		2	3	4	5	6	7	8	9	10	11
2054	2200	75.26	450.50	225 70	204.05	070 00	454.50	E00 04	000.40	677.07	750.00
3251 - 3301 -	3300 3350	75.26 76.01	150.53 152.01	225.79 228.02	301.05 304.02	376.32 380.03	451.58 456.03	526.84 532.04	602.10 608.04	677.37 684.05	752.63 760.05
3351 -	3400	76.73	152.01	230.18	304.02	383.63	456.03	532.04	613.80	690.53	760.05 767.25
3401 -	3450	70.73 77.45	153.45	230.16	309.78	387.23	464.67	542.12	619.56	697.01	774.45
3451 -	3500	77.43 78.21	156.42	234.63	312.84	391.05	469.26	542.12 547.47	625.68	703.89	774.45 782.10
3431 -	3300	70.21	130.42	234.03	312.04	391.03	409.20	341.41	023.00	103.09	702.10
3501 -	3550	78.93	157.86	236.79	315.72	394.65	473.58	552.51	631.44	710.37	789.30
3551 -	3600	79.67	159.35	239.02	318.69	398.37	478.04	557.71	637.38	717.06	796.73
3601 -	3650	80.42	160.83	241.25	321.66	402.08	482.49	562.91	643.32	723.74	804.15
3651 -	3700	81.14	162.27	243.41	324.54	405.68	486.81	567.95	649.08	730.22	811.35
3701 -	3750	81.88	163.76	245.63	327.51	409.39	491.27	573.15	655.02	736.90	818.78
3751 -	3800	82.60	165.20	247.79	330.39	412.99	495.59	578.19	660.78	743.38	825.98
3801 -	3850	83.34	166.68	250.02	333.36	416.70	500.04	583.38	666.72	750.06	833.40
3851 -	3900	84.08	168.17	252.25	336.33	420.42	504.50	588.58	672.66	756.75	840.83
3901 -	3950	84.83	169.65	254.48	339.30	424.13	508.95	593.78	678.60	763.43	848.25
3951 -	4000	85.55	171.09	256.64	342.18	427.73	513.27	598.82	684.36	769.91	855.45
4001 -	4050	86.29	172.58	258.86	345.15	431.44	517.73	604.02	690.30	776.59	862.88
4051 -	4100	87.03	174.06	261.09	348.12	435.15	522.18	609.21	696.24	783.27	870.30
4101 -	4150	87.75	175.50	263.25	351.00	438.75	526.50	614.25	702.00	789.75	877.50
4151 -	4200	88.49	176.99	265.48	353.97	442.47	530.96	619.45	707.94	796.44	884.93
4201 -	4250	89.24	178.47	267.71	356.94	446.18	535.41	624.65	713.88	803.12	892.35
4251 -	4300	89.98	179.96	269.93	359.91	449.89	539.87	629.85	719.82	809.80	899.78
4301 -	4350	90.70	181.40	272.09	362.79	453.49	544.19	634.89	719.62	816.28	906.98
4301 -	4400	90.70	182.88	274.32	365.76	455.49	548.64	640.08	731.52	822.96	914.40
4401 -	4450	92.18	184.37	276.55	368.73	460.92	553.10	645.28	737.46	829.65	921.83
4451 -	4500	92.16	185.85	278.78	371.70	464.63	557.55	650.48	743.40	836.33	921.63
4401 -	4000	უ∠.უა	100.00	210.10	31 1.70	404.03	557.55	050.40	143.40	030.33	コムゴ.とひ

											Scale-L
Distance slabs		1 - 10	11 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 - 70	71 - 80	81 - 90	91 - 100
		Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.	Kgs.
(Kilome	tres)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
1		2	3	4	5	6	7	8	9	10	11
4504	4550	00.05	407.00	000.04	07450	400.00	504.07	055.50	740.40	0.40.04	000.45
4501 -	4550	93.65	187.29	280.94	374.58	468.23	561.87	655.52	749.16	842.81	936.45
4551 -	4600	94.39	188.78	283.16	377.55	471.94	566.33	660.72	755.10	849.49	943.88
4601 -	4650	95.13	190.26	285.39	380.52	475.65	570.78	665.91	761.04	856.17	951.30
4651 -	4700	95.85	191.70	287.55	383.40	479.25	575.10	670.95	766.80	862.65	958.50
4701 -	4750	96.59	193.19	289.78	386.37	482.97	579.56	676.15	772.74	869.34	965.93
4751 -	4800	97.34	194.67	292.01	389.34	486.68	584.01	681.35	778.68	876.02	973.35
4801 -	4850	98.21	196.43	294.64	392.85	491.07	589.28	687.49	785.70	883.92	982.13
4851 -	4900	99.05	198.09	297.14	396.18	495.23	594.27	693.32	792.36	891.41	990.45
4901 -	4950	99.92	199.85	299.77	399.69	499.62	599.54	699.46	799.38	899.31	999.23
4951 -	5000	100.78	201.56	302.33	403.11	503.89	604.67	705.45	806.22	907.00	1007.78
1001	5500	.00.70	201.00	002.00	100.11	000.00	001.01	. 55.10	000.22	007.00	1007.70