# Assignment 3: Transition Parsing with Neural Networks

Niranjan Balsubramanian and Jun Kang

CSE 538 Fall 2018

#### 1 Due Date and Collaboration

- The assignment is due on November 16, 2018 at 11:59 pm. We will accept late submissions until November 18, 2018 11:59 pm with a penalty of 10 points per day. (Out of 100 points)
- You can collaborate to discuss ideas and to help each other for better understanding of concepts and math.
- You should NOT collaborate on the code level. This includes all implementation activities: design, coding, and debugging.
- You should NOT not use any code that you did not write to complete the assignment.
- The homework will be cross-checked. Do not cheat at all! It's worth doing the homework partially instead of cheating and copying your code and get 0 for the whole homework.
- We collected a list of FAQ based on previous semester (many thanks to Jun for his effort on answering questions) it is kept here and will be updated periodically. Before asking question in piazza check it first.

## 2 Transition Parsing System

In this assignment you will implement the Neural Network based Transition Parsing system described in [Chen and Manning, 2014]. This assignment consists of following three components:

#### 2.1 Parsing Algorithm

In ParsingSystem.py, there is an overall wrapper that begins with the initial state, and asks the classifier to provide a distribution over the available actions,

selects the next available legal action, and then changes the state by applying the action.

You will be implementing the ARC standard system rather than the eager version. This is a slight modification with only three types of actions (shift, left, right) instead of the four. The paper[Nivre, 2004] describes in detail.

#### 2.2 Neural Network Classifier using TensorFlow

You will implement the training and test functionality for the transition classifier. You will generate the features given the (sentence, tree) pairs and write the loss function to use for training the network. (in DependencyParser.py)

### 3 Experiments

You will investigate the impact of different parts of this system. Note this is the empirical part of NLP. You are asked here to try a few different configurations that are likely to affect performance. This should also give you a sense for how important each of the following aspects are to the overall performance.

- 1. **Number of hidden layers** The original paper proposed only one hidden layer. Experiment with two and three hidden layers.
- 2. Capturing interactions The paper used a cube non-linearity to account for interactions between different combinations of token features.
  - (a) Try sigmoid, tanh, and ReLU.
  - (b) Try using the cube non-linearity but avoid connections that go across (words, pos, deps). Have three separate parallel hidden layers, one for combining word embeddings, one for POS, and one for deps.
  - (c) Effect of fixing Word, POS and Dep Embeddings The paper allowed POS and Dep embeddings to be learnt and the Word embeddings to be modified via backprop. You can fix these (use a bit vector to uniquely index each POS and Dep category) and use the pre-trained word embeddings without change, and see how your performance varies.
  - (d) Best Configuration Use the dev set to find the best model.
  - (e) Gradient clipping In the training phase, a technique called "gradient clipping" is introduced. Explain in your own words, what gradient clipping is and why it is useful in general. Remove the gradient clipping section of the code and report the performance of the best configuration without gradient clipping. What did you observe?

### 4 Implementation Details and Tips

- You will use the embeddings you learned from the assignment 1 as pretrained embeddings. For those of you who don't have the embeddings, consult with TA.
- Most of the system is already written and you are asked to write some key parts. So, don't panic!
- Even so, it would take quite time to 1) understand the system design (from the cited papers and codes), 2) implement the system, and 3) do experiments.
- More detailed information can be found in README file in the package. You can consult the paper for additional details.

## 5 What should you turn in?

Prepare and submit a single zip file with following items: filename:  $\langle SBU\_ID \rangle$ .zip (ex. 10111111.zip )

- Report Include a table that contains results of each of the experiment above. Present an analysis to explain your findings/observations. Please include a section that mentions the settings of the best configuration.
- Predictions on the test data One prediction file (results\_test.conll) from the best model on the test data.
- Codes Leave comments in your code that explains what you are trying to do. Include following files:
  - DependencyParser.py: If you have multiple files for different models, name each of them with keyword and list them in README file. If you have one file, comment out non-default models. In the header of each commented out part, WRITE COMMENTS on what does the commented out block do which model it was used, etc.
  - ParsingSystem.py
  - Config.py

## 6 Grading Rubric

- 50 points Implementation
- 30 points Experiments
- 10 points Analysis of the results
- 10 points Evaluation of the test predictions. (Relative grading)

 $\ast$  1 point will be deducted for each case of not following the specified file names.

### References

[Chen and Manning, 2014] Chen, D. and Manning, C. (2014). A fast and accurate dependency parser using neural networks. In *Proceedings of the 2014 conference on empirical methods in natural language processing (EMNLP)*, pages 740–750.

[Nivre, 2004] Nivre, J. (2004). Incrementality in deterministic dependency parsing. In *Proceedings of the Workshop on Incremental Parsing: Bringing Engineering and Cognition Together*, pages 50–57. Association for Computational Linguistics.