

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>MyTube - Professional Stream</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css"
rel="stylesheet">
  <style>
    ::-webkit-scrollbar { width: 8px; height: 8px; }
    ::-webkit-scrollbar-track { background: #0B0B0F; }
    ::-webkit-scrollbar-thumb { background: #374151; border-radius: 4px; }
    ::-webkit-scrollbar-thumb:hover { background: #7C3AED; }
    @keyframes fadeIn { from { opacity: 0; transform: translateY(10px); } to { opacity: 1;
transform: translateY(0); } }
    .animate-fade-in { animation: fadeIn 0.3s ease-out forwards; }
    .video-container iframe { width: 100%; aspect-ratio: 16/9; border-radius: 12px; }
  </style>
  <script>
    tailwind.config = {
      theme: {
        extend: {
          colors: { primary: '#7C3AED', background: '#0B0B0F', surface: '#111827',
textMain: '#E5E7EB', accent: '#22D3EE' }
        }
      }
    }
  </script>
</head>
<body class="bg-background text-textMain font-sans antialiased overflow-hidden h-screen
flex flex-col">

  <nav class="h-16 bg-surface border-b border-gray-800 flex items-center justify-between
px-4 z-50 shrink-0">
    <div class="flex items-center gap-4">
      <button class="p-2 hover:bg-gray-800 rounded-full text-gray-400"><i class="fas
fa-bars"></i></button>
      <div class="flex items-center gap-2 cursor-pointer" onclick="app.router('home')">
        <div class="w-8 h-8 bg-primary rounded-lg flex items-center justify-center
text-white font-bold shadow-lg shadow-purple-500/20">M</div>
        <span class="text-xl font-bold tracking-tight text-white hidden
sm:block">MyTube</span>
      </div>
    </div>

    <div class="flex-1 max-w-2xl mx-4">
      <div class="relative w-full flex group">

```

```

        <input type="text" id="searchInput" onkeyup="app.handleSearch(event)"
placeholder="Search anything..."
        class="w-full bg-background border border-gray-700 rounded-l-full py-2 px-5
focus:outline-none focus:border-primary text-sm transition-all">
        <button class="px-6 bg-gray-800 border border-l-0 border-gray-700 rounded-r-full
hover:bg-gray-700 text-gray-400">
            <i class="fas fa-search"></i>
        </button>
    </div>
</div>

```

```

<div class="flex items-center gap-2 sm:gap-4">
    <button onclick="app.toggleUploadModal()" class="p-2 sm:px-4 sm:py-2 bg-primary
hover:bg-purple-600 text-white rounded-full text-sm font-medium transition-all flex
items-center gap-2">
        <i class="fas fa-plus"></i> <span class="hidden sm:inline">Create</span>
    </button>
    <button onclick="app.toggleAuthModal()" class="w-10 h-10 rounded-full border-2
border-gray-700 hover:border-primary p-0.5 transition-all">
        
    </button>
</div>
</nav>

```

```

<div class="flex flex-1 overflow-hidden">
    <aside class="w-20 lg:w-64 bg-surface border-r border-gray-800 flex flex-col hidden
md:flex shrink-0">
        <div class="p-3 flex flex-col gap-2">
            <button onclick="app.router('home')" class="flex items-center gap-4 p-3 rounded-xl
hover:bg-gray-800 text-white transition-all">
                <i class="fas fa-home w-6 text-xl"></i> <span class="hidden lg:block
font-medium">Home</span>
            </button>
            <button onclick="app.router('shorts')" class="flex items-center gap-4 p-3
rounded-xl hover:bg-gray-800 text-gray-400 transition-all">
                <i class="fas fa-bolt w-6 text-xl text-red-500"></i> <span class="hidden lg:block
font-medium">Shorts</span>
            </button>
            <button onclick="app.router('subscriptions')" class="flex items-center gap-4 p-3
rounded-xl hover:bg-gray-800 text-gray-400 transition-all">
                <i class="fas fa-layer-group w-6 text-xl"></i> <span class="hidden lg:block
font-medium">Subscriptions</span>
            </button>
        </div>
        <div class="mt-auto p-4 hidden lg:block">
            <div class="bg-gray-800/40 p-3 rounded-xl border border-gray-700">

```

```

        <p class="text-[10px] text-gray-500 uppercase font-bold
tracking-widest">Premium</p>
        <p class="text-xs mt-1">Try AI features for 1 month free.</p>
    </div>
</div>
</aside>

<main id="mainContent" class="flex-1 overflow-y-auto bg-background">
    </main>
</div>

<div id="authModal" class="fixed inset-0 z-[100] hidden bg-black/90 backdrop-blur-sm flex
items-center justify-center p-4">
    <div class="bg-surface p-8 rounded-3xl border border-gray-700 w-full max-w-sm
text-center animate-fade-in shadow-2xl">
        <div class="w-16 h-16 bg-primary rounded-2xl flex items-center justify-center
text-white text-3xl font-bold mx-auto mb-6">M</div>
        <h2 class="text-2xl font-bold mb-2">Welcome Back</h2>
        <p class="text-gray-400 text-sm mb-6">Sign in to sync your history across
devices.</p>
        <input type="email" placeholder="Email" class="w-full bg-background border
border-gray-700 rounded-xl px-4 py-3 mb-3 focus:border-primary outline-none">
        <button class="bg-primary text-white font-bold py-3 rounded-xl w-full
hover:bg-purple-600 transition-all">Continue</button>
        <button onclick="app.toggleAuthModal()" class="mt-4 text-gray-500 text-sm
hover:text-white transition-all">Maybe later</button>
    </div>
</div>

<script>
    const mockData = {
        videos: [
            { id: 1, title: "The Future of AI: Beyond 2024", creator: "Tech Visionary", views:
"1.2M views", time: "2 days ago", duration: "14:20", thumbnail:
"https://images.unsplash.com/photo-1677442136019-21780ecad995?w=800", avatar:
"https://ui-avatars.com/api/?name=TV", videoUrl:
"https://www.youtube.com/embed/dQw4w9WgXcQ", desc: "This video explores how AI will
change the world by 2030." },
            { id: 2, title: "10 Minute Abs Workout - No Equipment", creator: "FitLife Pro", views:
"850K views", time: "1 week ago", duration: "10:05", thumbnail:
"https://images.unsplash.com/photo-1517836357463-d25dfeac3438?w=800", avatar:
"https://ui-avatars.com/api/?name=FL", videoUrl:
"https://www.youtube.com/embed/7X8mFk06U8s", desc: "Get shredded at home with this
simple 10 minute routine." },
            { id: 3, title: "How to Cook the Perfect Steak", creator: "Chef's Table", views: "2.4M
views", time: "3 weeks ago", duration: "08:45", thumbnail:
"https://images.unsplash.com/photo-1600891964092-4316c288032e?w=800", avatar:
"https://ui-avatars.com/api/?name=CT", videoUrl:

```

```
"https://www.youtube.com/embed/nshZ7j1z10E", desc: "Learn the secrets of restaurant-style steak at home." },
```

```
  { id: 4, title: "Space X Starship Launch Highlights", creator: "Astro News", views: "5.1M views", time: "1 day ago", duration: "12:30", thumbnail:
```

```
"https://images.unsplash.com/photo-1517976487492-5750f3195933?w=800", avatar:
```

```
"https://ui-avatars.com/api/?name=AN", videoUrl:
```

```
"https://www.youtube.com/embed/3990MCHp5-w", desc: "All the best moments from today's Starship mission." }  
  ]  
};
```

```
const app = {  
  router: function(page) {  
    const content = document.getElementById('mainContent');  
    if(page === 'home') this.renderHome(mockData.videos);  
    else if(page === 'shorts') this.renderShorts();  
    else content.innerHTML = `  },  
  
  renderHome: function(videoList) {  
    const content = document.getElementById('mainContent');  
    let html = `    videoList.forEach(v => {  
      html += `  
        <div class="cursor-pointer group" onclick="app.playVideo(${v.id})">  
          <div class="relative aspect-video rounded-2xl overflow-hidden mb-4 bg-gray-800 shadow-xl group-hover:shadow-purple-500/10 transition-all">  
              
            <span class="absolute bottom-2 right-2 bg-black/80 backdrop-blur-sm text-[10px] font-bold px-2 py-1 rounded-md text-white">${v.duration}</span>  
          </div>  
          <div class="flex gap-3 px-1">  
              
            <div class="min-w-0">  
              <h3 class="font-bold text-[15px] line-clamp-2 leading-snug group-hover:text-primary transition-all">${v.title}</h3>  
              <p class="text-gray-400 text-xs mt-1.5 font-medium">${v.creator}</p>  
              <p class="text-gray-500 text-[11px]">${v.views} • ${v.time}</p>  
            </div>  
          </div>  
        </div>`;  
    });  
    content.innerHTML = html + `</div>`;  
  }  
};
```

```

    },

    playVideo: function(id) {
      const v = mockData.videos.find(video => video.id === id);
      document.getElementById('mainContent').innerHTML = `
        <div class="flex flex-col xl:flex-row gap-6 p-4 lg:p-6 animate-fade-in
max-w-[1600px] mx-auto">
          <div class="flex-1">
            <div class="video-container shadow-2xl bg-black rounded-2xl
overflow-hidden border border-gray-800">
              <iframe src="${v.videoUrl}?autoplay=1" frameborder="0" allowfullscreen
allow="autoplay"></iframe>
            </div>
            <h1 class="text-2xl font-bold mt-4 line-clamp-2">${v.title}</h1>
            <div class="flex flex-wrap items-center justify-between mt-4 p-4 bg-surface
border border-gray-800 rounded-2xl gap-4">
              <div class="flex items-center gap-3">
                
                <div class="min-w-0">
                  <p class="font-bold text-white text-lg leading-tight">${v.creator}</p>
                  <p class="text-xs text-gray-500 font-medium">1.54M
Subscribers</p>
                </div>
                <button class="ml-4 bg-white text-black px-5 py-2.5 rounded-full
font-bold text-sm hover:bg-gray-200 transition-all">Subscribe</button>
              </div>
              <div class="flex items-center gap-2">
                <div class="bg-gray-800 rounded-full flex p-1">
                  <button class="hover:bg-gray-700 px-4 py-1.5 rounded-l-full flex
items-center gap-2 border-r border-gray-700"><i class="fas fa-thumbs-up"></i> <span
class="text-sm font-bold">45K</span></button>
                  <button class="hover:bg-gray-700 px-4 py-1.5 rounded-r-full"><i
class="fas fa-thumbs-down"></i></button>
                </div>
                <button class="bg-gray-800 hover:bg-gray-700 p-2.5 rounded-full px-5
flex items-center gap-2 text-sm font-bold"><i class="fas fa-share"></i> Share</button>
              </div>
            </div>
            <div class="mt-4 p-4 bg-surface rounded-2xl border border-gray-800">
              <p class="text-sm font-bold text-white mb-2">${v.views} ${v.time}</p>
              <p class="text-gray-300 text-sm leading-relaxed">${v.desc}</p>
            </div>
            <div class="mt-6">
              <h3 class="text-lg font-bold mb-4">428 Comments</h3>
              <div class="flex gap-4 mb-6">
                

```

```

        <input type="text" placeholder="Add a comment..."
class="bg-transparent border-b border-gray-700 focus:border-white w-full outline-none py-2
text-sm transition-all">
    </div>
</div>
</div>

<div class="xl:w-[400px] shrink-0">
    <h2 class="font-bold text-lg mb-4 text-gray-400 px-1">Up Next</h2>
    <div class="flex flex-col gap-3">
        ${mockData.videos.map(sv => `
            <div class="flex gap-3 cursor-pointer group"
onclick="app.playVideo(${sv.id})">
                <div class="w-40 h-24 rounded-xl overflow-hidden bg-gray-800
shrink-0 relative">
                    
                    <span class="absolute bottom-1 right-1 bg-black/80 text-[10px]
px-1 rounded font-bold">${sv.duration}</span>
                </div>
                <div class="min-w-0">
                    <h4 class="text-sm font-bold line-clamp-2 leading-snug
group-hover:text-primary transition-all">${sv.title}</h4>
                    <p class="text-gray-400 text-[11px] mt-1
font-medium">${sv.creator}</p>
                    <p class="text-gray-500 text-[10px]">${sv.views}</p>
                </div>
            </div>
        `).join("")}
    </div>
</div>
</div>`;
document.getElementById('mainContent').scrollTop = 0;
},

handleSearch: function(e) {
    const term = e.target.value.toLowerCase();
    const filtered = mockData.videos.filter(v =>
        v.title.toLowerCase().includes(term) ||
        v.creator.toLowerCase().includes(term)
    );
    this.renderHome(filtered);
},

renderShorts: function() {
    const content = document.getElementById('mainContent');
    content.innerHTML = `
        <div class="h-full flex flex-col items-center gap-8 py-8 overflow-y-auto
no-scrollbar snap-y snap-mandatory">

```

```

    ${mockData.videos.map(v => `
      <div class="relative h-[80vh] aspect-[9/16] bg-black rounded-3xl
overflow-hidden snap-center shadow-2xl border border-gray-800">
        
        <div class="absolute inset-0 flex flex-col justify-end p-6 bg-gradient-to-t
from-black/80 via-transparent">
          <p class="font-bold text-white text-lg">${v.title}</p>
          <p class="text-sm text-gray-300 mt-2 flex items-center gap-2">
             @${v.creator.replace(' ', '')}
            </p>
          </div>
        <div class="absolute right-4 bottom-1/4 flex flex-col gap-6 text-white
text-xl">
          <button class="flex flex-col items-center gap-1 hover:text-red-500
transition-all"><i class="fas fa-heart"></i><span class="text-xs">4.2K</span></button>
          <button class="flex flex-col items-center gap-1 hover:text-blue-500
transition-all"><i class="fas fa-comment"></i><span class="text-xs">128</span></button>
          <button class="hover:text-primary transition-all"><i class="fas
fa-share"></i></button>
        </div>
      </div>
    `).join("")}
  </div>`;
},

toggleAuthModal: () =>
document.getElementById('authModal').classList.toggle('hidden'),
toggleUploadModal: () => alert("To use real upload, you need a backend server like
Node.js + Cloudinary!")
};

window.onload = () => app.renderHome(mockData.videos);
</script>
</body>
</html>

```