CI Tools Task

Step 1

Launch spot AWS EC2 instance with t2.medium instance type in Cybage AWS Account

Step 2

Install below pre-requisite software to run the spring boot application

a) Java

Install java 17 application

\$ sudo apt install openjdk-17-jdk openjdk-17-jre

check java version

\$ java –version

```
System information as of Fri May 10 09:52:41 UTC 2024
  System load: 0.0
                                      Processes:
                                                                114
  Usage of /: 18.6% of 28.89GB Users logged in:
                                      IPv4 address for eth0: 10.0.16.195
  Memory usage: 21%
  Swap usage:
               0%
Expanded Security Maintenance for Applications is not enabled.
O updates can be applied immediately.
3 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm
*** System restart required ***
Last login: Fri May 10 09:50:46 2024 from 18.206.107.27
ubuntu@ip-10-0-16-195:~$ ls
employee-management-main en
ubuntu@ip-10-0-16-195:~$ cd employee-management-main/
ubuntu@ip-10-0-16-195:~/employee-management-main$ vav --version
Command 'vav' not found, did you mean:
 command 'vpv' from snap vpv (v0.8.2)
 command 'dav' from deb dav-text (0.9.0-2)
command 'vam' from deb vim-addon-manager (0.5.10)
command 'vax' from deb simh (3.8.1-6.1)
 command 'gav' from deb gav (0.9.0-3.1)
See 'snap info <snapname>' for additional versions.
ubuntu@ip-10-0-16-195:~/employee-management-main$ java --version
openjdk 17.0.10 2024-01-16
OpenJDK Runtime Environment (build 17.0.10+7-Ubuntu-122.04.1)
OpenJDK 64-Bit Server VM (build 17.0.10+7-Ubuntu-122.04.1, mixed mode, sharing)
ubuntu@ip-10-0-16-195:~/employee-management-main$
  i-021c086616d99335a (snyk-rushikesh)
  PublicIPs: 3.84.131.249 PrivateIPs: 10.0.16.195
```

b) Maven

Install maven

\$ sudo apt install maven

Check maven version

\$ mvn -version

\$ mvn clean

to clean the project by deleting the target directory

```
No containers need to be restarted.

No user sessions are running outdated binaries.

No W guests are running outdated hypervisor (qemu) binaries on this host.
root@ip-10-0-16-195:/home/ubuntu/employee-management-main# myn clean
[INFO] Scanning for projects...
[WARRING]
[This highly recommended to fix these problems because they threaten the stability of your build.
[WARRING]
[WARRIN
```

\$ mvn compile to compile your code after cleaning

```
CINFO | Scanning for projects...

(MANNING) Some problems were encountered while building the effective model for net.javaguides:springboot-backend;jar:0.0.1-SMASSHOT |

(MANNING) Some problems were encountered while building the effective model for net.javaguides:springboot-backend;jar:0.0.1-SMASSHOT |

(MANNING) | Whild, plugins, plugin. (groupId:attifactId) | must be unique but found duplicate declaration of plugin org.jacoco:jacoco-maven-plugin @ 1 |

(MANNING) | The state of the state of the state of the state of the stability of your build.

(MANNING) | The state of the state of the state of the stability of your build.

(MANNING) | The state of the state of the state of the stability of your build.

(MANNING) | The state of the state of the state of the state of the stability of your build.

(MANNING) | The state of th
```

\$ mvn package / \$ mvn jar package your project into a JAR file

```
CONSTRUCTION of the content of the c
```

\$ mvn install

Maven installs the packaged artifacts into the local Maven repository (/.m2/repository)

```
(LHFO) Analyzed bundle 'springboot-backend' with a classes

(LHFO) -- naven-jar-plugin:2.2.0;jar (default-jar) % springboot-backend --

(LHFO) -- gring-boot-maven-plugin:2.0.4;rspackage (repackage) % springboot-backend --

(LHFO) -- gring-boot-maven-plugin:2.0.4;rspackage (repackage) % springboot-backend --

(LHFO) Loading execution data file /bome/ubuntu/employee-management-main/target/jacco.exec

(LHFO) All coverage checks have been met.

(LHFO) -- naven-install-plugin:3.0.1;nstall (default-install) % springboot-backend --

Downloading from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-util/1.0.0.v20140518/acther-util-1.0.0.v20140518.pom

Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-util/1.0.0.v20140518/acther-util-1.0.0.v20140518.pom

Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-util/1.0.0.v20140518/acther-util-1.0.0.v20140518.pom

Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther/1.0.0.v20140518/acther-util-1.0.0.v20140518.pom

Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther/1.0.0.v20140518/acther-util-1.0.0.v20140518.pom

Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-api/1.0.0.v20140518/acther-api-1.0.0.v20140518.pom

Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-api/1.0.0.v20140518/acther-api-1.0.0.v20140518.pom

Downloading from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-api/1.0.0.v20140518/acther-api-1.0.0.v20140518.pom

Downloading from central: https://repo.maven.apache.org/maven2/org/eclipse/acther/acther-api/1.0.0.v20140518/acther-api-1.0.0.v20140518.pom

LINDO Tatalling / home/ubuntu/employee-management-main/target/springboot-backend-0.0.1-sNASSHOOt.jar to /root/.m2/repository/net/javaguides/springboot-backend/0.0.1-sNASSHOOt.jar to /root/.m2/repository/net/javaguides/springboot-backend/0.0.1-sNASSHOO
```

\$ mvn clean test

first clean the project by removing the target directory and then compile the source code and execute all the tests in the project

```
| Butto Success | Control | Control
```

\$ mvn clean verify

Maven will first clean the project by removing the target directory, then compile the source code, execute tests, package the application, and finally verify that it meets the specified quality criteria

```
untugip-10-0-16-195:~/employee-management-main$ mvn clean verify MFO] Scanning for projects...
             Some problems were encountered while building the effective model for net.javaguides:springboot-backend:jar:0.0.1-SN. 'build.plugins.plugin.(groupId:artifactId)' must be unique but found duplicate declaration of plugin org.jacoco:jacoc
             It is highly recommended to fix these problems because they threaten the stability of your build.
 ARNING] For this reason, future Maven versions might no longer support building such malformed projects.
INFO
        Building springboot-backend 0.0.1-SNAPSHOT
        --- maven-clean-plugin:3.2.0:clean (default-clean) @ springboot-backend --- Deleting /home/ubuntu/employee-management-main/target
        --- jacoco-maven-plugin:0.8.7:prepare-agent (default) @ springboot-backend --- argline set to -javaagent:/home/ubuntu/.m2/repository/org/jacoco/org.jacoco.agent/0.8.7/org.jacoco.agent-0.8.7-runtime
o.exe
INFO
                               urces-plugin:3.3.0:resources (default-resources) @ springboot-backend ---
        Copying 1 resource
Copying 0 resource
INFO
        --- mayen-compiler-plugin:3,10.1:compile (default-compile) @ springboot-backend --- Changes detected - recompiling the module!
Compiling 5 source files to /home/ubuntu/employee-management-main/target/classes
INFO
        --- maven-resources-plugin:3.3.0:testResources (default-testResources) @ springboot-backend --- skip non existing resourceDirectory /home/ubuntu/employee-management-main/src/test/resources
INFO
                                                                       ile (default-testCompile) @ springboot-backend -
 i-021c086616d99335a (snyk-rushikesh)
 PublicIPs: 3.84.131.249 PrivateIPs: 10.0.16.195
```

\$ mvn site to generate a project's site documentation

\$ mvn dependency:tree

to generate a tree-like representation of your project's dependency hierarchy

```
TOTAL PART OF THE PROPERTY OF
```

c) Mysql

Install MySQL Server sudo apt install mysql-server

To see secure MySQL Installation sudo mysql_secure_installation

Access MySQL sudo mysql

Configure Spring Boot Application change the passwd inthis file vi src/main/resources/application.properties Save and Exit vi Restart Spring Boot Application

d) Docker

Download and Install Docker curl -fsSL https://get.docker.com -o get-docker.sh

This command downloads the Docker installation script from the official Docker website. sh get-docker.sh

This command executes the downloaded script, which installs Docker on your system.

Check Docker Version

docker -version

Add User to Docker Group sudo usermod -aG docker \$USER

Check Docker Process docker ps

Adjust Docker Socket Permissions

sudo chown ubuntu:docker /var/run/docker.sock sudo chmod 600 /var/run/docker.sock

Check Docker Process Again docker ps

Npm Install Node.js and npm: sudo apt update sudo apt install nodejs npm

e) Snyk

Install Snyk globally npm install -g snyk

Authenticate Snyk snyk auth

Verify Installation snyk –version

snyk code

Snyk Code will scan your project's source code and analyze it for security vulnerabilities and code quality issues

\$ Snyk container

To scan a container image with Snyk

```
Departs of Service (DoS) [Notine Severity] [https://security.snyk.io/vuln/SNYK-JAVA-GESYRINFENDERSK-GESTRINGT in org. springframework spring-memork spring-m
```

\$ Snyk IaC

To scan an infrastructure as code template with Snyk

\$ snyk container test demo docker image using snyk

\$ snyk test

To test your project for vulnerabilities

```
### Second Control Pages | March 1985 | Marc
```

Snyk container test <image name>

f) Trivy

Add Trivy Repository

sudo apt-get update

sudo apt-get install -y wget apt-transport-https gnupg lsb-release

wget -qO - https://aquasecurity.github.io/trivy-repo/deb/public.key | sudo apt-key add - echo deb https://aquasecurity.github.io/trivy-repo/deb \$(lsb_release -sc) main | sudo tee -a /etc/apt/sources.list.d/trivy.list

Update Packages sudo apt-get update

Install Trivy sudo apt-get install trivy

Verify Installation
trivy –version
\$ trivy image image name
scan docker images

```
biuntudip-10-0-16-1951./employes-management-main$ is

Cockerfile LICENES READE.ad contrib manifests pom.xal src target trivy_0.24.0_linux-6dbit.tar.gz

ubuntudip-10-0-16-1951./employes-management-main$ docker ps

peraission denied while trying to connect to the Docker deemon socket at unix:///var/run/docker.sock: Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

er.sock: connect: permission denied

ubuntudip-10-0-16-1951./employes-management-main$ docker ps

permission denied while trying to connect to the Docker deemon socket at unix:///var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v


denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http://%2Fvar%2Frun%2Fdocker.sock/v1.45/containers/json": dial v

denied while trying to connect to the Docker deemon socket at unix://var/run/docker.sock; Get "http:/
```

\$trivy filesystem /path of project

scanning filesystems for vulnerabilities



\$ trivy fs < folder name> ==== to scan the secrete

Step 3

Code coverage reports

To generate code coverage reports for the project, you can use tool like JaCoCo

Add the JaCoCo Maven plugin to the project's pom.xml file

Run Maven with the test and jacoco:report goals to generate code coverage reports:

mvn clean test jacoco:report

This will run the project's unit tests and generate a code coverage report in the target/site/jacoco directory.

Generating a sample JaCoCo code coverage report involves running tests against your codebase and then generating the report using the JaCoCo Maven plugin.

To install the Apache HTTP Server (httpd) on Ubuntu

sudo apt update

Install Apache HTTP Server

sudo apt install apache2

Start Apache Service

sudo systemctl start apache

Verify Apache Service Status

sudo systemctl status apache2

Enable Apache Service

sudo systemctl enable apache2

copy index.html file from /home/ubuntu/employee-management/target/site/jacoco/index.html TO /var/www/html

cp /home/ubuntu/employee-management/target/site/jacoco/index.html /var/www/html

Enbale the http port in security group

Restart the apache2 server sudo systemctl restart apache2

copy public IP and hit on browser we will get jacoco code coverage report

 $\underline{Sessions} spring boot-backend$

springboot-backend

Element	Missed Instruction	s Cov. Missed Branche	es Cov	. Misse	d Cxty	y Misse	dLine	s Misse	ed Metho	ds Misse	d Classes
net.javaguides.springboot	5 5 4	44%	n/a	1	3	2	4	1	3	0	1
net.javaguides.springboot.controlle	<u>er</u> 🕽 93	100%	n/a	0	9	0	17	0	9	0	1
net.javaguides.springboot.model	2 46	100%	n/a	0	10	0	7	0	10	0	1
net.javaguides.springboot.exceptio	<u>n</u> 🔑	100%	n/a	0	1	0	2	0	1	0	1
Total	5 of 152	96% 0 of 0	n/a	1	23	2	30	1	23	0	4
Created with InCoCo 0.8.7.202105040120											

Created with <u>JaCoCo</u> 0.8.7.202105040129