

### Search Result

**Elevation Limitation: ASCE 7\* Ground Snow Load**

**Query Date:** November 26, 2015

**Address:** san diego

**Latitude:** 32.715738

**Longitude:** -117.1610838

**Elevation:** 50 Feet

Elevation  $\leq 1,800$  feet: Ground snow load is 0 psf  
Elevation  $> 1,800 \leq 2,800$  feet: Ground snow load is 5 psf


All loading data is in pounds per square foot.

For a site-specific case study area, a case study is required to establish ground snow loads.

\*Based on Figure 7-1 Ground Snow Loads printed in ASCE 7-95 through ASCE 7-10.

Users should consult with local building officials to determine if there are community-specific snow load requirements that govern.

Red shaded area is the load specific boundaries.  
Any darker red area is the overlapping load specific boundary.



### GROUND SNOW LOAD WEBSITE DISCLAIMER

While the information presented on this website is believed to be correct, ATC and its sponsors and contributors assume no responsibility or liability for its accuracy. The material presented in the ground snow load report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. ATC does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the ground snow load report provided by this website. Users of the information from this website assume all liability arising from such use. Use of the output of this website does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site described by latitude/longitude location in the ground snow load report.