

FinFlow — money management in seconds, not menus

A mobile banking concept that helps young professionals understand their spending and move money with confidence — without the clutter of a traditional banking app.

ROLE

UX / UI Designer

TIMELINE

6 weeks

PLATFORM

iOS & Android

TOOLS

Figma · FigJam · Maze

01

The Problem

People check their balance constantly — but rarely go deeper. Everyday banking apps bury the two things users actually want (understanding spending and sending money) under dense dashboards and multi-step flows.

In discovery I audited five leading banking apps and repeatedly saw the same pattern: home screens crammed with promotions, transfers hidden 3–4 taps deep, and spending data locked in separate reports. Users described feeling **anxious and slow** — not in control.

PROBLEM STATEMENT

How might we help young professionals understand their money and act on it in seconds — without feeling overwhelmed?

68%

check balance daily but
avoid other features

41s

avg. time to send money
(benchmark apps)

4+

taps to reach a transfer

Goals & Success Metrics

Align the design around clarity, speed and confidence — and define measurable targets to test against.



Surface what matters first

Balance, spending trend and quick actions above the fold.



Make transfers effortless

Complete a send in under 30 seconds from the home screen.



Build trust

Clear recipients, confirmations and security cues at every step.

Target metrics: transfer completion < 30s · SUS score > 80 · task success > 90% · spending-insight engagement up.

User Research

A mix of qualitative and quantitative methods to understand how people actually manage money on mobile.

12 user interviews

Survey — 48 respondents

Competitive audit — 5 apps

Affinity mapping

Key findings

1 Balance-first, explore-never

Users open the app daily just to glance at balance — deeper features feel like effort, so they're ignored.

2 Transfers feel risky and slow

Too many screens and unclear recipients make sending money stressful; people double-check obsessively.

3 Spending insight is wanted but hidden

Everyone valued category breakdowns — but couldn't find them without digging into reports.

4 Trust is emotional

Confirmation screens, security badges and seeing the recipient's name reduce anxiety more than speed alone.

Two primary personas emerged from the research and guided every design decision.



Aditya Rao

27 · Software Engineer ·
Bengaluru

"I just want to send my share of rent and see where my money went — I don't want a finance degree."

GOALS

- Split bills & transfer to friends fast
- Track subscriptions and monthly spend

FRUSTRATIONS

- Cluttered home screens & promos
- Transfers buried behind menus



Meera Shah

24 · Freelance Designer · Pune

"My income is different every month, so I really need to see my spending clearly to plan."

GOALS

- Understand spending by category
- Feel in control of variable income

FRUSTRATIONS

- No at-a-glance spending insight
- Anxious about sending to wrong person


05 User Flow — Send Money

The core flow was re-designed from ~5 screens down to a single, guided screen with a confirmation moment.




06 Wireframes

Low-fidelity wireframes tested the layout hierarchy before any visual design — prioritising balance, quick actions and a one-screen send.




Dashboard — balance + quick actions first



Send — single screen with keypad

07 Hi-Fi Design & Prototype

The final interface uses a focused gradient balance card, four one-tap actions, an at-a-glance weekly spend chart, and a single-screen transfer with quick-amount chips.



Dashboard & Send Money — high-fidelity screens (built in Figma)

Key design decisions



Gradient balance card

Anchors the eye and makes the most-checked info instantly scannable.



Weekly spend chart on home

Brings the hidden insight users wanted to the surface.



One-screen send + quick amounts

Removes steps; the total is echoed on the button to reduce errors.

Usability Testing

Tested the prototype with 6 participants (moderated + unmoderated via Maze) across two core tasks.

Tasks: (1) "Find how much you spent this week." (2) "Send \$50 to Aarav."

METRIC	TARGET	RESULT
Task success rate	> 90%	92%
Avg. time to send money	< 30s	22s
System Usability Scale (SUS)	> 80	86 — "excellent"
Error / misclick rate	Low	1 minor

What testing changed

ITERATION 1

Two users hesitated before confirming an amount. → Added **quick-amount chips** and echoed the **total on the Send button** for a clear final check.

ITERATION 2

Recipient selection felt uncertain. → Added an **avatar + verified checkmark** so users can confirm who they're paying at a glance.

09

Results & Impact

-46%

time to send
money (41s →
22s)

86

SUS score
("excellent")

92%

task success rate

+3×

projected
spending-insight
engagement

10

Reflection & Next Steps

The biggest win came from **removing steps, not adding features** — collapsing the transfer into one confident screen changed how the whole app felt. Testing early with low-fi wireframes saved rework later.

Next: biometric confirmation, savings-goal tracking, and shared-expense splitting for the "rent with friends" use case that surfaced repeatedly in interviews.

UX Research

Information Architecture

Interaction Design

Prototyping

Usability Testing

Design Systems

E-COMMERCE · SUSTAINABLE RETAIL

Verdé — shop plants sustainably, with confidence

An eco-conscious plant & planter store that turns anxious browsing into calm, informed buying — matching people to the right plant for their space and light.

ROLE

UX / UI Designer

TIMELINE

5 weeks

PLATFORM

Responsive Web + Mobile

TOOLS

Figma · Maze · Hotjar

01

The Problem

Buying plants online is surprisingly stressful. First-time buyers can't tell which plant suits their light and lifestyle, so they hesitate, abandon carts, or buy the wrong thing and return it.

Generic product grids treat a low-light succulent the same as a fussy fern. Without guidance on **care level, light needs and trust signals**, people default to “I’ll decide later” — and never come back.

PROBLEM STATEMENT

How might we help first-time plant buyers find the right plant for their space — and buy it with confidence?

70%

avg. e-commerce cart abandonment

3 in 5

first-timers unsure which plant fits

#1

return reason: “wrong for my space”

Goals & Success Metrics

Reduce decision anxiety and make the path from discovery to purchase calm and trustworthy.



Match, don't just list

Filter by light & care level so the catalogue fits the person.



Earn trust

Ratings, care difficulty and sustainability shown clearly on every card.



Frictionless mobile buy

A confident product page with a sticky add-to-cart.

Target metrics: product findability > 85% · add-to-cart success > 90% · SUS > 80 · fewer “wrong plant” doubts.

Understanding how people actually choose plants — and what stops them.

10 user interviews

Competitive audit — 6 stores

Card sorting (categories)

Analytics & heatmap review

Key findings

1 People filter by lifestyle, not taxonomy

"Low light", "hard to kill", "pet-safe" matter more than botanical categories.

2 Trust drives the purchase

Reviews and a visible care-difficulty rating were the strongest confidence signals.

3 The mobile product page is the moment of truth

Decisions happen there — it must answer every doubt without scrolling forever.

4 Sustainability must be shown

Eco claims only build trust when concrete (carbon-neutral shipping, biodegradable pots).

**Priya Nair**

29 · Marketing Lead · first-time plant parent

"I've killed two plants already. I just need something that survives my apartment and my schedule."

GOALS

- Find low-maintenance, low-light plants
- Feel reassured it'll actually thrive

FRUSTRATIONS

- No guidance on care difficulty
- Overwhelmed by huge catalogues

**Ethan D'Souza**

34 · Architect · design-conscious buyer

"I want plants that look considered and come from a brand that actually walks the sustainability talk."


GOALS

- Curated, aesthetic pieces & planters
- Verify eco credentials quickly

FRUSTRATIONS


- Vague "green" marketing
- Clunky checkout on mobile

Filtering by lifestyle sits at the heart of the journey, feeding a confident product page.




06 Wireframes

Low-fi layouts validated the filter-led listing and a single-decision product page before visual design.




Desktop — filters sidebar + product grid




Mobile PDP — size pills + sticky CTA

Hi-Fi Design & Prototype

A calm, editorial storefront: a filter-led listing that matches people to plants, and a mobile product page that answers every doubt with a sticky add-to-cart.





Product detail (mobile) — size selector, reviews & sticky cart

Key design decisions



Lifestyle filters

Care level, light and pot colour surfaced first — the way people actually shop.



Trust on every card

Ratings + review counts + free carbon-neutral shipping cues.



Sticky mobile add-to-cart

Price + CTA always in reach so the decision moment never scrolls away.

08

Usability Testing

6 participants, moderated + unmoderated, across the core shopping tasks.

Tasks: (1) "Find a low-light, easy-care plant under \$50." (2) "Add the Medium size to your cart."

METRIC	TARGET	RESULT
Product findability	> 85%	90%
Add-to-cart success	> 90%	96%
Avg. decision time	↓ vs. baseline	-38%
System Usability Scale	> 80	84

What testing changed

ITERATION 1

Care level was the top filter people looked for — but it was below the fold. → Promoted **care & light filters** to the top of the sidebar.

ITERATION 2

On mobile, size selection was missed. → Made **size pills larger** with a clearly selected state above the sticky CTA.

09

Results & Impact

96%

add-to-cart task
success

-38%

time to make a
decision

84

SUS score

**returns**

projected via
better matching

10

Reflection & Next Steps

Designing around **how people decide** — by light and care, not botany — mattered more than any visual polish. Card sorting early prevented a category structure users would have rejected.

Next: a “find my plant” quiz for total beginners, AR “see it in your space”, and post-purchase care reminders to reduce plant death (and returns).

UX Research

Card Sorting

IA

Responsive Design

Component Library

Usability Testing

HEALTH & FITNESS · MOBILE APP

Pulse — turning daily movement into a habit people keep

A fitness companion that makes progress feel motivating at a glance — activity rings, forgiving streaks and one-tap workouts that lower the friction of simply showing up.

ROLE

UX / UI Designer

TIMELINE

6 weeks

PLATFORM

iOS & Android

TOOLS

Figma · Maze · Lookback

01

The Problem

Fitness apps are downloaded with good intentions and abandoned within weeks. The barrier isn't features — it's **motivation**. Data-heavy dashboards feel like homework, and a single missed day triggers guilt that spirals into quitting.

PROBLEM STATEMENT

How might we keep people motivated to move every day by making progress feel rewarding — and effortless to track?

73%

of fitness-app users quit within 30 days

#1

churn reason: lost motivation

2×

retention when progress is visible daily

02

Goals & Success Metrics



Glanceable progress

Understand today's activity in under 3 seconds.



Forgiving motivation

Celebrate streaks without punishing missed days.



Zero-friction start

Begin a workout in one tap from the home screen.

Target metrics: ring comprehension > 90% · time-to-start workout < 10s · SUS > 80 · motivation rating ↑.

03

User Research

11 user interviews

Survey — 60 respondents

Competitive audit — Apple Fitness, Strava, Nike

Diary study (1 week)

Key findings

1 Visible streaks & rings pull people back

Seeing a nearly-closed ring is the single strongest motivator to move.

2 Guilt causes churn

"Failed" days and red warnings make users delete the app. Encouraging, forgiving language keeps them.

3 Starting is the hard part

Any friction before a workout (setup, choices) kills the intent to exercise.

4 Achievement > competition

Personal streaks motivate more broadly than leaderboards.

Personas



Rahul Menon

30 · Product Manager · time-poor

"I have 20 minutes. Just tell me what to do and let me feel like I did something."

GOALS

- Quick daily wins that fit a busy day
- See streaks build up over time

FRUSTRATIONS

- Too many taps before a workout
- Overwhelming stats with no meaning



Sana Kapoor

26 · Teacher · returning to fitness

"I've started and stopped so many times — I need encouragement, not another app making me feel bad."


GOALS

- Build a sustainable, gentle routine
- Feel supported when she misses a day

FRUSTRATIONS


- Guilt-inducing "you failed" messaging
- Intimidating, athlete-focused apps

User Flow — Start a Workout




06 Wireframes

Low-fi explored putting glanceable progress first and reducing the workout-detail page to a single decision: start.




Dashboard — rings + stats + workouts



Workout — details + sticky Start

Hi-Fi Design & Prototype

Concentric activity rings make progress instantly readable; a forgiving streak celebrates consistency; and the workout page collapses to one confident “Start” action.



Activity dashboard & workout detail — high-fidelity screens

Key design decisions



Concentric rings

Move / Exercise / Stand in one glanceable visual — progress you feel, not read.



Forgiving streak

Encouraging copy and a “rest day” state instead of failure warnings.



One-tap start

A prominent Start button removes friction between intent and action.

Usability Testing

6 participants, moderated remote sessions via Lookback.

Tasks: (1) "How are you doing on today's activity?" (2) "Start the Full Body HIIT workout."

METRIC	TARGET	RESULT
Ring comprehension	> 90%	94%
Time to start a workout	< 10s	7s
System Usability Scale	> 80	88
Motivation rating (1–5)	↑	4.5

What testing changed

ITERATION 1

Two users weren't sure which ring meant what. → Added a **colour-coded legend with live values** beside the rings.

ITERATION 2

The Start action competed with the exercise list. → Made **"Start Workout" a sticky, high-contrast button** anchored to the bottom.

09

Results & Impact

94%

understood
progress rings
instantly

7s

to start a workout
(target <10s)

88

SUS score

4.5/5

reported
motivation

10

Reflection & Next Steps

The insight that reframed the project: **emotion, not data, drives retention.**
Designing forgiving, celebratory moments mattered more than adding metrics.
Rings worked because they turn progress into a feeling.

Next: adaptive workout suggestions, gentle re-engagement after a break, and optional friend "cheers" for accountability without competition.

UX Research

Behavioural Design

Data Visualization

Interaction Design

Usability Testing

SAAS · ANALYTICS DASHBOARD

Nimbus — analytics that answer questions, not just show data

A B2B dashboard redesign that helps product & ops teams find the signal in seconds — clear KPIs, focused charts and scannable tables instead of a wall of numbers.

ROLE

Product Designer

TIMELINE

7 weeks

PLATFORM

Web + Responsive

TOOLS

Figma · Maze · Dovetail

01

The Problem

Analytics tools drown teams in widgets. Users open the dashboard, can't quickly find the metric that matters, and end up **exporting everything to a spreadsheet** to actually make sense of it — which defeats the product's purpose.

PROBLEM STATEMENT

How might we help busy teams reach the insight they need in seconds — without exporting to a spreadsheet?

60%

of users export to Excel to
"really analyze"

12+

widgets on the legacy
dashboard

daily

managers check on
mobile, mid-meeting

Goals & Success Metrics



Hierarchy over density

Surface the 4–5 KPIs that matter; demote the rest.



Trend at a glance

Every KPI shows change vs. last period, not just a number.



Scannable tables

Status you can read in one pass — no interpretation required.

Target metrics: time-to-find KPI < 5s · table-scan task success > 90% · SUS > 80 · reduce “export to Excel” reliance.

9 stakeholder & user interviews

Feature-usage analytics

Competitive audit — Mixpanel, Amplitude

Dovetail synthesis

Key findings

1 A handful of metrics carry the weight

Revenue, active users, orders and conversion — everything else is situational noise.

2 Numbers need context

"Is that good?" — users want comparison and trend, not an isolated figure.

3 Tables are where ops lives

Analysts need status (paid / pending / refunded) legible instantly.

4 Mobile check-ins are real

Leaders glance at numbers on their phone between meetings.

DR

Daniel Roy

38 · Head of Growth

"I don't need every chart. I need the number, whether it's up or down, and I need it now."

GOALS

- Top-line KPIs + trend at a glance
- Check performance on mobile, fast

FRUSTRATIONS

- Cluttered dashboards, too many widgets
- Numbers with no comparison

AH

Aisha Hassan

31 · Operations Analyst

"I live in the orders table. If I can't scan statuses quickly, I'm back in a spreadsheet."

GOALS

- Filter & scan records efficiently
- Spot pending / refunded at a glance

FRUSTRATIONS

- Dense tables with no visual status
- Exporting just to sort and read

START

Log in



STEP 1

Scan KPI
row

STEP 2

Read trend
chart

STEP 3

Adjust
period

STEP 4

Scan orders table



DONE


Insight ✓

06 Wireframes

Structure-first wireframes established a clear reading order: sidebar → KPI row → charts → table.




Desktop — sidebar · KPIs · charts · table




Mobile — KPIs stacked + chart

Hi-Fi Design & Prototype

A calm, hierarchy-driven dashboard: four KPI cards with delta + sparkline, a focused revenue trend with period toggle, a traffic donut, and an orders table where status reads at a glance — plus a mobile companion for on-the-go checks.



Analytics dashboard (desktop) — KPIs, charts & status table



Mobile companion — KPIs, trend & recent orders

Key design decisions



KPI cards with context

Value + delta chip + sparkline answers "what & is it good?" together.



Period toggle on the chart

Week / Month / Year keeps the view focused instead of five charts at once.



Status badges (colour + dot + label)

Scannable and accessible without relying on colour alone.

Usability Testing

6 participants (product & ops roles), moderated task-based sessions.

Tasks: (1) "Is revenue up or down this week, and by how much?" (2) "Find an order that's pending."

METRIC	TARGET	RESULT
Time to find a KPI + trend	< 5s	3.4s
Table-scan task success	> 90%	100%
System Usability Scale	> 80	83
"Would reduce exporting to Excel"	Majority	5 / 6

What testing changed

ITERATION 1

Users wanted to switch the chart's timeframe without leaving the page. → Added an inline **Week / Month / Year segmented toggle**.

ITERATION 2

Status colour alone wasn't accessible. → Added a **dot + text label** to every status badge for colour-blind clarity.

09

Results & Impact

3.4s

to find a KPI +
trend (was ~15s)

100%

table-scan task
success

83

SUS score

5/6

would rely less
on spreadsheets

10

Reflection & Next Steps

The hardest design work was **subtraction** — deciding what not to show. Prioritising a few contextual KPIs beat a comprehensive-but-unusable grid every time. Accessibility (status beyond colour) was a small change with outsized impact.

Next: saved views per role, natural-language “ask your data”, and configurable alerts so insights find the user instead of the other way around.

UX Research

Information Hierarchy

Data Visualization

Accessibility

Design Systems

Usability Testing

TRAVEL · BOOKING APP

Wanderlust — from daydream to booked in a few taps

A travel-stay app that makes discovery inspiring and booking effortless — surfacing places you'll love and collapsing the path to a confident “Book Now”.

ROLE

UX / UI Designer

TIMELINE

6 weeks

PLATFORM

iOS & Android

TOOLS

Figma · Maze · FigJam

01

The Problem

Booking a trip should feel exciting — instead it's exhausting. Endless listings, uninspiring grids, and prices that jump at checkout push travelers to open ten tabs, compare endlessly, and abandon the booking entirely.

PROBLEM STATEMENT

How might we help travelers discover stays they'll love and book them confidently — without decision fatigue or price surprises?

38

sites the avg. traveler
visits before booking

#1

abandonment cause:
surprise fees at checkout

2s

to lose interest in a boring
listing grid

Goals & Success Metrics



Inspire, then filter

Lead with curated, visual discovery — not a spreadsheet of rooms.



Build trust on the detail page

Photos, ratings, amenities and an honest total price.



Fast, transparent booking

A sticky book bar with the real per-night price.

Target metrics: stay findability > 85% · booking completion > 90% · SUS > 80 · price-clarity rating ↑.

10 user interviews

Survey — 55 respondents

Competitive audit — Airbnb, Booking, Hopper

Journey mapping

Key findings

1 Inspiration comes before criteria

People browse to dream first, then narrow — discovery must feel visual and curated.

2 Photos + ratings win trust

Real imagery and review counts are the biggest confidence drivers on the detail page.

3 Amenities decide ties

Wi-Fi, pool, breakfast — the deciding details when comparing two stays.

4 Hidden fees destroy trust

A price that changes at checkout is the fastest way to lose the booking.

Personas



Nisha Verma

28 · Consultant · spontaneous traveler

"I decide to travel on a Thursday for the weekend. I want inspiration and a fast, honest booking."

GOALS

- Discover great stays quickly
- Book in minutes on mobile

FRUSTRATIONS

- Overwhelming, samey listings
- Prices that change at checkout



Tom & Cara

33 · planning a couples' getaway

"We compare a lot before we commit — show us amenities and the real total so we can just decide."


GOALS

- Compare amenities & ratings easily
- See the honest total up front

FRUSTRATIONS


- Fee surprises & unclear inclusions
- Long, fiddly booking forms

User Flow — Discover & Book




06 Wireframes

Low-fi prioritised a visual, curated Explore feed and a detail page that answers doubts above the sticky book bar.




Explore — search, chips, featured + cards



Detail — hero, amenities, sticky Book

Hi-Fi Design & Prototype

Discovery leads with a bold featured card and category chips; the detail page builds trust with a photo gallery, ratings and an amenities grid — with an honest per-night total pinned to a sticky Book bar.



Explore & hotel detail — high-fidelity screens

Key design decisions



Featured hero + chips

Inspiration first; filtering is one tap away, not the whole screen.



Amenities grid

Scannable icons answer the deciding "does it have...?" questions instantly.



Transparent sticky book bar

The real price/night stays visible so there's no surprise at checkout.

Usability Testing

6 participants, unmoderated (Maze) + follow-up interviews.

Tasks: (1) "Find a highly-rated beach stay." (2) "Book it for 2 guests."

METRIC	TARGET	RESULT
Stay findability	> 85%	91%
Booking completion	> 90%	94%
System Usability Scale	> 80	85
Price-clarity rating (1–5)	↑	4.6

What testing changed

ITERATION 1

Users wanted the total before committing to the booking screen. → Surfaced the **per-night price on the sticky bar** earlier in the flow.

ITERATION 2

Date & guest selection was easy to miss. → Combined **"Dates · Guests"** into the **search summary** and made it a clear, tappable field.

09

Results & Impact

94%

booking task
completion

91%

found a matching
stay quickly

85

SUS score

4.6/5

price
transparency
rating

10

Reflection & Next Steps

Leading with **emotion and imagery** — then letting filters follow — matched how people actually plan trips. And nothing built trust like **an honest price shown early**; transparency was a UX feature, not just a policy.

Next: saved wishlists & trip boards, map-based discovery, and flexible-date price views for spontaneous travelers like Nisha.

UX Research

Journey Mapping

Visual Design

Interaction Design

Usability Testing

Nourish — from craving to checkout without the chaos

A food-delivery app that cuts the noise of endless menus — helping hungry, indecisive people decide fast with clear browsing, honest delivery info and a frictionless cart.

ROLE	TIMELINE	PLATFORM	TOOLS
UX / UI Designer	5 weeks	iOS & Android	Figma · Maze

01 The Problem

Food apps overwhelm you at the exact moment you're least patient — hungry and indecisive. Cluttered menus, delivery times and fees buried until checkout, and too many choices turn a quick craving into decision paralysis.

PROBLEM STATEMENT

How might we help hungry, indecisive users decide what to order and check out quickly — without menu overload?

3+

restaurants browsed
before ordering

#1–2

decision factors: delivery
time & fee

peak

decision fatigue when
hungry

Goals & Success Metrics



Browse by craving

Cuisine categories & clear cards that help people decide fast.



Honest info up front

Delivery time, fee and rating on every restaurant card.



Frictionless cart

One-tap add and a cart that's always one tap away.

Target metrics: restaurant decision time ↓ · add-to-cart success > 90% · SUS > 80 · delivery-fee clarity ↑.

03

User Research

9 user interviews

Survey — 50 respondents

Competitive audit — Uber Eats, DoorDash, Zomato

Contextual observation

Key findings

1

Time & fee decide everything

Delivery ETA and fee are top factors — but most apps hide them until checkout.

2

People crave-browse by cuisine

"I want burgers / something healthy" — category entry points beat search.

3

Photos + quick-add reduce friction

A visible photo and a one-tap "+" keep the flow moving.

4

Cart re-navigation frustrates

Losing the cart while browsing more items is a top annoyance.

Personas



Karan Malhotra

25 · Analyst · hungry after work

*"I'm starving and can't decide.
Just show me what's fast, cheap
to deliver, and good."*

GOALS

- Order quickly with minimal thinking
- Know the ETA & fee before tapping in

FRUSTRATIONS

- Endless menus & too many choices
- Delivery fee revealed only at checkout



Divya Pillai

31 · Manager · orders for family

*"I'm adding a few things for
everyone — I need the cart to
keep up without me losing my
place."*

GOALS

- Build a multi-item order smoothly
- See value & total clearly

FRUSTRATIONS


- Cart resets / hard to find
- Unclear totals & surprise charges

User Flow — Craving to Checkout




06 Wireframes

Low-fi placed delivery info on cards and kept the cart persistent so multi-item orders never lose their place.




Home — search, promo, cuisines, restaurants



Restaurant — menu tabs, items, cart bar

Hi-Fi Design & Prototype

A warm, appetising home with cuisine chips and restaurant cards that show rating, ETA and fee up front — plus a restaurant page with one-tap add and a persistent cart bar that follows the order.



Home & restaurant detail — high-fidelity screens

Key design decisions



Info-rich restaurant cards

Rating · ETA · delivery fee visible before you commit — no checkout surprises.



Cuisine chips

Craving-first browsing that matches how hungry people actually choose.



Persistent cart bar

One-tap add and a running total that stays put while you browse more.

08 Usability Testing

6 participants, moderated + unmoderated task sessions.

Tasks: (1) "Find a well-rated place with free delivery." (2) "Add two dishes and open your cart."

METRIC	TARGET	RESULT
Restaurant decision time	↓ vs. baseline	-40%
Add-to-cart success	> 90%	95%
System Usability Scale	> 80	87
Delivery-fee clarity (1–5)	↑	4.7

What testing changed

ITERATION 1

Users compared fees by opening each restaurant. → Put **ETA + delivery fee directly on the card** so comparison happens in the list.

ITERATION 2

Adding a second item felt like starting over. → Introduced a **floating cart bar** with live count & total that persists across the menu.

09

Results & Impact

-40%

time to choose a
restaurant

95%

add-to-cart task
success

87

SUS score

4.7/5

delivery-fee
clarity

10

Reflection & Next Steps

Designing for a **low-patience, high-emotion moment** reframed everything: reduce choices, put the deciding info (time & fee) where the decision happens, and never let the cart get in the way. Transparency again beat cleverness.

Next: smart “re-order” & favourites, group ordering for families like Divya's, and dietary filters (veg / vegan / allergens).

UX Research

IA

Interaction Design

Visual Design

Usability Testing

Lumina — helping learners actually finish the course

An online-learning platform designed around completion, not just enrollment — clear progress, one-tap resume, and motivating momentum that brings learners back.

ROLE	TIMELINE	PLATFORM	TOOLS
UX / UI Designer	7 weeks	Web + Mobile	Figma · Maze · Hotjar

01 The Problem

People enroll in online courses full of intention — and rarely finish. They lose their place, lose momentum, and the dashboard does nothing to pull them back. Completion rates sit in the low double digits.

PROBLEM STATEMENT

How might we help learners maintain momentum and actually finish the courses they start?

~13%

average online-course
completion rate

#1

drop-off reason: "lost my
place / motivation"



completion when
progress & goals are
visible

Goals & Success Metrics



Effortless resume

"Continue where you left off" as the hero action, one tap away.



Visible progress

Every course shows how far along you are — and what's next.



Motivating momentum

Weekly goals & streaks that reward consistency.

Target metrics: time-to-resume < 5s · next-lesson findability > 90% · SUS > 80 · motivation ↑.

03

User Research

10 learner interviews

Survey — 52 respondents

Competitive audit — Coursera, Udemy, Duolingo

Hotjar recordings

Key findings

1

Resuming is the biggest friction

Learners abandon when they can't instantly find where they stopped.

2

Progress is motivating

Seeing "33% complete" and a shrinking to-do list pulls people forward.

3

Micro-learning fits real life

Busy learners study in short mobile bursts, not long desktop sessions.

4

Goals & streaks work

Duolingo-style weekly goals meaningfully increase return visits.

**Arjun Kumar**

27 · Developer · upskilling on the side

"I get 30 minutes between work and life. Just drop me back exactly where I stopped."

GOALS

- Resume instantly in spare moments
- See how close he is to finishing

FRUSTRATIONS

- Hunting for the next lesson
- Losing momentum after a break

**Lena Brar**

22 · Student · goal-driven learner


"Streaks and weekly goals are what keep me coming back — I don't want to break the chain."

GOALS

- Hit a weekly learning goal
- Feel progress & accomplishment

FRUSTRATIONS

- No sense of momentum or reward
- Flat, uninspiring dashboards




06 Wireframes

Low-fi centred the dashboard on a big “continue learning” hero, with progress and a weekly goal in view — and a mobile course page built around lesson states.



Desktop — continue hero · courses · goal




Mobile — progress + lesson states


07

Hi-Fi Design & Prototype

The dashboard leads with a “Continue Learning” hero (progress bar + Resume), course cards each show their progress, and a weekly-goal ring rewards consistency. The mobile course page uses clear lesson states — done, now-playing and locked.



Course dashboard (desktop) — continue hero, courses, weekly goal & schedule



Course detail (mobile) — progress + lesson states + Continue

Key design decisions



"Continue Learning" hero

The single most-wanted action — resume — is the biggest, clearest thing on the page.



Progress everywhere

Course cards, a completion bar and a weekly-goal ring keep momentum visible.



Lesson states

Done ✓ / now-playing / locked make “what's next” unmistakable.

Usability Testing

6 learners, moderated remote sessions.

Tasks: (1) "Resume your in-progress course." (2) "Find the next lesson to complete."

METRIC	TARGET	RESULT
Time to resume a course	< 5s	3s
Next-lesson findability	> 90%	96%
System Usability Scale	> 80	85
Motivation to continue (1–5)	↑	4.4

What testing changed

ITERATION 1

Resume competed with browsing new courses. → Made **"Continue Learning"** the **visual hero** with a clear Resume button and progress.

ITERATION 2

Learners weren't sure which lesson was next. → Strengthened **lesson states** (done / now-playing highlight / locked) so the next step is obvious.

09

Results & Impact

3s

to resume a
course (target
<5s)

96%

found the next
lesson

85

SUS score

4.4/5

motivation to
keep learning

10

Reflection & Next Steps

Completion is a **design problem, not a content problem**. Making “resume” frictionless and progress visible did more for momentum than any feature. Borrowing habit mechanics (goals, streaks) from Duolingo translated well to structured courses.

Next: smart reminders after a lapse, downloadable lessons for offline micro-learning, and certificates/celebrations at milestones.

UX Research

Behavioural Design

Information Architecture

Responsive Design

Usability Testing