

Applying Eclipse IDE Settings

1. Text editors settings

• go to Window -> Preferences -> General -> Editors -> Text Editors



• click on the "configure visibility" link



- 2. Add path and symbols settings (eclipse-path-and-symbols-settings.xml)
 - go to **Project** -> **Properties** -> **C/C++ General** -> **Paths and Symbols**
 - choose "Includes" tab -> GNU C
 - click on the button "Import Settings ..."
 - click on the button "Browse..." and specify the path to the file "eclipse-path-and-symbols-settings.xml"
 - click on the button "Finish"
- 3. Add code format settings (eclipse-code-format.xml)
 - go to Project -> Properties -> C/C++ General -> Formatter
 - set the checkbox "Enable project specific settings"
 - click on the button "Import..." and specify the path to the file "eclipse-aonecompany-code-format.xml"
 - click on the button "Apply and Close"
- 4. Add template for header files (eclipse-pmd-header-file-template.xml)
 - go to File -> New -> Header File
 - choose "Default C header template" from "Template" list
 - click on the button "Configure..."
 - click on the button "Import..." and specify the path to the file "eclipse-header-file-template.xml"
 - click on the button "Apply and Close"
 - close the window "New Header File"
- 5. Add template for source files (eclipse-pmd-source-file-template.xml)
 - go to File -> New -> Source File
 - choose "*Default C source template*" from "*Template*" list
 - click on the button "Configure..."
 - click on the button "Import..." and specify the path to the file "eclipse-source-file-template.xml"
 - click on the button "Apply and Close"
 - close the window "New Source File"