MEA OCPP 1.6 Compliance Test Report

Section 3: Normal Charging Verification

Vector vSECC.single Board vs MEA CSMS (rddQC4000001)

MEA-V2G Project — Automated Test

2026-06-11 04:27 UTC

Contents

1 Test Configuration

Device Under Test	Vector vSECC.single Board
Device IP	192.168.1.166
OCPP Version	1.6 (JSON)
CP ID	rddQC4000001
CSMS	wss://ocpp.measandbox.com:2930
Connection	Direct TLS (Security Profile 1, no proxy)
Test Date	2026-06-11 04:27 UTC
Results file	tex/vsecc_section3_results.json

Test Architecture

The vSECC connects directly to the MEA CSMS at `wss://ocpp.measandbox.com:2930/EV/Srv/JSON/1.6/rddQC4000001` over TLS with no intermediate proxy. OCPP traffic is observed via the vSECC's `GET /api/logging/files/ocpplib.log` REST endpoint (TRACE-level log, raw » sent / « received frames) and via MQTT at `192.168.1.166:1883` (topic `vsecc/#`). The test PC NAT-routes internet access for the vSECC subnet (192.168.1.x via enp3s0).

2 Section 3 Results

Summary: 3 PASS 0 FAIL 16 WARN 0 SKIP (19 total)

Item	Test Description	Detail / Evidence	Result
3.1	BootNotification Accepted (currentTime, interval, status)	`CSMS connection active BootNotification Accepted confirmed`	PASS
3.2	StatusNotification Available (initial state)	`Available not observed on MQTT in 10 s` *Check CSMS event log for StatusNotification Available on boot*	WARN
3.3	StatusNotification Preparing (EV plug, manual)	`EV_WAIT_SEC=0 skipped` *Connect physical EV to connector and rerun*	WARN
3.4	Authorize (RFID card) Accepted	`Depends on 3.3 (EV plug)`	WARN
3.5	StartTransaction (manual, meterStart, idTag, connectorId)	`Depends on 3.3 (EV plug)`	WARN
3.6	StatusNotification Charging (manual session)	`Depends on 3.3 (EV plug)`	WARN
3.7	MeterValues (energy measurands, manual session)	`Depends on 3.3 (EV plug)`	WARN
3.8	StopTransaction (manual card tap, reason=Local)	`Depends on 3.3 (EV plug)`	WARN
3.9	StatusNotification Finishing (manual, EV still plugged)	`Depends on 3.3 (EV plug)`	WARN
3.10	StatusNotification Available (manual, EV unplug)	`Depends on 3.3 (EV plug)`	WARN
3.11	StatusNotification Preparing (EV plug, remote)	`EV_WAIT_SEC=0 skipped` *Connect physical EV to connector and rerun*	WARN
3.12	RemoteStartTransaction Accepted	`HTTP 200`	PASS
""			
3.13	StartTransaction (triggered by RemoteStart)	`charging_session_state not observed on MQTT in 30 s`	WARN
3.14	StatusNotification Charging (remote session)	`Charging status not observed on MQTT in 20 s`	WARN

Item	Test Description	Detail / Evidence	Result
3.15	MeterValues (energy measurands, remote session)	`MeterValues not observed on MQTT in 15 s`	WARN
3.16	RemoteStopTransaction Accepted	`HTTP 200`	PASS
""			
3.17	StopTransaction (triggered by RemoteStop)	`session_state idle/finished not observed on MQTT in 25 s`	WARN
3.18	StatusNotification Finishing (remote, EV still plugged)	`Finishing not observed on MQTT in 15 s` *Some implementations skip Finishing go directly to Available*	WARN
3.19	StatusNotification Available (remote, EV unplug)	`Available not observed on MQTT in 30 s unplug EV`	WARN

3 Notes

EV-dependent items

Items 3.3, 3.11 require a physical EV plug event. All downstream items are WARN without an EV.

RemoteStartTransaction (items 3.12–3.15)

RemoteStart is issued via MEA REST API. Session items confirmed via MQTT or `ocpplib.log`.

MeterValues (items 3.7, 3.15)

MEA sandbox does not expose TriggerMessage (HTTP 404). Values observed via MQTT autonomous publication or `ocpplib.log`.