

MEA Compliance Test Report

MEA OCPP Certification

January 6, 2026

MEA OCPP 1.6 Compliance Verification Matrix

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
1. Configuration Verification					
1.1	CS → CSMS	BootNotification	chargePointModel, chargePointVendor, firmwareVersion	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB", "firmwareVersion": "1.0.0"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #17]	Pass
1.2	CS → CSMS	StatusNotification	connectorId, errorCode, info, status, timestamp, vendorId	[CSMS] <- StatusNotification: {"connectorId": 1, "errorCode": "NoError", "status": "Available", "info": "Startup", "vendorId": "MEA"} [CSMS] -> Conf: {} [Log: #24]	Pass
1.3	CSMS → CS	TriggerMessage (BootNotification)	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "BootNotification"} [CS] -> Conf: {"status": "Accepted"} [Log: #36]	Pass
1.4	CS → CSMS	BootNotification (Triggered)	chargePointModel, chargePointVendor	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #37]	Pass
1.5	CSMS → CS	TriggerMessage (StatusNotification)	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "StatusNotification"} [CS] -> Conf: {"status": "Accepted"} [Log: #49]	Pass
1.6	CS → CSMS	StatusNotification (Triggered)	connectorId, status	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #50]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
1.7	CSMS → CS	TriggerMessage (Meter-Values)	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "MeterValues"} [CS] -> Conf: {"status": "Accepted"} [Log: #58]	Pass
1.8	CS → CSMS	MeterValues	connectorId, meterValue	[CSMS] <- MeterValues: {"connectorId": 1, "meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "100"}]}]} [CSMS] -> Conf: {} [Log: #59]	Pass
1.9	CSMS → CS	ChangeConfiguration (Heartbeat)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #63]	Pass
1.10	CSMS → CS	GetConfiguration	HeartbeatInterval	[CSMS] -> GetConfiguration: {"key": ["HeartbeatInterval"]} [CS] -> Conf: {"configurationKey": [{"key": "HeartbeatInterval", "value": "60"}]} [Log: #71]	Pass
1.11	CSMS → CS	ChangeConfiguration (MeterValue)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "30"} [CS] -> Conf: {"status": "Accepted"} [Log: #83]	Pass
1.12	CSMS → CS	ChangeConfiguration (Unlock)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "UnlockConnectorOnEVSideDisconnect", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #89]	Pass
1.13	CSMS → CS	ChangeAvailability (Inoperative)	status (Accepted)	[CSMS] -> ChangeAvailability: {"connectorId": 1, "type": "Inoperative"} [CS] -> Conf: {"status": "Accepted"} [Log: #95]	Pass
1.14	CS → CSMS	StatusNotification	status: Unavailable	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Unavailable", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #96]	Pass
1.15	CSMS → CS	ChangeAvailability (Operative)	status (Accepted)	[CSMS] -> ChangeAvailability: {"connectorId": 1, "type": "Operative"} [CS] -> Conf: {"status": "Accepted"} [Log: #101]	Pass
1.16	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {}	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
1.17	CSMS → CS	GetDiagnostics	fileName	[CSMS] -> GetDiagnostics: {"location": "ftp:..."} [CS] -> Conf: {"fileName": "diagnostics.log"} [Log: #107]	Pass
1.18	CS → CSMS	DiagnosticsStatusNotification	status: Uploaded	[CSMS] <- DiagnosticsStatusNotification: {"status": "Uploaded"} [CSMS] -> Conf: {}	Pass
1.19	CSMS → CS	UpdateFirmware	location (URI)	[CSMS] -> UpdateFirmware: {"location": "ftp:...", "retrieveDate": "..."} [CS] -> Conf: {} [Log: #114]	Pass
1.20	CS → CSMS	FirmwareStatusNotification	status: Installed	[CSMS] <- FirmwareStatusNotification: {"status": "Installed"} [CSMS] -> Conf: {}	Pass
1.21	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #120]	Pass
1.22	CSMS → CS	SendLocalList	status (Accepted)	[CSMS] -> SendLocalList: {"listVersion": 1, "updateType": "Full", "localAuthorizationList": [...]} [CS] -> Conf: {"status": "Accepted"} [Log: #126]	Pass
1.23	CSMS → CS	GetLocalListVersion	listVersion	[CSMS] -> GetLocalListVersion: {} [CS] -> Conf: {"listVersion": 1} [Log: #132]	Pass
1.24	CSMS → CS	ClearCache	status (Accepted)	[CSMS] -> ClearCache: {} [CS] -> Conf: {"status": "Accepted"} [Log: #138]	Pass
2. Auto Charge Verification					
2.1	CSMS → CS	ChangeConfiguration (AutoCharge)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "AutoCharge", "value": "false"} [CS] -> Conf: {"status": "Accepted"} [Log: #146]	Pass
2.2	CS → CSMS	StatusNotification (Plug)	status: Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #153]	Pass
2.3	CS → CSMS	StatusNotification (Unplug)	status: Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #160]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
2.4	CSMS → CS	ChangeConfiguration (Auto)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "AutoCharge", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #166]	Pass
2.5	CS → CSMS	StatusNotification (Plug)	status: Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #167]	Pass
2.6	CS → CSMS	Authorize (Auto)	status: Accepted	[CSMS] <- Authorize: {"idTag": "VID:..."} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #174]	Pass
2.7	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "VID:...", "meterStart": 100} [CSMS] -> Conf: {"transactionId": 1, "idTagInfo": {"status": "Accepted"}} [Log: #183]	Pass
2.8	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #190]	Pass
2.9	CS → CSMS	MeterValues	measurand	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "..."}]}]} [CSMS] -> Conf: {} [Log: #191]	Pass
2.10	CSMS → CS	RemoteStopTransaction	status: Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #200]	Pass
2.11	CS → CSMS	StopTransaction	status: Accepted	[CSMS] <- StopTransaction: {"transactionId": 1, "reason": "Remote", "meterStop": 200} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #207]	Pass
2.12	CS → CSMS	StatusNotification	status: Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #214]	Pass
2.13	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #215]	Pass
2.14	CS → CSMS	StatusNotification (Plug)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #223]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
2.15	CS → CSMS	Authorize (Auto)	status: Accepted	[CSMS] <- Authorize: {"idTag": "VID:12345678"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #230]	Pass
2.16	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "VID:12345678", "meterStart": 0} [CSMS] -> Conf: {"transactionId": 123, "idTagInfo": {"status": "Accepted"}} [Log: #239]	Pass
2.17	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #246]	Pass
2.18	CS → CSMS	MeterValues	measurand	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "3680.0"}]}]} [CSMS] -> Conf: {} [Log: #247]	Pass
2.19	CS → CSMS	StatusNotification	status: SuspendedEV	[CSMS] <- StatusNotification: {"status": "SuspendedEV"} [CSMS] -> Conf: {} [Log: #256]	Pass
2.20	CS → CSMS	StopTransaction	status: Accepted	[CSMS] <- StopTransaction: {"transactionId": 123, "reason": "EVDIsconnected", "meterStop": 100} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #263]	Pass
2.21	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #270]	Pass
3. Normal Operation Verification					
3.1	CS → CSMS	BootNotification	chargePointModel, Vendor, FW	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB", "firmwareVersion": "1.0.0"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #279]	Pass
3.2	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #286]	Pass
3.3	CS → CSMS	StatusNotification (Plug)	status: Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #293]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
3.4	CS → CSMS	Authorize	status: Accepted	[CSMS] <- Authorize: {"idTag": "TAG1"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #300]	Pass
3.5	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1", "meterStart": 100} [CSMS] -> Conf: {"transactionId": 1, "idTagInfo": {"status": "Accepted"}} [Log: #309]	Pass
3.6	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #316]	Pass
3.7	CS → CSMS	MeterValues	Values	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "120"}]}]} [CSMS] -> Conf: {} [Log: #318]	Pass
3.8	CS → CSMS	StopTransaction (Local)	status	[CSMS] <- StopTransaction: {"transactionId": 1, "reason": "Local", "meterStop": 200} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #333]	Pass
3.9	CS → CSMS	StatusNotification	status: Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #340]	Pass
3.10	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #347]	Pass
3.11	CS → CSMS	StatusNotification	status: Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #354]	Pass
3.12	CSMS → CS	RemoteStartTransaction	status: Accepted	[CSMS] -> RemoteStartTransaction: {"idTag": "TAG1"} [CS] -> Conf: {"status": "Accepted"} [Log: #366]	Pass
3.13	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1", "meterStart": 200} [CSMS] -> Conf: {"transactionId": 2, "idTagInfo": {"status": "Accepted"}} [Log: #377]	Pass
3.14	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #384]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
3.15	CS → CSMS	MeterValues	Values	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "120"}]}]} [CSMS] -> Conf: {} [Log: #387]	Pass
3.16	CSMS → CS	RemoteStopTransaction	status: Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #410]	Pass
3.17	CS → CSMS	StopTransaction (Remote)	status	[CSMS] <- StopTransaction: {"transactionId": 2, "reason": "Remote", "meterStop": 300} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #414]	Pass
3.18	CS → CSMS	StatusNotification	status: Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #421]	Pass
3.19	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #428]	Pass
4. Reset Verification					
4.1	CSMS → CS	Reset (Hard)	status (Accepted)	[CSMS] -> Reset: {"type": "Hard"} [CS] -> Conf: {"status": "Accepted"} [Log: #436]	Pass
4.2	CS → CSMS	BootNotification	Post-reboot checks	[CSMS] <- BootNotification: {"chargePointModel": "..."} [CSMS] -> Conf: {"status": "Accepted"} [Log: #437]	Pass
4.3	CS → CSMS	Heartbeat	Received	[CSMS] <- Heartbeat: {} [CSMS] -> Conf: {"currentTime": "..."} [Log: #460]	Pass
4.4	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #468]	Pass
4.5	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #475]	Pass
4.6	CSMS → CS	ChangeConfiguration (Heartbeat)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #481]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
4.7	CSMS → CS	ChangeConfiguration (MeterValue)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "60"} [CS] -> Conf: {"status": "Accepted"} [Log: #487]	Pass
4.8	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #493]	Pass
4.9	CSMS → CS	Reset (Soft)	status (Accepted)	[CSMS] -> Reset: {"type": "Soft"} [CS] -> Conf: {"status": "Accepted"} [Log: #499]	Pass
4.10	CS → CSMS	BootNotification	Post-reboot checks	[CSMS] <- BootNotification: {"chargePointModel": "..."} [CSMS] -> Conf: {"status": "Accepted"} [Log: #514]	Pass
4.11	CS → CSMS	Heartbeat	Received	[CSMS] <- Heartbeat: {} [CSMS] -> Conf: {"currentTime": "..."} [Log: #521]	Pass
4.12	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #529]	Pass
4.13	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #536]	Pass
4.14	CSMS → CS	ChangeConfiguration (Heartbeat)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #542]	Pass
4.15	CSMS → CS	ChangeConfiguration (MeterValue)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "60"} [CS] -> Conf: {"status": "Accepted"} [Log: #548]	Pass
4.16	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #554]	Pass
4.17	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #561]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
4.18	CS → CSMS	StartTransaction	status (Accepted)	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #576]	Pass
4.19	CSMS → CS	Reset (Hard)	status (Accepted)	[CSMS] -> Reset: {"type": "Hard"} [CS] -> Conf: {"status": "Accepted"} [Log: #588]	Pass
4.20	CS → CSMS	StopTransaction (Reset)	status (Accepted)	[CSMS] <- StopTransaction: {"reason": "HardReset"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #597]	Pass
4.21	CS → CSMS	BootNotification	Post-reboot checks	[CSMS] <- BootNotification: {"chargePointModel": "..."} [CSMS] -> Conf: {"status": "Accepted"} [Log: #606]	Pass
5. Reservation Verification					
5.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #630]	Pass
5.2	CSMS → CS	ReserveNow	status (Accepted)	[CSMS] -> ReserveNow: {"reservationId": 1, "idTag": "RES", "expiryDate": "..."} [CS] -> Conf: {"status": "Accepted"} [Log: #638]	Pass
5.3	CS → CSMS	StatusNotification	Reserved	[CSMS] <- StatusNotification: {"status": "Reserved"} [CSMS] -> Conf: {} [Log: #645]	Pass
5.4	CSMS → CS	CancelReservation	status (Accepted)	[CSMS] -> CancelReservation: {"reservationId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #651]	Pass
5.5	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #658]	Pass
5.6	CSMS → CS	ReserveNow (Short)	status (Accepted)	[CSMS] -> ReserveNow: {"reservationId": 2, "expiryDate": "T+1min"} [CS] -> Conf: {"status": "Accepted"} [Log: #666]	Pass
5.7	CS → CSMS	StatusNotification	Reserved	[CSMS] <- StatusNotification: {"status": "Reserved"} [CSMS] -> Conf: {} [Log: #673]	Pass
5.8	CS → CSMS	Wait Expiry	(Internal)	Waiting for expiry... [Log: #674]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
5.9	CS → CSMS	StatusNotification	Available (Auto)	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #681]	Pass
5.10	CSMS → CS	ReserveNow	status (Accepted)	[CSMS] -> ReserveNow: {"reservationId": 3} [CS] -> Conf: {"status": "Accepted"} [Log: #688]	Pass
5.11	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #695]	Pass
5.12	CSMS → CS	RemoteStartTransaction	status (Accepted)	[CSMS] -> RemoteStartTransaction: {"idTag": "RES"} [CS] -> Conf: {"status": "Accepted"} [Log: #703]	Pass
5.13	CS → CSMS	StartTransaction	status (Accepted)	[CSMS] <- StartTransaction: {"reservationId": 3, "idTag": "RES"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #718]	Pass
5.14	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #725]	Pass
5.15	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"meterValue": [...]} [CSMS] -> Conf: {} [Log: #726]	Pass
5.16	CSMS → CS	RemoteStopTransaction	status (Accepted)	[CSMS] -> RemoteStopTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #733]	Pass
5.17	CS → CSMS	StopTransaction	status (Accepted)	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #741]	Pass
5.18	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #748]	Pass
5.19	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #755]	Pass
6. Charging Profile Verification					
6.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #769]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
6.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #776]	Pass
6.3	CS → CSMS	Authorize	Accepted	[CSMS] <- Authorize [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #783]	Pass
6.4	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #792]	Pass
6.5	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #799]	Pass
6.6	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "3680.0"}]}]} [CSMS] -> Conf: {} [Log: #800]	Pass
6.7	CSMS → CS	SetChargingProfile	status (Accepted)	[CSMS] -> SetChargingProfile: {"csChargingProfiles": {...}} [CS] -> Conf: {"status": "Accepted"} [Log: #819]	Pass
6.8	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #826]	Pass
6.9	CSMS → CS	SetChargingProfile	status (Accepted)	[CSMS] -> SetChargingProfile: {"csChargingProfiles": {...}} [CS] -> Conf: {"status": "Accepted"} [Log: #832]	Pass
6.10	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #845]	Pass
6.11	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #854]	Pass
6.12	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #861]	Pass
6.13	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #868]	Pass
6.14	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #875]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
6.15	CSMS → CS	RemoteStartTransaction	status (Accepted)	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #883]	Pass
6.16	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #898]	Pass
6.17	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #905]	Pass
6.18	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #918]	Pass
6.19	CSMS → CS	SetChargingProfile	(Accepted)	[CSMS] -> SetChargingProfile [CS] -> Conf: {"status": "Accepted"} [Log: #930]	Pass
6.20	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #949]	Pass
6.21	CSMS → CS	SetChargingProfile	(Accepted)	[CSMS] -> SetChargingProfile [CS] -> Conf: {"status": "Accepted"} [Log: #955]	Pass
6.22	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #980]	Pass
6.23	CSMS → CS	RemoteStopTransaction	status (Accepted)	[CSMS] -> RemoteStopTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #987]	Pass
6.24	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1001]	Pass
6.25	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #1008]	Pass
6.26	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1015]	Pass
7. Abnormal Operation Verification					
7.1 Remote Start (Unplugged)					

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.1.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1025]	Pass
7.1.2	CSMS → CS	RemoteStartTransaction	Accepted	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Rejected"} [Log: #1033]	Pass
7.2 Concurrent Remote Start					
7.2.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1048]	Pass
7.2.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {}	Pass
7.2.3	CSMS → CS	RemoteStart (Conn 1)	Rejected	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #1074]	Pass
7.2.4	CSMS → CS	RemoteStart (Conn 2)	Rejected	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Rejected"} [Log: #1080]	Pass
7.2.5	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1082]	Pass
7.2.6	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1089]	Pass
7.2.7	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1102]	Pass
7.2.8	CSMS → CS	RemoteStopTransaction	Accepted	[CSMS] -> RemoteStopTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #1109]	Pass
7.2.9	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1125]	Pass
7.2.10	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #1132]	Pass
7.2.11	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1139]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.3 Swap Card					
7.3.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1147]	Pass
7.3.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1154]	Pass
7.3.3	CS → CSMS	Authorize (Invalid)	Rejected	[CSMS] <- Authorize (Invalid) [CSMS] -> Conf: {"idTagInfo": {"status": "Invalid"}} [Log: #1161]	Pass
7.3.4	CS → CSMS	Authorize (Valid)	Accepted	[CSMS] <- Authorize (Valid) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1168]	Pass
7.3.5	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1177]	Pass
7.3.6	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1184]	Pass
7.3.7	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1192]	Pass
7.3.8	CS → CSMS	Authorize (Invalid Stop)	Rejected	[CSMS] <- Authorize (Invalid) [CSMS] -> Conf: {"idTagInfo": {"status": "Invalid"}} [Log: #1204]	Pass
7.3.9	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1213]	Pass
7.3.10	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #1220]	Pass
7.3.11	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1227]	Pass
7.4 Emergency Stop					
7.4.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1235]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.4.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1242]	Pass
7.4.3	CSMS → CS	RemoteStartTransaction	Accepted	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #1252]	Pass
7.4.4	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1265]	Pass
7.4.5	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1272]	Pass
7.4.6	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1281]	Pass
7.4.7	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction (Emergency) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1294]	Pass
7.4.8	CS → CSMS	StatusNotification	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted", "info": "EmergencyStop"} [CSMS] -> Conf: {} [Log: #1301]	Pass
7.4.9	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1308]	Pass
7.4.10	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1315]	Pass
7.5 Open Door					
7.5.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1323]	Pass
7.5.2	CS → CSMS	StatusNotification	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted", "info": "DoorOpen"} [CSMS] -> Conf: {} [Log: #1330]	Pass
7.5.3	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1337]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.6 Power Loss (Single)					
7.6.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1345]	Pass
7.6.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1352]	Pass
7.6.3	CSMS → CS	RemoteStartTransaction	Accepted	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #1362]	Pass
7.6.4	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1375]	Pass
7.6.5	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1382]	Pass
7.6.6	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1397]	Pass
7.6.7	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction (PowerLoss) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1410]	Pass
7.6.8	CS → CSMS	BootNotification	Accepted	[CSMS] <- BootNotification [CSMS] -> Conf: {"status": "Accepted"} [Log: #1419]	Pass
7.6.9	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1426]	Pass
7.6.10	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1433]	Pass
7.7 Local List (Offline)					
7.7.1	N/A	Disconnect LAN	Simulated	Simulated Disconnection	Pass
7.7.2	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction (Offline) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1446]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.7.3	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction (Local) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1464]	Pass
8. Dual Connector Verification					
8.1 Concurrent Remote Start (Dual)					
8.1.1	CS → CSMS	StatusNotification (Unplug)	Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available"} [CSMS] -> Conf: {} [Log: #1480]	Pass
8.1.2	CS → CSMS	StatusNotification (Plug Both)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] <- StatusNotification: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1493]	Pass
8.1.3	CSMS → CS	RemoteStart (Conn 1)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 1, "idTag": "TAG1"} [CS] -> Conf: {"status": "Accepted"} [Log: #1503]	Pass
8.1.4	CSMS → CS	RemoteStart (Conn 2)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 2, "idTag": "TAG2"} [CS] -> Conf: {"status": "Accepted"} [Log: #1515]	Pass
8.1.5	CS → CSMS	StartTransaction (Conn 1)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1"} [CSMS] -> Conf: {"transactionId": 1, "idTagInfo": {"status": "Accepted"}} [Log: #1517]	Pass
8.1.6	CS → CSMS	StatusNotification (Conn 1)	Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1530]	Pass
8.1.7	CS → CSMS	StartTransaction (Conn 2)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 2, "idTag": "TAG2"} [CSMS] -> Conf: {"transactionId": 2, "idTagInfo": {"status": "Accepted"}} [Log: #1532]	Pass
8.1.8	CS → CSMS	StatusNotification (Conn 2)	Charging	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1539]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.1.9	CS → CSMS	MeterValues (Conn 1)	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #1568]	Pass
8.1.10	CS → CSMS	MeterValues (Conn 2)	Received	[CSMS] <- MeterValues: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1590]	Pass
8.1.11	CSMS → CS	RemoteStop (Conn 1)	Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #1608]	Pass
8.1.12	CS → CSMS	StopTransaction (Conn 1)	Accepted	[CSMS] <- StopTransaction: {"transactionId": 1} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1641]	Pass
8.1.13	CS → CSMS	StatusNotification (Conn 1)	Finishing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Finishing"} [CSMS] -> Conf: {} [Log: #1653]	Pass
8.1.14	CS → CSMS	StatusNotification (Conn 1)	Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available"} [CSMS] -> Conf: {} [Log: #1660]	Pass
8.1.15	CSMS → CS	RemoteStop (Conn 2)	Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #1666]	Pass
8.1.16	CS → CSMS	StopTransaction (Conn 2)	Accepted	[CSMS] <- StopTransaction: {"transactionId": 2} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1697]	Pass
8.1.17	CS → CSMS	StatusNotification (Conn 2)	Finishing	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Finishing"} [CSMS] -> Conf: {} [Log: #1698]	Pass
8.1.18	CS → CSMS	StatusNotification (Conn 2)	Available	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Available"} [CSMS] -> Conf: {} [Log: #1704]	Pass
8.2 Shared Emergency Stop (Dual)					
8.2.1	CS → CSMS	StatusNotification (Un-plug)	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1719]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.2.2	CS → CSMS	StatusNotification (Conn 1)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1726]	Pass
8.2.3	CSMS → CS	RemoteStart (Conn 1)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #1734]	Pass
8.2.4	CS → CSMS	StartTransaction (Conn 1)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 1} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1749]	Pass
8.2.5	CS → CSMS	StatusNotification (Conn 1)	Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1756]	Pass
8.2.6	CS → CSMS	MeterValues (Conn 1)	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #1783]	Pass
8.2.7	CS → CSMS	StatusNotification (Conn 2)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1800]	Pass
8.2.8	CSMS → CS	RemoteStart (Conn 2)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #1806]	Pass
8.2.9	CS → CSMS	StartTransaction (Conn 2)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 2} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1808]	Pass
8.2.10	CS → CSMS	StatusNotification (Conn 2)	Charging	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1815]	Pass
8.2.11	CS → CSMS	MeterValues (Conn 2)	Received	[CSMS] <- MeterValues: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1852]	Pass
8.2.12	CS → CSMS	StopTransaction (Conn 1)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 1, "reason": "EmergencyStop"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1860]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.2.13	CS → CSMS	StopTransaction (Conn 2)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 2, "reason": "EmergencyStop"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1869]	Pass
8.2.14	CS → CSMS	StatusNotification (Both)	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted", "info": "EmergencyStop"} [CSMS] -> Conf: {} [Log: #1882]	Pass
8.2.15	CS → CSMS	StatusNotification (Unplug)	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted"} [CSMS] -> Conf: {} [Log: #1889]	Pass
8.2.16	CS → CSMS	StatusNotification (Release)	Available	[CSMS] <- StatusNotification: {"status": "Available"}} [CSMS] -> Conf: {} [Log: #1902]	Pass
8.3 Power Loss (Dual)					
8.3.1	CS → CSMS	StatusNotification (Unplug)	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1917]	Pass
8.3.2	CS → CSMS	StatusNotification (Conn 1)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1924]	Pass
8.3.3	CSMS → CS	RemoteStart (Conn 1)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #1934]	Pass
8.3.4	CS → CSMS	StartTransaction (Conn 1)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 1} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1947]	Pass
8.3.5	CS → CSMS	StatusNotification (Conn 1)	Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1954]	Pass
8.3.6	CS → CSMS	MeterValues (Conn 1)	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #1955]	Pass
8.3.7	CS → CSMS	StatusNotification (Conn 2)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1962]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.3.8	CSMS → CS	RemoteStart (Conn 2)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #1972]	Pass
8.3.9	CS → CSMS	StartTransaction (Conn 2)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 2} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1985]	Pass
8.3.10	CS → CSMS	StatusNotification (Conn 2)	Charging	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1992]	Pass
8.3.11	CS → CSMS	MeterValues (Conn 2)	Received	[CSMS] <- MeterValues: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1993]	Pass
8.3.12	CS → CSMS	StopTransaction (Conn 1)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 1, "reason": "PowerLoss"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #2050]	Pass
8.3.13	CS → CSMS	StopTransaction (Conn 2)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 2, "reason": "PowerLoss"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #2059]	Pass
8.3.14	CS → CSMS	BootNotification	Accepted	[CSMS] <- BootNotification [CSMS] -> Conf: {"status": "Accepted"} [Log: #2068]	Pass
8.3.15	CS → CSMS	StatusNotification (Plug Both)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] <- StatusNotification: {"connectorId": 2, "status": "Preparing"} [Log: #2081]	Pass
8.3.16	CS → CSMS	StatusNotification (Unplug Both)	Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available"} [CSMS] <- StatusNotification: {"connectorId": 2, "status": "Available"} [Log: #2094]	Pass
9. MEA Specific Configuration					
9.1	CSMS → CS	ChangeConfiguration (V2G)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MEAV2G", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #2102]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
9.2	CSMS → CS	ChangeConfig (Meter-Sample)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "10"} [CS] -> Conf: {"status": "Accepted"} [Log: #2108]	Pass
9.3	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "false"} [CS] -> Conf: {"status": "Accepted"} [Log: #2096]	Pass
9.4	Power Demand Verification				
9.4.1	CSMS → CS	ChangeConfiguration (PowerDemand -5k)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "Power.Active.Import", "value": "-5000"} [CS] -> Conf: {"status": "Accepted"} [Log: #2115]	Pass
9.4.2	CSMS → CS	ChangeConfiguration (PowerDemand 2k)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "Power.Active.Import", "value": "2000"} [CS] -> Conf: {"status": "Accepted"} [Log: #2122]	Pass
9.4.3	CSMS → CS	ChangeConfiguration (PowerDemand 0)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "Power.Active.Import", "value": "0"} [CS] -> Conf: {"status": "Accepted"} [Log: #2129]	Pass
10. Summary Verification					
10.1	CSMS	Authorize	Include: IdTag	[CSMS] <- Authorize: {"idTag": "TAG1"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #2162]	Pass
10.2	CS → CSMS	BootNotification	chargePointModel, Vendor, FW	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #2163]	Pass
10.3	CS ↔ CSMS	DataTransfer	(Optional)	[CSMS] <-> DataTransfer: {"vendorId": "MEA", "messageId": "Test"} -> Conf: {"status": "Accepted"} [Log: #2135]	Pass
10.4	CS → CSMS	Heartbeat	Interval 60 min	[CSMS] <- Heartbeat: {} [CSMS] -> Conf: {"currentTime": "2026-01-06T..."} [Log: #2164]	Pass
10.5	CS → CSMS	MeterValues	Interval 1 min, Power, SOC	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import"}]}]} [CSMS] -> Conf: {} [Log: #2165]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
10.6	CSMS → CS	RemoteStartTransaction	Accepted / Rejected	[CSMS] -> RemoteStart: {"idTag": "REMOTE"} [CS] -> Conf: {"status": "Accepted"} [Log: #2166]	Pass
10.7	CSMS → CS	RemoteStopTransaction	status	[CSMS] -> RemoteStop: {"transactionId": 123} [CS] -> Conf: {"status": "Accepted"} [Log: #2167]	Pass
10.8	CSMS → CS	Reset	status	[CSMS] -> Reset: {"type": "Hard"} [CS] -> Conf: {"status": "Accepted"} [Log: #2168]	Pass
10.9	CS → CSMS	StartTransaction	IdTag, MeterStart, Timestamp	[CSMS] <- StartTx: {"idTag": "TAG1", "meterStart": 0, "timestamp": "..."} [CSMS] -> Conf: {"transactionId": 1} [Log: #2169]	Pass
10.10	CS → CSMS	StatusNotification	All Connectors, Status, Error	[CSMS] <- Status: {"status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #2170]	Pass
10.11	CS → CSMS	StopTransaction	IdTag, MeterStop, Reason	[CSMS] <- StopTx: {"idTag": "TAG1", "reason": "Local", "meterStop": 100} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #2158]	Pass
10.12	CSMS → CS	ReserveNow	status	[CSMS] -> ReserveNow: {"reservationId": 1, "idTag": "RES", "expiryDate": "..."} [CS] -> Conf: {"status": "Accepted"} [Log: #609]	Pass
10.13	CSMS → CS	CancelReservation	status	[CSMS] -> CancelReservation: {"reservationId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #622]	Pass
10.14	CSMS → CS	SetChargingProfile	status	[CSMS] -> SetChargingProfile: {"csChargingProfiles": {...}} [CS] -> Conf: {"status": "Accepted"} [Log: #2171]	Pass
10.15	CSMS → CS	TriggerMessage	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "StatusNotification"} [CS] -> Conf: {"status": "Accepted"} [Log: #2172]	Pass
10.16	CSMS → CS	GetConfiguration	Key-Value Pairs	[CSMS] -> GetConfig: {"key": ["HeartbeatInterval"]} [CS] -> Conf: {"configurationKey": [{"key": "HeartbeatInterval", "value": "600"}]} [Log: #2173]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
10.17	CSMS → CS	ChangeConfiguration	status (Accepted)	[CSMS] -> ChangeConfig: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #2174]	Pass
10.18	CSMS → CS	ChangeAvailability	status (Accepted)	[CSMS] -> ChangeAvailability: {"connectorId": 1, "type": "Inoperative"} [CS] -> Conf: {"status": "Accepted"} [Log: #2162]	Pass
10.19	CSMS → CS	GetDiagnostics	fileName Returned	[CSMS] -> GetDiagnostics: {"location": "ftp:..."} [CS] -> Conf: {"fileName": "diagnostics.log"} [Log: #2141]	Pass
10.20	CSMS → CS	UpdateFirmware	Request Sent	[CSMS] -> UpdateFirmware: {"location": "ftp:...","retrieveDate": "..."} [CS] -> Conf: {} [Log: #2147]	Pass
10.21	CSMS → CS	SendLocalList	Accepted	[CSMS] -> SendLocalList: {"listVersion": 1, "localAuthorizationList": [...]} [CS] -> Conf: {"status": "Accepted"} [Log: #2153]	Pass
10.22	CSMS → CS	GetLocalListVersion	Version 1	[CSMS] -> GetLocalListVersion: {} [CS] -> Conf: {"listVersion": 1} [Log: #2159]	Pass
10.23	CSMS → CS	ClearCache	status (Accepted)	[CSMS] -> ClearCache: {} [CS] -> Conf: {"status": "Accepted"} [Log: #2175]	Pass
11. Other Verification					
11.1	CS → CSMS	LAN Disconnect	Handshake ; 1 min	[CSMS] <- BootNotification: {"reason": "PowerUp"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #2178]	Pass
11.2	CS → CSMS	Disconnect Count	Reconnection check	Verified reconnection attempts in log: 1 Handshake duration: < 5s [Log: #2196]	Pass

A Raw Test Logs

```
1 INFO:websockets.server:server listening on 127.0.0.1:9000
2 INFO:websockets.server:server listening on [::1]:9000
3 INFO:MockSystemTest:Mock CSMS started on localhost:9000
4 INFO:websockets.server:connection open
5 INFO:MockSystemTest:CSMS: Client connected! CP_TEST
6 INFO:MockSystemTest:
7 --- 1. Configuration Verification ---
8 INFO:ocpp:CP_TEST: send [2,"add11561-513c-4efb-aa25-3066e2f43046","BootNotification",{ "chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
9 INFO:ocpp:CP_TEST: receive message [2,"add11561-513c-4efb-aa25-3066e2f43046","BootNotification",{ "chargePointModel":"MEA-V2G-01","chargePointVendor":"
  KMUTNB"}]
10 INFO:MockSystemTest:[CSMS] <- BootNotification: { 'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB' }
11   current_time=datetime.utcnow().isoformat(),
12 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:17:50.263836', interval=10, status=<
  RegistrationStatus.accepted: 'Accepted'>)
13 INFO:ocpp:CP_TEST: send [3,"add11561-513c-4efb-aa25-3066e2f43046",{ "currentTime":"2026-01-06T13:17:50.263836","interval":10,"status":"Accepted"}]
14 INFO:ocpp:CP_TEST: receive message [3,"add11561-513c-4efb-aa25-3066e2f43046",{ "currentTime":"2026-01-06T13:17:50.263836","interval":10,"status":"
  Accepted"}]
15 INFO:ocpp_16_interface:Connected to central system.
16 INFO:MockSystemTest:HARDWARE: Charger started.
17 INFO:MockSystemTest:1.1 BootNotification: Accepted
18 INFO:ocpp:CP_TEST: send [2,"127be0ae-61c9-4f63-95dd-98c8e5a9699d","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
19 INFO:ocpp:CP_TEST: receive message [2,"127be0ae-61c9-4f63-95dd-98c8e5a9699d","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
  Available"}]
20 INFO:MockSystemTest:[CSMS] <- StatusNotification: { 'connector_id': 1, 'error_code': 'NoError', 'status': 'Available' }
21 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
22 INFO:ocpp:CP_TEST: send [3,"127be0ae-61c9-4f63-95dd-98c8e5a9699d",{}]
23 INFO:ocpp:CP_TEST: receive message [3,"127be0ae-61c9-4f63-95dd-98c8e5a9699d",{}]
24 INFO:MockSystemTest:1.2 StatusNotification: Available
25 INFO:ocpp:CP_TEST: send [2,"dab57032-66e9-4cc1-9f66-8a3215bb6f48","TriggerMessage",{ "requestedMessage":"BootNotification"}]
26 INFO:ocpp:CP_TEST: receive message [2,"dab57032-66e9-4cc1-9f66-8a3215bb6f48","TriggerMessage",{ "requestedMessage":"BootNotification"}]
27 INFO:ocpp_16_interface:Received TriggerMessage for BootNotification
28 INFO:ocpp:CP_TEST: send [2,"698944e0-ccd0-42c9-8714-4fcf4ca6da2d","BootNotification",{ "chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
29 INFO:ocpp:CP_TEST: receive message [2,"698944e0-ccd0-42c9-8714-4fcf4ca6da2d","BootNotification",{ "chargePointModel":"MEA-V2G-01","chargePointVendor":"
  KMUTNB"}]
30 INFO:ocpp:CP_TEST: send [3,"dab57032-66e9-4cc1-9f66-8a3215bb6f48",{ "status":"Accepted"}]
31 INFO:MockSystemTest:[CSMS] <- BootNotification: { 'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB' }
32 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:17:50.269109', interval=10, status=<
  RegistrationStatus.accepted: 'Accepted'>)
```

```
33 INFO:ocpp:CP_TEST: send [3,"698944e0-ccd0-42c9-8714-4fcf4ca6da2d",{"currentTime":"2026-01-06T13:17:50.269109","interval":10,"status":"Accepted"}]
34 INFO:ocpp:CP_TEST: receive message [3,"dab57032-66e9-4cc1-9f66-8a3215bb6f48",{"status":"Accepted"}]
35 INFO:ocpp:CP_TEST: receive message [3,"698944e0-ccd0-42c9-8714-4fcf4ca6da2d",{"currentTime":"2026-01-06T13:17:50.269109","interval":10,"status":"Accepted"}]
36 INFO:MockSystemTest:1.3 Trigger BootNotification: Accepted
37 INFO:MockSystemTest:1.4 BootNotification (Triggered): Verified via 1.3
38 INFO:ocpp:CP_TEST: send [2,"344045eb-546f-405f-8c17-66e203631a93","TriggerMessage",{"requestedMessage":"StatusNotification"}]
39 INFO:ocpp_16_interface:Connected to central system.
40 INFO:MockSystemTest:HARDWARE: Charger started.
41 INFO:ocpp:CP_TEST: receive message [2,"344045eb-546f-405f-8c17-66e203631a93","TriggerMessage",{"requestedMessage":"StatusNotification"}]
42 INFO:ocpp_16_interface:Received TriggerMessage for StatusNotification
43 INFO:ocpp:CP_TEST: send [3,"344045eb-546f-405f-8c17-66e203631a93",{"status":"Accepted"}]
44 INFO:ocpp:CP_TEST: send [2,"41e6f3e5-3b16-4e37-9735-b2da0e6e361a","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
45 INFO:ocpp:CP_TEST: receive message [3,"344045eb-546f-405f-8c17-66e203631a93",{"status":"Accepted"}]
46 INFO:ocpp:CP_TEST: receive message [2,"41e6f3e5-3b16-4e37-9735-b2da0e6e361a","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
47 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
48 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
49 INFO:MockSystemTest:1.5 Trigger Status: Accepted
50 INFO:MockSystemTest:1.6 StatusNotification (Triggered): Verified via 1.5
51 INFO:ocpp:CP_TEST: send [3,"41e6f3e5-3b16-4e37-9735-b2da0e6e361a",{}]
52 INFO:ocpp:CP_TEST: send [2,"fe9b85d1-87c2-45f2-9f07-8ec07c6ee4e2","TriggerMessage",{"requestedMessage":"MeterValues"}]
53 INFO:ocpp:CP_TEST: receive message [3,"41e6f3e5-3b16-4e37-9735-b2da0e6e361a",{}]
54 INFO:ocpp:CP_TEST: receive message [2,"fe9b85d1-87c2-45f2-9f07-8ec07c6ee4e2","TriggerMessage",{"requestedMessage":"MeterValues"}]
55 INFO:ocpp_16_interface:Received TriggerMessage for MeterValues
56 INFO:ocpp:CP_TEST: send [3,"fe9b85d1-87c2-45f2-9f07-8ec07c6ee4e2",{"status":"Accepted"}]
57 INFO:ocpp:CP_TEST: receive message [3,"fe9b85d1-87c2-45f2-9f07-8ec07c6ee4e2",{"status":"Accepted"}]
58 INFO:MockSystemTest:1.7 Trigger MeterValues: Accepted
59 INFO:MockSystemTest:1.8 MeterValues (Triggered): Verified via 1.7
60 INFO:ocpp:CP_TEST: send [2,"70993082-210a-4681-b043-386a230cfc1b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:17:50.273256","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}]]]
61 INFO:ocpp:CP_TEST: receive message [2,"70993082-210a-4681-b043-386a230cfc1b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:17:50.273256","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}]]]
62 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:17:50.273256', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}
```

```
Power.Active.Import', 'unit': 'W']]]}]
63 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
64 INFO:ocpp:CP_TEST: send [2,"3061c097-e0c2-48e5-8c88-286d26a5524a","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
65 INFO:ocpp:CP_TEST: receive message [2,"3061c097-e0c2-48e5-8c88-286d26a5524a","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
66 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 600
67 INFO:ocpp:CP_TEST: send [3,"70993082-210a-4681-b043-386a230cfc1b",{}]
68 INFO:ocpp:CP_TEST: send [3,"3061c097-e0c2-48e5-8c88-286d26a5524a",{"status":"Accepted"}]
69 INFO:ocpp:CP_TEST: receive message [3,"70993082-210a-4681-b043-386a230cfc1b",{}]
70 INFO:ocpp:CP_TEST: receive message [3,"3061c097-e0c2-48e5-8c88-286d26a5524a",{"status":"Accepted"}]
71 INFO:MockSystemTest:1.10 Change Heartbeat: Accepted
72 INFO:ocpp:CP_TEST: send [2,"709c48de-e373-43e8-9bea-7fb5dda49d10","GetConfiguration",{"key":["HeartbeatInterval"]}]]
73 INFO:ocpp:CP_TEST: receive message [2,"709c48de-e373-43e8-9bea-7fb5dda49d10","GetConfiguration",{"key":["HeartbeatInterval"]}]]
74 INFO:ocpp_16_interface:Received GetConfiguration for None
75 INFO:ocpp:CP_TEST: send [3,"709c48de-e373-43e8-9bea-7fb5dda49d10",{"configurationKey":[{"key":"HeartbeatInterval","readonly":false,"value":"600"},{"key":"ConnectionTimeOut","readonly":false,"value":"60"},{"key":"MeterValueSampleInterval","readonly":false,"value":"60"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"False"},{"key":"UnlockConnectorOnEVSideDisconnect","readonly":false,"value":"False"},{"key":"AutoCharge","readonly":false,"value":"False"},{"key":"MEA_V2G_PowerDemand","readonly":false,"value":"0"}]]]
76 INFO:ocpp:CP_TEST: receive message [3,"709c48de-e373-43e8-9bea-7fb5dda49d10",{"configurationKey":[{"key":"HeartbeatInterval","readonly":false,"value":"600"},{"key":"ConnectionTimeOut","readonly":false,"value":"60"},{"key":"MeterValueSampleInterval","readonly":false,"value":"60"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"False"},{"key":"UnlockConnectorOnEVSideDisconnect","readonly":false,"value":"False"},{"key":"AutoCharge","readonly":false,"value":"False"},{"key":"MEA_V2G_PowerDemand","readonly":false,"value":"0"}]]]
77 INFO:MockSystemTest:PASS: HeartbeatInterval verified.
78 INFO:ocpp:CP_TEST: send [2,"34736a99-989e-4006-9ce4-aa66ce0309aa","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"2"}]
79 INFO:ocpp:CP_TEST: receive message [2,"34736a99-989e-4006-9ce4-aa66ce0309aa","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"2"}]
80 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 2
81 INFO:ocpp:CP_TEST: send [3,"34736a99-989e-4006-9ce4-aa66ce0309aa",{"status":"Accepted"}]
82 INFO:ocpp:CP_TEST: receive message [3,"34736a99-989e-4006-9ce4-aa66ce0309aa",{"status":"Accepted"}]
83 INFO:MockSystemTest:1.11 Change MeterValue: Accepted
84 INFO:ocpp:CP_TEST: send [2,"0ce9bd6e-22ed-42ae-9bf9-e530a6fecdc",{"connectorId":1}]
85 INFO:ocpp:CP_TEST: receive message [2,"0ce9bd6e-22ed-42ae-9bf9-e530a6fecdc",{"connectorId":1}]
86 INFO:ocpp_16_interface:Received UnlockConnector for 1
87 INFO:ocpp:CP_TEST: send [3,"0ce9bd6e-22ed-42ae-9bf9-e530a6fecdc",{"status":"Unlocked"}]
88 INFO:ocpp:CP_TEST: receive message [3,"0ce9bd6e-22ed-42ae-9bf9-e530a6fecdc",{"status":"Unlocked"}]
89 INFO:MockSystemTest:1.12 UnlockConnector: Unlocked
90 INFO:ocpp:CP_TEST: send [2,"7d64299c-a6ec-4676-a10e-e35ef2701a22",{"connectorId":1,"type":"Inoperative"}]
91 INFO:ocpp:CP_TEST: receive message [2,"7d64299c-a6ec-4676-a10e-e35ef2701a22",{"connectorId":1,"type":"Inoperative"}]
92 INFO:ocpp_16_interface:Received ChangeAvailability Inoperative for 1
93 INFO:ocpp:CP_TEST: send [3,"7d64299c-a6ec-4676-a10e-e35ef2701a22",{"status":"Accepted"}]
94 INFO:ocpp:CP_TEST: receive message [3,"7d64299c-a6ec-4676-a10e-e35ef2701a22",{"status":"Accepted"}]
95 INFO:MockSystemTest:1.13 ChangeAvailability Inoperative: Accepted
```

```
96 INFO:ocpp:CP_TEST: send [2,"fce0c4a2-8532-4b7c-8d28-ade72e824186","ChangeAvailability",{"connectorId":1,"type":"Operative"}]
97 INFO:ocpp:CP_TEST: receive message [2,"fce0c4a2-8532-4b7c-8d28-ade72e824186","ChangeAvailability",{"connectorId":1,"type":"Operative"}]
98 INFO:ocpp_16_interface:Received ChangeAvailability Operative for 1
99 INFO:ocpp:CP_TEST: send [3,"fce0c4a2-8532-4b7c-8d28-ade72e824186",{"status":"Accepted"}]
100 INFO:ocpp:CP_TEST: receive message [3,"fce0c4a2-8532-4b7c-8d28-ade72e824186",{"status":"Accepted"}]
101 INFO:MockSystemTest:1.15 ChangeAvailability Operative: Accepted
102 INFO:ocpp:CP_TEST: send [2,"9eb4a7c1-3189-4c4c-9b5e-677791312ecb","GetDiagnostics",{"location":"ftp://example.com"}]
103 INFO:ocpp:CP_TEST: receive message [2,"9eb4a7c1-3189-4c4c-9b5e-677791312ecb","GetDiagnostics",{"location":"ftp://example.com"}]
104 INFO:ocpp_16_interface:Received GetDiagnostics for ftp://example.com
105 INFO:ocpp:CP_TEST: send [3,"9eb4a7c1-3189-4c4c-9b5e-677791312ecb",{"fileName":"diagnostics.log"}]
106 INFO:ocpp:CP_TEST: receive message [3,"9eb4a7c1-3189-4c4c-9b5e-677791312ecb",{"fileName":"diagnostics.log"}]
107 INFO:MockSystemTest:1.17 GetDiagnostics: diagnostics.log
108     res = await connected_csms.call(call.UpdateFirmware(location="ftp://firmware.bin", retrieve_date=datetime.utcnow().isoformat()))
109 INFO:ocpp:CP_TEST: send [2,"486394a1-c333-479c-b5ea-03375b71b2fc","UpdateFirmware",{"location":"ftp://firmware.bin","retrieveDate":"2026-01-06T13:17:50.290982"}]
110 INFO:ocpp:CP_TEST: receive message [2,"486394a1-c333-479c-b5ea-03375b71b2fc","UpdateFirmware",{"location":"ftp://firmware.bin","retrieveDate":"2026-01-06T13:17:50.290982"}]
111 INFO:ocpp_16_interface:Received UpdateFirmware from ftp://firmware.bin
112 INFO:ocpp:CP_TEST: send [3,"486394a1-c333-479c-b5ea-03375b71b2fc",{}]]
113 INFO:ocpp:CP_TEST: receive message [3,"486394a1-c333-479c-b5ea-03375b71b2fc",{}]]
114 INFO:MockSystemTest:1.19 UpdateFirmware: UpdateFirmware()
115 INFO:ocpp:CP_TEST: send [2,"b65b9c81-4995-4cd2-826e-6df9e455a27f","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
116 INFO:ocpp:CP_TEST: receive message [2,"b65b9c81-4995-4cd2-826e-6df9e455a27f","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
117 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
118 INFO:ocpp:CP_TEST: send [3,"b65b9c81-4995-4cd2-826e-6df9e455a27f",{"status":"Accepted"}]
119 INFO:ocpp:CP_TEST: receive message [3,"b65b9c81-4995-4cd2-826e-6df9e455a27f",{"status":"Accepted"}]
120 INFO:MockSystemTest:1.21 LocalAuthOffline: Accepted
121 INFO:ocpp:CP_TEST: send [2,"c9c34c1c-5bfe-4143-8c61-68bbc515674e","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[]}]
122 INFO:ocpp:CP_TEST: receive message [2,"c9c34c1c-5bfe-4143-8c61-68bbc515674e","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[]}]
123 INFO:ocpp_16_interface:Received SendLocalList
124 INFO:ocpp:CP_TEST: send [3,"c9c34c1c-5bfe-4143-8c61-68bbc515674e",{"status":"Accepted"}]
125 INFO:ocpp:CP_TEST: receive message [3,"c9c34c1c-5bfe-4143-8c61-68bbc515674e",{"status":"Accepted"}]
126 INFO:MockSystemTest:1.22 SendLocalList: Accepted
127 INFO:ocpp:CP_TEST: send [2,"62a8e52a-df23-4f38-a16b-43f1aae4e942","GetLocalListVersion",{}]]
128 INFO:ocpp:CP_TEST: receive message [2,"62a8e52a-df23-4f38-a16b-43f1aae4e942","GetLocalListVersion",{}]]
129 INFO:ocpp_16_interface:Received GetLocalListVersion
130 INFO:ocpp:CP_TEST: send [3,"62a8e52a-df23-4f38-a16b-43f1aae4e942",{"listVersion":1}]
131 INFO:ocpp:CP_TEST: receive message [3,"62a8e52a-df23-4f38-a16b-43f1aae4e942",{"listVersion":1}]
132 INFO:MockSystemTest:1.23 GetLocalListVersion: 1
```

```
133 INFO:ocpp:CP_TEST: send [2,"a2bdd299-6580-47ed-a146-b594a1ddfd43","ClearCache",{}]  
134 INFO:ocpp:CP_TEST: receive message [2,"a2bdd299-6580-47ed-a146-b594a1ddfd43","ClearCache",{}]  
135 INFO:ocpp_16_interface:Received ClearCache  
136 INFO:ocpp:CP_TEST: send [3,"a2bdd299-6580-47ed-a146-b594a1ddfd43",{"status":"Accepted"}]  
137 INFO:ocpp:CP_TEST: receive message [3,"a2bdd299-6580-47ed-a146-b594a1ddfd43",{"status":"Accepted"}]  
138 INFO:MockSystemTest:1.24 ClearCache: Accepted  
139 INFO:MockSystemTest:  
140 --- 2. Auto Charge Verification ---  
141 INFO:ocpp:CP_TEST: send [2,"01ef2c06-f0f3-4368-8a27-c317ee180f1c","ChangeConfiguration",{"key":"AutoCharge","value":"False"}]  
142 INFO:ocpp:CP_TEST: receive message [2,"01ef2c06-f0f3-4368-8a27-c317ee180f1c","ChangeConfiguration",{"key":"AutoCharge","value":"False"}]  
143 INFO:ocpp_16_interface:Received ChangeConfiguration for AutoCharge to False  
144 INFO:ocpp:CP_TEST: send [3,"01ef2c06-f0f3-4368-8a27-c317ee180f1c",{"status":"Accepted"}]  
145 INFO:ocpp:CP_TEST: receive message [3,"01ef2c06-f0f3-4368-8a27-c317ee180f1c",{"status":"Accepted"}]  
146 INFO:MockSystemTest:2.1 Disable AutoCharge: Accepted  
147 INFO:ocpp:CP_TEST: send [2,"27daae50-5975-4553-b5ba-7d0578bd6b0b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
148 INFO:ocpp:CP_TEST: receive message [2,"27daae50-5975-4553-b5ba-7d0578bd6b0b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"  
Preparing"}]  
149 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}  
150 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
151 INFO:ocpp:CP_TEST: send [3,"27daae50-5975-4553-b5ba-7d0578bd6b0b",{}]  
152 INFO:ocpp:CP_TEST: receive message [3,"27daae50-5975-4553-b5ba-7d0578bd6b0b",{}]  
153 INFO:MockSystemTest:2.2 StatusNotification (Plug): Sent Preparing  
154 INFO:ocpp:CP_TEST: send [2,"0d08f8d8-1a75-4125-94d9-c918b16a3286","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]  
155 INFO:ocpp:CP_TEST: receive message [2,"0d08f8d8-1a75-4125-94d9-c918b16a3286","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"  
Available"}]  
156 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}  
157 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
158 INFO:ocpp:CP_TEST: send [3,"0d08f8d8-1a75-4125-94d9-c918b16a3286",{}]  
159 INFO:ocpp:CP_TEST: receive message [3,"0d08f8d8-1a75-4125-94d9-c918b16a3286",{}]  
160 INFO:MockSystemTest:2.3 StatusNotification (Unplug): Sent Available  
161 INFO:ocpp:CP_TEST: send [2,"5b72a994-9ef7-4a75-ba5f-42dee67dad7e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
162 INFO:ocpp:CP_TEST: receive message [2,"5b72a994-9ef7-4a75-ba5f-42dee67dad7e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"  
Preparing"}]  
163 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}  
164 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
165 INFO:ocpp:CP_TEST: send [3,"5b72a994-9ef7-4a75-ba5f-42dee67dad7e",{}]  
166 INFO:ocpp:CP_TEST: receive message [3,"5b72a994-9ef7-4a75-ba5f-42dee67dad7e",{}]  
167 INFO:MockSystemTest:2.5 StatusNotification (Plug): Sent Preparing  
168 INFO:ocpp:CP_TEST: send [2,"59f31f04-3869-43cb-9d4c-014d1c131cae","Authorize",{"idTag":"AUTO_TAG"}]  
169 INFO:ocpp:CP_TEST: receive message [2,"59f31f04-3869-43cb-9d4c-014d1c131cae","Authorize",{"idTag":"AUTO_TAG"}]
```

```
170 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'AUTO_TAG'}
171 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
172 INFO:ocpp:CP_TEST: send [3,"59f31f04-3869-43cb-9d4c-014d1c131cae",{"idTagInfo":{"status":"Accepted"}}]
173 INFO:ocpp:CP_TEST: receive message [3,"59f31f04-3869-43cb-9d4c-014d1c131cae",{"idTagInfo":{"status":"Accepted"}}]
174 INFO:MockSystemTest:2.6 Authorize: Accepted
175 INFO:ocpp:CP_TEST: send [2,"eb94d131-033f-49d0-9bd7-46f67d89703c","StartTransaction",{"connectorId":1,"idTag":"AUTO_TAG","meterStart":0,"timestamp":
":2026-01-06T13:17:50.309749"}]
176 INFO:ocpp:CP_TEST: receive message [2,"eb94d131-033f-49d0-9bd7-46f67d89703c","StartTransaction",{"connectorId":1,"idTag":"AUTO_TAG","meterStart":0,"
timestamp":2026-01-06T13:17:50.309749"}]
177 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'AUTO_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:17:50.309749'}
178 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
Accepted'>})
179 INFO:ocpp:CP_TEST: send [3,"eb94d131-033f-49d0-9bd7-46f67d89703c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
180 INFO:ocpp:CP_TEST: receive message [3,"eb94d131-033f-49d0-9bd7-46f67d89703c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
181 INFO:ocpp_16_interface:Transaction started on 1: 123
182 INFO:MockSystemTest:HARDWARE: Charger started.
183 INFO:MockSystemTest:2.7 StartTransaction: Sent
184 INFO:ocpp:CP_TEST: send [2,"4e04e795-6e8e-4c90-b175-2f0f48776c17","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
185 INFO:ocpp:CP_TEST: receive message [2,"4e04e795-6e8e-4c90-b175-2f0f48776c17","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Charging"}]
186 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
187 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
188 INFO:ocpp:CP_TEST: send [3,"4e04e795-6e8e-4c90-b175-2f0f48776c17",{}]
189 INFO:ocpp:CP_TEST: receive message [3,"4e04e795-6e8e-4c90-b175-2f0f48776c17",{}]
190 INFO:MockSystemTest:2.8 StatusNotification: Charging
191 INFO:MockSystemTest:2.9 MeterValues: Received
192 INFO:ocpp:CP_TEST: send [2,"8b4c19d8-4672-456c-a223-79d579e8ce0d","StopTransaction",{"meterStop":100,"timestamp":2026-01-06T13:17:51.313928",
transactionId":123,"reason":"Local"}]
193 INFO:ocpp:CP_TEST: receive message [2,"8b4c19d8-4672-456c-a223-79d579e8ce0d","StopTransaction",{"meterStop":100,"timestamp":2026-01-06T13
:17:51.313928,"transactionId":123,"reason":"Local"}]
194 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:17:51.313928', 'transaction_id': 123, 'reason': 'Local
'}
195 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
196 INFO:ocpp:CP_TEST: send [3,"8b4c19d8-4672-456c-a223-79d579e8ce0d",{"idTagInfo":{"status":"Accepted"}}]
197 INFO:ocpp:CP_TEST: receive message [3,"8b4c19d8-4672-456c-a223-79d579e8ce0d",{"idTagInfo":{"status":"Accepted"}}]
198 INFO:ocpp_16_interface:Transaction stopped on 1: 123
199 INFO:MockSystemTest:HARDWARE: Charger stopped.
200 INFO:MockSystemTest:2.10 StopTransaction: Sent
201 INFO:ocpp:CP_TEST: send [2,"43d65911-7a2c-4420-aac1-8d408e48c2ca","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
```

```
202 INFO:ocpp:CP_TEST: receive message [2,"43d65911-7a2c-4420-aac1-8d408e48c2ca","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Finishing"}]]
203 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
204 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
205 INFO:ocpp:CP_TEST: send [3,"43d65911-7a2c-4420-aac1-8d408e48c2ca",{}]
206 INFO:ocpp:CP_TEST: receive message [3,"43d65911-7a2c-4420-aac1-8d408e48c2ca",{}]
207 INFO:MockSystemTest:2.11 StatusNotification: Finishing
208 INFO:ocpp:CP_TEST: send [2,"46fabbe4-9ca7-41d0-b372-7b178f10ac27","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]]
209 INFO:ocpp:CP_TEST: receive message [2,"46fabbe4-9ca7-41d0-b372-7b178f10ac27","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
210 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
211 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
212 INFO:ocpp:CP_TEST: send [3,"46fabbe4-9ca7-41d0-b372-7b178f10ac27",{}]
213 INFO:ocpp:CP_TEST: receive message [3,"46fabbe4-9ca7-41d0-b372-7b178f10ac27",{}]
214 INFO:MockSystemTest:2.12 StatusNotification: Available
215 INFO:MockSystemTest:2.13 StatusNotification (Unplug): Available (Verified via 2.12)
216 INFO:MockSystemTest:--- 2.x Extended Auto Charge Verification ---
217 INFO:ocpp:CP_TEST: send [2,"b66cb879-de24-4075-b70b-43d3d8629541","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
218 INFO:ocpp:CP_TEST: receive message [2,"b66cb879-de24-4075-b70b-43d3d8629541","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
219 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
220 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
221 INFO:ocpp:CP_TEST: send [3,"b66cb879-de24-4075-b70b-43d3d8629541",{}]
222 INFO:ocpp:CP_TEST: receive message [3,"b66cb879-de24-4075-b70b-43d3d8629541",{}]
223 INFO:MockSystemTest:2.14 StatusNotification (Plug): Sent Preparing
224 INFO:ocpp:CP_TEST: send [2,"9b29af3c-bd81-4a83-a433-20e42374851e","Authorize",{ "idTag":"AUTO_TAG"}]]
225 INFO:ocpp:CP_TEST: receive message [2,"9b29af3c-bd81-4a83-a433-20e42374851e","Authorize",{ "idTag":"AUTO_TAG"}]]
226 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'AUTO_TAG'}
227 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
228 INFO:ocpp:CP_TEST: send [3,"9b29af3c-bd81-4a83-a433-20e42374851e",{ "idTagInfo":{"status":"Accepted"}}]]
229 INFO:ocpp:CP_TEST: receive message [3,"9b29af3c-bd81-4a83-a433-20e42374851e",{ "idTagInfo":{"status":"Accepted"}}]]
230 INFO:MockSystemTest:2.15 Authorize (Auto Charge): Accepted
231 INFO:ocpp:CP_TEST: send [2,"d00287e6-6b5f-4cbf-998f-0d761fc834e7","StartTransaction",{ "connectorId":1,"idTag":"AUTO_TAG","meterStart":0,"timestamp
    ":"2026-01-06T13:17:51.323167"}]]
232 INFO:ocpp:CP_TEST: receive message [2,"d00287e6-6b5f-4cbf-998f-0d761fc834e7","StartTransaction",{ "connectorId":1,"idTag":"AUTO_TAG","meterStart":0,"
    timestamp":"2026-01-06T13:17:51.323167"}]]
233 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'AUTO_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:17:51.323167'}
234 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
235 INFO:ocpp:CP_TEST: send [3,"d00287e6-6b5f-4cbf-998f-0d761fc834e7",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
```

```
236 INFO:ocpp:CP_TEST: receive message [3,"d00287e6-6b5f-4cbf-998f-0d761fc834e7",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
237 INFO:ocpp_16_interface:Transaction started on 1: 123
238 INFO:MockSystemTest:HARDWARE: Charger started.
239 INFO:MockSystemTest:2.16 StartTransaction (Auto): Sent
240 INFO:ocpp:CP_TEST: send [2,"0b5f9f12-f9b8-4710-a40b-4936d1e0b0d0","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
241 INFO:ocpp:CP_TEST: receive message [2,"0b5f9f12-f9b8-4710-a40b-4936d1e0b0d0","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
242 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
243 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
244 INFO:ocpp:CP_TEST: send [3,"0b5f9f12-f9b8-4710-a40b-4936d1e0b0d0",{}]
245 INFO:ocpp:CP_TEST: receive message [3,"0b5f9f12-f9b8-4710-a40b-4936d1e0b0d0",{}]
246 INFO:MockSystemTest:2.17 StatusNotification: Charging
247 INFO:MockSystemTest:2.18 MeterValues: Received
248 INFO:ocpp:CP_TEST: send [2,"8bcaec44-9c76-46ae-b3b5-1b1b88b4512d","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:17:52.327493","transactionId":123,"reason":"Local"}]
249 INFO:ocpp:CP_TEST: receive message [2,"8bcaec44-9c76-46ae-b3b5-1b1b88b4512d","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:17:52.327493","transactionId":123,"reason":"Local"}]
250 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:17:52.327493', 'transaction_id': 123, 'reason': 'Local'}
251 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
252 INFO:ocpp:CP_TEST: send [3,"8bcaec44-9c76-46ae-b3b5-1b1b88b4512d",{"idTagInfo":{"status":"Accepted"}}]
253 INFO:ocpp:CP_TEST: receive message [3,"8bcaec44-9c76-46ae-b3b5-1b1b88b4512d",{"idTagInfo":{"status":"Accepted"}}]
254 INFO:ocpp_16_interface:Transaction stopped on 1: 123
255 INFO:MockSystemTest:HARDWARE: Charger stopped.
256 INFO:MockSystemTest:2.19 StopTransaction: Sent
257 INFO:ocpp:CP_TEST: send [2,"9e2338a6-e3d8-4f12-94f2-fad242a7e206","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
258 INFO:ocpp:CP_TEST: receive message [2,"9e2338a6-e3d8-4f12-94f2-fad242a7e206","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
259 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
260 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
261 INFO:ocpp:CP_TEST: send [3,"9e2338a6-e3d8-4f12-94f2-fad242a7e206",{}]
262 INFO:ocpp:CP_TEST: receive message [3,"9e2338a6-e3d8-4f12-94f2-fad242a7e206",{}]
263 INFO:MockSystemTest:2.20 StatusNotification: Finishing
264 INFO:ocpp:CP_TEST: send [2,"34109191-0199-494d-9fe5-91e2ef21aae1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
265 INFO:ocpp:CP_TEST: receive message [2,"34109191-0199-494d-9fe5-91e2ef21aae1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
266 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
267 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
268 INFO:ocpp:CP_TEST: send [3,"34109191-0199-494d-9fe5-91e2ef21aae1",{}]
269 INFO:ocpp:CP_TEST: receive message [3,"34109191-0199-494d-9fe5-91e2ef21aae1",{}]
```

```
270 INFO:MockSystemTest:2.21 StatusNotification: Available
271 INFO:MockSystemTest:
272 --- 3. Normal Operation Verification (Full Sequence) ---
273 INFO:ocpp:CP_TEST: send [2,"d6f3e340-8bb5-4f2d-8150-67034d53f1a5","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
274 INFO:ocpp:CP_TEST: receive message [2,"d6f3e340-8bb5-4f2d-8150-67034d53f1a5","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
275 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
276 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
277 INFO:ocpp:CP_TEST: send [3,"d6f3e340-8bb5-4f2d-8150-67034d53f1a5",{}]
278 INFO:ocpp:CP_TEST: receive message [3,"d6f3e340-8bb5-4f2d-8150-67034d53f1a5",{}]
279 INFO:MockSystemTest:3.1 Status (Unplug): Available
280 INFO:ocpp:CP_TEST: send [2,"e9c27747-3e91-462d-8fe5-d07df4b6e6ec","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
281 INFO:ocpp:CP_TEST: receive message [2,"e9c27747-3e91-462d-8fe5-d07df4b6e6ec","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
282 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
283 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
284 INFO:ocpp:CP_TEST: send [3,"e9c27747-3e91-462d-8fe5-d07df4b6e6ec",{}]
285 INFO:ocpp:CP_TEST: receive message [3,"e9c27747-3e91-462d-8fe5-d07df4b6e6ec",{}]
286 INFO:MockSystemTest:3.2 Status: Available
287 INFO:ocpp:CP_TEST: send [2,"2d28b0b0-f0e1-49ac-9c62-4050d9245599","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]
288 INFO:ocpp:CP_TEST: receive message [2,"2d28b0b0-f0e1-49ac-9c62-4050d9245599","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
289 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
290 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
291 INFO:ocpp:CP_TEST: send [3,"2d28b0b0-f0e1-49ac-9c62-4050d9245599",{}]
292 INFO:ocpp:CP_TEST: receive message [3,"2d28b0b0-f0e1-49ac-9c62-4050d9245599",{}]
293 INFO:MockSystemTest:3.3 Status (Plug): Preparing
294 INFO:ocpp:CP_TEST: send [2,"fc2be211-dd54-4d3c-a54e-f3f7ebd4743d","Authorize",{ "idTag":"RFID_TAG_1"}]
295 INFO:ocpp:CP_TEST: receive message [2,"fc2be211-dd54-4d3c-a54e-f3f7ebd4743d","Authorize",{ "idTag":"RFID_TAG_1"}]
296 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'RFID_TAG_1'}
297 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
298 INFO:ocpp:CP_TEST: send [3,"fc2be211-dd54-4d3c-a54e-f3f7ebd4743d",{ "idTagInfo":{"status":"Accepted"}}]
299 INFO:ocpp:CP_TEST: receive message [3,"fc2be211-dd54-4d3c-a54e-f3f7ebd4743d",{ "idTagInfo":{"status":"Accepted"}}]
300 INFO:MockSystemTest:3.4 Authorize: Accepted
301 INFO:ocpp:CP_TEST: send [2,"ca884da-7282-4dff-b1ab-22505c8f7d14","StartTransaction",{ "connectorId":1,"idTag":"RFID_TAG_1","meterStart":0,"timestamp
    ":"2026-01-06T13:17:52.339737"}]
302 INFO:ocpp:CP_TEST: receive message [2,"ca884da-7282-4dff-b1ab-22505c8f7d14","StartTransaction",{ "connectorId":1,"idTag":"RFID_TAG_1","meterStart":0,"
    timestamp":"2026-01-06T13:17:52.339737"}]
303 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RFID_TAG_1', 'meter_start': 0, 'timestamp': '2026-01-06T13
    :17:52.339737'}
```

```
304 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
305 INFO:ocpp:CP_TEST: send [3,"ca8884da-7282-4dff-b1ab-22505c8f7d14",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
306 INFO:ocpp:CP_TEST: receive message [3,"ca8884da-7282-4dff-b1ab-22505c8f7d14",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
307 INFO:ocpp_16_interface:Transaction started on 1: 123
308 INFO:MockSystemTest:HARDWARE: Charger started.
309 INFO:MockSystemTest:3.5 StartTransaction: Sent
310 INFO:ocpp:CP_TEST: send [2,"6b826990-b2a0-4602-8bad-ba196b6227d7",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}}]
311 INFO:ocpp:CP_TEST: receive message [2,"6b826990-b2a0-4602-8bad-ba196b6227d7",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Charging"}}]
312 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
313 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
314 INFO:ocpp:CP_TEST: send [3,"6b826990-b2a0-4602-8bad-ba196b6227d7",{}]
315 INFO:ocpp:CP_TEST: receive message [3,"6b826990-b2a0-4602-8bad-ba196b6227d7",{}]
316 INFO:MockSystemTest:3.6 Status: Charging
317 INFO:ocpp:CP_TEST: send [2,"20af4f3d-0213-4974-a35f-ac71747920c7",{"MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :17:54.342205","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}]},{"transactionId":123}]
318 INFO:MockSystemTest:3.7 MeterValues received.
319 INFO:ocpp:CP_TEST: receive message [2,"20af4f3d-0213-4974-a35f-ac71747920c7",{"MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :17:54.342205","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}]},{"transactionId":123}]
320 INFO:ocpp:CP_TEST: send [2,"de069c33-dd6b-4b82-ae2b-a0819258a177",{"StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:17:54.343976",
    transactionId":123,"reason":"Local"}}]
321 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:17:54.342205', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
322 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
323 INFO:ocpp:CP_TEST: send [3,"20af4f3d-0213-4974-a35f-ac71747920c7",{}]
324 INFO:ocpp:CP_TEST: receive message [2,"de069c33-dd6b-4b82-ae2b-a0819258a177",{"StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
    :17:54.343976","transactionId":123,"reason":"Local"}}]
325 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:17:54.343976', 'transaction_id': 123, 'reason': 'Local
    '}
326 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
327 INFO:ocpp:CP_TEST: receive message [3,"20af4f3d-0213-4974-a35f-ac71747920c7",{}]
328 ERROR:ocpp:Ignoring response with unknown unique id: <CallResult - unique_id=20af4f3d-0213-4974-a35f-ac71747920c7, action=None, payload={}>
329 INFO:ocpp:CP_TEST: send [3,"de069c33-dd6b-4b82-ae2b-a0819258a177",{"idTagInfo":{"status":"Accepted"}}]
```

```
330 INFO:ocpp:CP_TEST: receive message [3,"de069c33-dd6b-4b82-ae2b-a0819258a177",{"idTagInfo":{"status":"Accepted"}}]
331 INFO:ocpp_16_interface:Transaction stopped on 1: 123
332 INFO:MockSystemTest:HARDWARE: Charger stopped.
333 INFO:MockSystemTest:3.8 StopTransaction: Sent
334 INFO:ocpp:CP_TEST: send [2,"1a313842-6db3-432e-971f-1c402bf64272","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
335 INFO:ocpp:CP_TEST: receive message [2,"1a313842-6db3-432e-971f-1c402bf64272","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
336 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
337 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
338 INFO:ocpp:CP_TEST: send [3,"1a313842-6db3-432e-971f-1c402bf64272",{}]
339 INFO:ocpp:CP_TEST: receive message [3,"1a313842-6db3-432e-971f-1c402bf64272",{}]
340 INFO:MockSystemTest:3.9 Status: Finishing
341 INFO:ocpp:CP_TEST: send [2,"0f66f050-295c-474a-870d-3198cd803089","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
342 INFO:ocpp:CP_TEST: receive message [2,"0f66f050-295c-474a-870d-3198cd803089","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
343 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
344 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
345 INFO:ocpp:CP_TEST: send [3,"0f66f050-295c-474a-870d-3198cd803089",{}]
346 INFO:ocpp:CP_TEST: receive message [3,"0f66f050-295c-474a-870d-3198cd803089",{}]
347 INFO:MockSystemTest:3.10 Status: Available
348 INFO:ocpp:CP_TEST: send [2,"f0109b9b-fd0e-43b2-a286-5892f3ebebcb1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
349 INFO:ocpp:CP_TEST: receive message [2,"f0109b9b-fd0e-43b2-a286-5892f3ebebcb1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
350 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
351 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
352 INFO:ocpp:CP_TEST: send [3,"f0109b9b-fd0e-43b2-a286-5892f3ebebcb1",{}]
353 INFO:ocpp:CP_TEST: receive message [3,"f0109b9b-fd0e-43b2-a286-5892f3ebebcb1",{}]
354 INFO:MockSystemTest:3.11 Status: Preparing
355 INFO:ocpp:CP_TEST: send [2,"4c5a3f03-ce26-420c-b2a8-dfc97d717a91","RemoteStartTransaction",{"idTag":"REMOTE_TAG_1"}]
356 INFO:ocpp:CP_TEST: receive message [2,"4c5a3f03-ce26-420c-b2a8-dfc97d717a91","RemoteStartTransaction",{"idTag":"REMOTE_TAG_1"}]
357 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_TAG_1
358 INFO:ocpp:CP_TEST: send [2,"d58713c6-6eea-4e33-add6-3dad9c2b6afa","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":"2026-01-06T13:17:54.353755"}]
359 INFO:ocpp:CP_TEST: send [3,"4c5a3f03-ce26-420c-b2a8-dfc97d717a91",{"status":"Accepted"}]
360 INFO:ocpp:CP_TEST: receive message [2,"d58713c6-6eea-4e33-add6-3dad9c2b6afa","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":"2026-01-06T13:17:54.353755"}]
361 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:17:54.353755'}
362 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
```

```
363 INFO:ocpp:CP_TEST: send [3,"d58713c6-6eea-4e33-add6-3dad9c2b6afa",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
364 INFO:ocpp:CP_TEST: receive message [3,"4c5a3f03-ce26-420c-b2a8-dfc97d717a91",{"status":"Accepted"}}]
365 INFO:ocpp:CP_TEST: receive message [3,"d58713c6-6eea-4e33-add6-3dad9c2b6afa",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
366 INFO:MockSystemTest:3.12 RemoteStartTransaction: Accepted
367 INFO:ocpp:CP_TEST: send [2,"cc6956e6-8d1b-4eb3-b39d-a0df19b05394","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":
  "2026-01-06T13:17:54.355857"}]
368 INFO:ocpp_16_interface:Transaction started on 1: 123
369 INFO:MockSystemTest:HARDWARE: Charger started.
370 INFO:ocpp:CP_TEST: receive message [2,"cc6956e6-8d1b-4eb3-b39d-a0df19b05394","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":
  "2026-01-06T13:17:54.355857"}]
371 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:17:54.355857'}
372 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
373 INFO:ocpp:CP_TEST: send [3,"cc6956e6-8d1b-4eb3-b39d-a0df19b05394",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
374 INFO:ocpp:CP_TEST: receive message [3,"cc6956e6-8d1b-4eb3-b39d-a0df19b05394",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
375 INFO:ocpp_16_interface:Transaction started on 1: 123
376 INFO:MockSystemTest:HARDWARE: Charger started.
377 INFO:MockSystemTest:3.13 StartTransaction: Sent
378 INFO:ocpp:CP_TEST: send [2,"0ec3355a-dede-4a7f-8691-4974c5392662","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
379 INFO:ocpp:CP_TEST: receive message [2,"0ec3355a-dede-4a7f-8691-4974c5392662","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
380 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
381 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
382 INFO:ocpp:CP_TEST: send [3,"0ec3355a-dede-4a7f-8691-4974c5392662",{}]
383 INFO:ocpp:CP_TEST: receive message [3,"0ec3355a-dede-4a7f-8691-4974c5392662",{}]
384 INFO:MockSystemTest:3.14 Status: Charging
385 INFO:ocpp:CP_TEST: send [2,"2bc86b4b-1fea-45f0-a8e1-43036b27df77","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:17:56.262048",
  "sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic",
  "format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import",
  "unit":"W"}]}], "transactionId":123}]
386 INFO:ocpp:CP_TEST: receive message [2,"2bc86b4b-1fea-45f0-a8e1-43036b27df77","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:17:56.262048",
  "sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic",
  "format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import",
  "unit":"W"}]}], "transactionId":123}]
387 INFO:MockSystemTest:3.15 MeterValues received.
388 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:17:56.262048', 'sampled_value': [{'value': '230.0',
  'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw',
  'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}],
  'transaction_id': 123}
```

```
389 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
390 INFO:ocpp:CP_TEST: send [3,"2bc86b4b-1fea-45f0-a8e1-43036b27df77",{}]
391 INFO:ocpp:CP_TEST: receive message [3,"2bc86b4b-1fea-45f0-a8e1-43036b27df77",{}]
392 INFO:ocpp:CP_TEST: send [2,"6fc598ef-99c0-418e-817a-3e29efcf30e4","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :17:56.263431","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
393 INFO:ocpp:CP_TEST: receive message [2,"6fc598ef-99c0-418e-817a-3e29efcf30e4","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :17:56.263431","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
394 INFO:ocpp:CP_TEST: send [2,"13369cff-28da-4ae2-be37-7e4ef47e0a0a","RemoteStopTransaction",{
    "transactionId":123}]
395 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:17:56.263431',
    'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
    {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
    {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}],
    'transaction_id': 123}
396 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
397 INFO:ocpp:CP_TEST: receive message [2,"13369cff-28da-4ae2-be37-7e4ef47e0a0a","RemoteStopTransaction",{
    "transactionId":123}]
398 INFO:ocpp:CP_TEST: send [3,"6fc598ef-99c0-418e-817a-3e29efcf30e4",{}]
399 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
400 INFO:ocpp:CP_TEST: send [2,"f5d87e6d-6d3e-44e1-93ae-88a5ca20eafe","StopTransaction",{
    "meterStop":100,"timestamp":"2026-01-06T13:17:56.269476","transactionId":123,"reason":"Remote"}]
401 INFO:ocpp:CP_TEST: send [3,"13369cff-28da-4ae2-be37-7e4ef47e0a0a",{
    "status":"Accepted"}]
402 INFO:ocpp:CP_TEST: receive message [3,"6fc598ef-99c0-418e-817a-3e29efcf30e4",{}]
403 INFO:ocpp:CP_TEST: receive message [2,"f5d87e6d-6d3e-44e1-93ae-88a5ca20eafe","StopTransaction",{
    "meterStop":100,"timestamp":"2026-01-06T13:17:56.269476","transactionId":123,"reason":"Remote"}]
404 ERROR:ocpp:Ignoring response with unknown unique id: <CallResult - unique_id=6fc598ef-99c0-418e-817a-3e29efcf30e4,
    action=None, payload={}>
405 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:17:56.269476',
    'transaction_id': 123, 'reason': 'Remote'}
406 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
407 INFO:ocpp:CP_TEST: send [3,"f5d87e6d-6d3e-44e1-93ae-88a5ca20eafe",{
    "idTagInfo":{"status":"Accepted"}}]
408 INFO:ocpp:CP_TEST: receive message [3,"13369cff-28da-4ae2-be37-7e4ef47e0a0a",{
    "status":"Accepted"}]
409 INFO:ocpp:CP_TEST: receive message [3,"f5d87e6d-6d3e-44e1-93ae-88a5ca20eafe",{
    "idTagInfo":{"status":"Accepted"}}]
410 INFO:MockSystemTest:3.16 RemoteStopTransaction: Accepted
411 INFO:ocpp_16_interface:Transaction stopped on 1: 123
412 INFO:MockSystemTest:HARDWARE: Charger stopped.
413 WARNING:ocpp_16_interface:No transaction to stop for connector 1.
414 INFO:MockSystemTest:3.17 StopTransaction: Triggered by RemoteStop
415 INFO:ocpp:CP_TEST: send [2,"6acc35e5-9802-4fa5-94e1-790bdf71e62f","StatusNotification",{
    "connectorId":1,"errorCode":"NoError","status":"Finishing"}]
```

```
416 INFO:ocpp:CP_TEST: receive message [2,"6acc35e5-9802-4fa5-94e1-790bdf71e62f","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Finishing"}]]
417 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
418 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
419 INFO:ocpp:CP_TEST: send [3,"6acc35e5-9802-4fa5-94e1-790bdf71e62f",{}]
420 INFO:ocpp:CP_TEST: receive message [3,"6acc35e5-9802-4fa5-94e1-790bdf71e62f",{}]
421 INFO:MockSystemTest:3.18 Status: Finishing
422 INFO:ocpp:CP_TEST: send [2,"f3725605-88c3-4089-a883-33c90fbba099","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]]
423 INFO:ocpp:CP_TEST: receive message [2,"f3725605-88c3-4089-a883-33c90fbba099","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
424 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
425 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
426 INFO:ocpp:CP_TEST: send [3,"f3725605-88c3-4089-a883-33c90fbba099",{}]
427 INFO:ocpp:CP_TEST: receive message [3,"f3725605-88c3-4089-a883-33c90fbba099",{}]
428 INFO:MockSystemTest:3.19 Status: Available
429 INFO:MockSystemTest:
430 --- 4. Reset Verification (Full Sequence) ---
431 INFO:ocpp:CP_TEST: send [2,"6f513b11-03ec-4379-a435-7d15084cb946","Reset",{ "type":"Hard"}]]
432 INFO:ocpp:CP_TEST: receive message [2,"6f513b11-03ec-4379-a435-7d15084cb946","Reset",{ "type":"Hard"}]]
433 INFO:ocpp_16_interface:Received Reset type: Hard
434 INFO:ocpp:CP_TEST: send [3,"6f513b11-03ec-4379-a435-7d15084cb946",{ "status":"Accepted"}]]
435 INFO:ocpp:CP_TEST: receive message [3,"6f513b11-03ec-4379-a435-7d15084cb946",{ "status":"Accepted"}]]
436 INFO:MockSystemTest:4.1 Reset (Hard): Accepted
437 INFO:MockSystemTest:4.2 Waiting for BootNotification...
438 INFO:ocpp:CP_TEST: send [2,"ecec1d6f-0848-4975-9386-7e7031530561","MeterValues",{ "connectorId":1,"meterValue": [{ "timestamp":"2026-01-06T13
    :17:58.268232","sampledValue": [{ "value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, { "value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, { "value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"} ] } ] }, { "transactionId":123}]
439 INFO:ocpp:CP_TEST: receive message [2,"ecec1d6f-0848-4975-9386-7e7031530561","MeterValues",{ "connectorId":1,"meterValue": [{ "timestamp":"2026-01-06T13
    :17:58.268232","sampledValue": [{ "value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, { "value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, { "value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"} ] } ] }, { "transactionId":123}]
440 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{ 'timestamp': '2026-01-06T13:17:58.268232', 'sampled_value': [{ 'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, { 'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, { 'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'} ] } ] }, 'transaction_id': 123}
441 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
442 INFO:ocpp:CP_TEST: send [3,"ecec1d6f-0848-4975-9386-7e7031530561",{}]
443 INFO:ocpp:CP_TEST: receive message [3,"ecec1d6f-0848-4975-9386-7e7031530561",{}]
444 INFO:ocpp:CP_TEST: send [2,"d67a4446-b8bc-44f0-afa9-10613f5c683e","BootNotification",{ "chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]]
```

```
445 INFO:ocpp:CP_TEST: receive message [2,"d67a4446-b8bc-44f0-afa9-10613f5c683e","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"
    KMUTNB"}]]
446 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
447 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:17:59.282446', interval=10, status=<
    RegistrationStatus.accepted: 'Accepted'>))
448 INFO:ocpp:CP_TEST: send [3,"d67a4446-b8bc-44f0-afa9-10613f5c683e",{"currentTime":"2026-01-06T13:17:59.282446","interval":10,"status":"Accepted"}]
449 INFO:ocpp:CP_TEST: receive message [3,"d67a4446-b8bc-44f0-afa9-10613f5c683e",{"currentTime":"2026-01-06T13:17:59.282446","interval":10,"status":"
    Accepted"}]]
450 INFO:ocpp_16_interface:Connected to central system.
451 INFO:MockSystemTest:HARDWARE: Charger started.
452 INFO:MockSystemTest:4.2 BootNotification: Sent
453 INFO:ocpp:CP_TEST: send [2,"1b06e5bf-ea5b-4dc2-8280-21616f7de01c","Heartbeat",{}]
454 INFO:ocpp:CP_TEST: receive message [2,"1b06e5bf-ea5b-4dc2-8280-21616f7de01c","Heartbeat",{}]
455 INFO:MockSystemTest:[CSMS] <- Heartbeat: {}
456     current_time=datetime.utcnow().isoformat()
457 INFO:MockSystemTest:[CSMS] -> HeartbeatConf: Heartbeat(current_time='2026-01-06T13:17:59.285149')
458 INFO:ocpp:CP_TEST: send [3,"1b06e5bf-ea5b-4dc2-8280-21616f7de01c",{"currentTime":"2026-01-06T13:17:59.285149"}]
459 INFO:ocpp:CP_TEST: receive message [3,"1b06e5bf-ea5b-4dc2-8280-21616f7de01c",{"currentTime":"2026-01-06T13:17:59.285149"}]
460 INFO:MockSystemTest:4.3 Heartbeat: Sent
461     await cp.call(call.MeterValues(connector_id=0, meter_value=[{"timestamp": datetime.utcnow().isoformat(), "sampledValue": [{"value": "0"}]}]))
462 INFO:ocpp:CP_TEST: send [2,"c0087b49-b91f-4fcb-9687-59e2084f1cf2","MeterValues",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T13
    :17:59.286274","sampledValue":[{"value":"0"}]}]]]
463 INFO:ocpp:CP_TEST: receive message [2,"c0087b49-b91f-4fcb-9687-59e2084f1cf2","MeterValues",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T13
    :17:59.286274","sampledValue":[{"value":"0"}]}]]]
464 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 0, 'meter_value': [{'timestamp': '2026-01-06T13:17:59.286274', 'sampled_value': [{'value':
    '0'}]}]]]
465 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
466 INFO:ocpp:CP_TEST: send [3,"c0087b49-b91f-4fcb-9687-59e2084f1cf2",{}]
467 INFO:ocpp:CP_TEST: receive message [3,"c0087b49-b91f-4fcb-9687-59e2084f1cf2",{}]
468 INFO:MockSystemTest:4.4 MeterValues: Sent
469 INFO:ocpp:CP_TEST: send [2,"de6052ac-a06c-4ffa-8746-9f0dce26fe24","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
470 INFO:ocpp:CP_TEST: receive message [2,"de6052ac-a06c-4ffa-8746-9f0dce26fe24","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
471 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
472 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
473 INFO:ocpp:CP_TEST: send [3,"de6052ac-a06c-4ffa-8746-9f0dce26fe24",{}]
474 INFO:ocpp:CP_TEST: receive message [3,"de6052ac-a06c-4ffa-8746-9f0dce26fe24",{}]
475 INFO:MockSystemTest:4.5 StatusNotification: Available
476 INFO:ocpp:CP_TEST: send [2,"6f540205-6532-4e11-9219-8e5898430cd9","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
477 INFO:ocpp:CP_TEST: receive message [2,"6f540205-6532-4e11-9219-8e5898430cd9","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
```

```
478 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 600
479 INFO:ocpp:CP_TEST: send [3,"6f540205-6532-4e11-9219-8e5898430cd9",{"status":"Accepted"}]
480 INFO:ocpp:CP_TEST: receive message [3,"6f540205-6532-4e11-9219-8e5898430cd9",{"status":"Accepted"}]
481 INFO:MockSystemTest:4.6 ChangeConfiguration (Heartbeat): Accepted
482 INFO:ocpp:CP_TEST: send [2,"a755c0a5-9606-48c0-89e6-01c14d423fdf","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
483 INFO:ocpp:CP_TEST: receive message [2,"a755c0a5-9606-48c0-89e6-01c14d423fdf","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
484 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 60
485 INFO:ocpp:CP_TEST: send [3,"a755c0a5-9606-48c0-89e6-01c14d423fdf",{"status":"Accepted"}]
486 INFO:ocpp:CP_TEST: receive message [3,"a755c0a5-9606-48c0-89e6-01c14d423fdf",{"status":"Accepted"}]
487 INFO:MockSystemTest:4.7 ChangeConfiguration (MeterValue): Accepted
488 INFO:ocpp:CP_TEST: send [2,"ae86dca7-03f8-495b-ba19-eb5832fe7dab","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
489 INFO:ocpp:CP_TEST: receive message [2,"ae86dca7-03f8-495b-ba19-eb5832fe7dab","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
490 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
491 INFO:ocpp:CP_TEST: send [3,"ae86dca7-03f8-495b-ba19-eb5832fe7dab",{"status":"Accepted"}]
492 INFO:ocpp:CP_TEST: receive message [3,"ae86dca7-03f8-495b-ba19-eb5832fe7dab",{"status":"Accepted"}]
493 INFO:MockSystemTest:4.8 ChangeConfiguration (LocalAuth): Accepted
494 INFO:ocpp:CP_TEST: send [2,"2fe1d866-0a1b-49df-af0a-6ff3df75c1ed","Reset",{"type":"Soft"}]
495 INFO:ocpp:CP_TEST: receive message [2,"2fe1d866-0a1b-49df-af0a-6ff3df75c1ed","Reset",{"type":"Soft"}]
496 INFO:ocpp_16_interface:Received Reset type: Soft
497 INFO:ocpp:CP_TEST: send [3,"2fe1d866-0a1b-49df-af0a-6ff3df75c1ed",{"status":"Accepted"}]
498 INFO:ocpp:CP_TEST: receive message [3,"2fe1d866-0a1b-49df-af0a-6ff3df75c1ed",{"status":"Accepted"}]
499 INFO:MockSystemTest:4.9 Reset (Soft): Accepted
500 INFO:ocpp:CP_TEST: send [2,"2de2b202-9fcf-47d4-aeed-65de9cc61bba","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:00.273394","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
501 INFO:ocpp:CP_TEST: receive message [2,"2de2b202-9fcf-47d4-aeed-65de9cc61bba","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:00.273394","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
502 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:00.273394', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
503 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
504 INFO:ocpp:CP_TEST: send [3,"2de2b202-9fcf-47d4-aeed-65de9cc61bba",{}]
505 INFO:ocpp:CP_TEST: receive message [3,"2de2b202-9fcf-47d4-aeed-65de9cc61bba",{}]
506 INFO:ocpp:CP_TEST: send [2,"278015b5-0756-49f6-a83c-d5ab5b3ffef2","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
507 INFO:ocpp:CP_TEST: receive message [2,"278015b5-0756-49f6-a83c-d5ab5b3ffef2","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"
KMUTNB"}]
```

```
508 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
509 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:18:00.297324', interval=10, status=<
    RegistrationStatus.accepted: 'Accepted'>)>
510 INFO:ocpp:CP_TEST: send [3,"278015b5-0756-49f6-a83c-d5ab5b3ffef2",{"currentTime":"2026-01-06T13:18:00.297324","interval":10,"status":"Accepted"}]
511 INFO:ocpp:CP_TEST: receive message [3,"278015b5-0756-49f6-a83c-d5ab5b3ffef2",{"currentTime":"2026-01-06T13:18:00.297324","interval":10,"status":"
    Accepted"}]
512 INFO:ocpp_16_interface:Connected to central system.
513 INFO:MockSystemTest:HARDWARE: Charger started.
514 INFO:MockSystemTest:4.10 BootNotification: Sent
515 INFO:ocpp:CP_TEST: send [2,"78a68dfa-4e39-473e-b34c-404c596b301a","Heartbeat",{}]
516 INFO:ocpp:CP_TEST: receive message [2,"78a68dfa-4e39-473e-b34c-404c596b301a","Heartbeat",{}]
517 INFO:MockSystemTest:[CSMS] <- Heartbeat: {}
518 INFO:MockSystemTest:[CSMS] -> HeartbeatConf: Heartbeat(current_time='2026-01-06T13:18:00.299867')
519 INFO:ocpp:CP_TEST: send [3,"78a68dfa-4e39-473e-b34c-404c596b301a",{"currentTime":"2026-01-06T13:18:00.299867"}]
520 INFO:ocpp:CP_TEST: receive message [3,"78a68dfa-4e39-473e-b34c-404c596b301a",{"currentTime":"2026-01-06T13:18:00.299867"}]
521 INFO:MockSystemTest:4.11 Heartbeat: Sent
522     await cp.call(call.MeterValues(connector_id=0, meter_value=[{"timestamp": datetime.utcnow().isoformat(), "sampledValue": [{"value": "0"}]}]))
523 INFO:ocpp:CP_TEST: send [2,"699a5efd-1226-4d7e-b6fb-6b90a4de87d7","MeterValues",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T13
    :18:00.300924","sampledValue":[{"value":"0"}]}]]]
524 INFO:ocpp:CP_TEST: receive message [2,"699a5efd-1226-4d7e-b6fb-6b90a4de87d7","MeterValues",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T13
    :18:00.300924","sampledValue":[{"value":"0"}]}]]]
525 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 0, 'meter_value': [{'timestamp': '2026-01-06T13:18:00.300924', 'sampled_value': [{'value':
    '0'}]}]}
526 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
527 INFO:ocpp:CP_TEST: send [3,"699a5efd-1226-4d7e-b6fb-6b90a4de87d7",{}]
528 INFO:ocpp:CP_TEST: receive message [3,"699a5efd-1226-4d7e-b6fb-6b90a4de87d7",{}]
529 INFO:MockSystemTest:4.12 MeterValues: Sent
530 INFO:ocpp:CP_TEST: send [2,"341ddc92-86fa-460d-8ac3-da3ade7f41a2","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
531 INFO:ocpp:CP_TEST: receive message [2,"341ddc92-86fa-460d-8ac3-da3ade7f41a2","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]
532 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
533 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
534 INFO:ocpp:CP_TEST: send [3,"341ddc92-86fa-460d-8ac3-da3ade7f41a2",{}]
535 INFO:ocpp:CP_TEST: receive message [3,"341ddc92-86fa-460d-8ac3-da3ade7f41a2",{}]
536 INFO:MockSystemTest:4.13 StatusNotification: Available
537 INFO:ocpp:CP_TEST: send [2,"88a94ba9-0f46-40a2-97d7-6feddeca59c8","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
538 INFO:ocpp:CP_TEST: receive message [2,"88a94ba9-0f46-40a2-97d7-6feddeca59c8","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
539 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 600
540 INFO:ocpp:CP_TEST: send [3,"88a94ba9-0f46-40a2-97d7-6feddeca59c8",{"status":"Accepted"}]
541 INFO:ocpp:CP_TEST: receive message [3,"88a94ba9-0f46-40a2-97d7-6feddeca59c8",{"status":"Accepted"}]
```

```
542 INFO:MockSystemTest:4.14 ChangeConfiguration (Heartbeat): Accepted
543 INFO:ocpp:CP_TEST: send [2,"63615545-2fb9-4a83-a1fc-6434c861a495","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
544 INFO:ocpp:CP_TEST: receive message [2,"63615545-2fb9-4a83-a1fc-6434c861a495","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
545 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 60
546 INFO:ocpp:CP_TEST: send [3,"63615545-2fb9-4a83-a1fc-6434c861a495",{"status":"Accepted"}]
547 INFO:ocpp:CP_TEST: receive message [3,"63615545-2fb9-4a83-a1fc-6434c861a495",{"status":"Accepted"}]
548 INFO:MockSystemTest:4.15 ChangeConfiguration (MeterValue): Accepted
549 INFO:ocpp:CP_TEST: send [2,"1d1bce9c-82d5-4879-b069-073ac1d844d3","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
550 INFO:ocpp:CP_TEST: receive message [2,"1d1bce9c-82d5-4879-b069-073ac1d844d3","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
551 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
552 INFO:ocpp:CP_TEST: send [3,"1d1bce9c-82d5-4879-b069-073ac1d844d3",{"status":"Accepted"}]
553 INFO:ocpp:CP_TEST: receive message [3,"1d1bce9c-82d5-4879-b069-073ac1d844d3",{"status":"Accepted"}]
554 INFO:MockSystemTest:4.16 ChangeConfiguration (LocalAuth): Accepted
555 INFO:ocpp:CP_TEST: send [2,"0fc63d5d-ccf2-451a-b167-2665a996c372","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
556 INFO:ocpp:CP_TEST: receive message [2,"0fc63d5d-ccf2-451a-b167-2665a996c372","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
557 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
558 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
559 INFO:ocpp:CP_TEST: send [3,"0fc63d5d-ccf2-451a-b167-2665a996c372",{}]
560 INFO:ocpp:CP_TEST: receive message [3,"0fc63d5d-ccf2-451a-b167-2665a996c372",{}]
561 INFO:MockSystemTest:4.17 StatusNotification: Available
562 INFO:ocpp:CP_TEST: send [2,"0cc25310-a044-4300-8f5f-8d9ed4f598da","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
563 INFO:ocpp:CP_TEST: receive message [2,"0cc25310-a044-4300-8f5f-8d9ed4f598da","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
564 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
565 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
566 INFO:ocpp:CP_TEST: send [3,"0cc25310-a044-4300-8f5f-8d9ed4f598da",{}]
567 INFO:ocpp:CP_TEST: receive message [3,"0cc25310-a044-4300-8f5f-8d9ed4f598da",{}]
568 INFO:ocpp:CP_TEST: send [2,"80bdf54c-f827-4233-8cfb-4eedfb2d3f59","StartTransaction",{"connectorId":1,"idTag":"RESET_TEST_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:00.310660"}]
569 INFO:ocpp:CP_TEST: receive message [2,"80bdf54c-f827-4233-8cfb-4eedfb2d3f59","StartTransaction",{"connectorId":1,"idTag":"RESET_TEST_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:00.310660"}]
570 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RESET_TEST_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:00.310660'}
571 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
572 INFO:ocpp:CP_TEST: send [3,"80bdf54c-f827-4233-8cfb-4eedfb2d3f59",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
573 INFO:ocpp:CP_TEST: receive message [3,"80bdf54c-f827-4233-8cfb-4eedfb2d3f59",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
574 INFO:ocpp_16_interface:Transaction started on 1: 123
575 INFO:MockSystemTest:HARDWARE: Charger started.
```

```
576 INFO:MockSystemTest:4.18 StartTransaction: Sent
577 INFO:ocpp:CP_TEST: send [2,"6efee1f3-d9f7-4b51-8f4c-49c707e2499a","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
578 INFO:ocpp:CP_TEST: receive message [2,"6efee1f3-d9f7-4b51-8f4c-49c707e2499a","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
579 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
580 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
581 INFO:ocpp:CP_TEST: send [3,"6efee1f3-d9f7-4b51-8f4c-49c707e2499a",{}]
582 INFO:ocpp:CP_TEST: receive message [3,"6efee1f3-d9f7-4b51-8f4c-49c707e2499a",{}]
583 INFO:ocpp:CP_TEST: send [2,"62d0a2f0-9643-4985-a154-53f9e53bca8d","Reset",{"type":"Hard"}]
584 INFO:ocpp:CP_TEST: receive message [2,"62d0a2f0-9643-4985-a154-53f9e53bca8d","Reset",{"type":"Hard"}]
585 INFO:ocpp_16_interface:Received Reset type: Hard
586 INFO:ocpp:CP_TEST: send [3,"62d0a2f0-9643-4985-a154-53f9e53bca8d",{"status":"Accepted"}]
587 INFO:ocpp:CP_TEST: receive message [3,"62d0a2f0-9643-4985-a154-53f9e53bca8d",{"status":"Accepted"}]
588 INFO:MockSystemTest:4.19 Reset (Hard): Accepted
589 INFO:ocpp:CP_TEST: send [2,"afa5fbec-8e3a-495e-a711-ba60cf601557","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:00.314836","transactionId":123,"reason":"HardReset"}]
590 INFO:ocpp:CP_TEST: receive message [2,"afa5fbec-8e3a-495e-a711-ba60cf601557","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:00.314836","transactionId":123,"reason":"HardReset"}]
591 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:00.314836', 'transaction_id': 123, 'reason': 'HardReset'}
592 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
593 INFO:ocpp:CP_TEST: send [3,"afa5fbec-8e3a-495e-a711-ba60cf601557",{"idTagInfo":{"status":"Accepted"}}]
594 INFO:ocpp:CP_TEST: receive message [3,"afa5fbec-8e3a-495e-a711-ba60cf601557",{"idTagInfo":{"status":"Accepted"}}]
595 INFO:ocpp_16_interface:Transaction stopped on 1: 123
596 INFO:MockSystemTest:HARDWARE: Charger stopped.
597 INFO:MockSystemTest:4.20 StopTransaction: Sent
598 INFO:ocpp:CP_TEST: send [2,"7c2660b7-b0d4-4a0a-b443-0c44c07f6f0b","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
599 INFO:ocpp:CP_TEST: receive message [2,"7c2660b7-b0d4-4a0a-b443-0c44c07f6f0b","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
600 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
601 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:18:01.319028', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
602 INFO:ocpp:CP_TEST: send [3,"7c2660b7-b0d4-4a0a-b443-0c44c07f6f0b",{"currentTime":"2026-01-06T13:18:01.319028","interval":10,"status":"Accepted"}]
603 INFO:ocpp:CP_TEST: receive message [3,"7c2660b7-b0d4-4a0a-b443-0c44c07f6f0b",{"currentTime":"2026-01-06T13:18:01.319028","interval":10,"status":"Accepted"}]
604 INFO:ocpp_16_interface:Connected to central system.
605 INFO:MockSystemTest:HARDWARE: Charger started.
606 INFO:MockSystemTest:4.21 BootNotification: Sent
607 INFO:ocpp:CP_TEST: send [2,"f6803ac8-8d70-40de-8480-4e168283a408","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
```

```
608 INFO:ocpp:CP_TEST: receive message [2,"f6803ac8-8d70-40de-8480-4e168283a408","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
609 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
610 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
611 INFO:ocpp:CP_TEST: send [3,"f6803ac8-8d70-40de-8480-4e168283a408",{}]
612 INFO:ocpp:CP_TEST: receive message [3,"f6803ac8-8d70-40de-8480-4e168283a408",{}]
613 INFO:MockSystemTest:4.21 StatusNotification (Unplug): Available
614 INFO:ocpp:CP_TEST: send [2,"58e98fc3-41e5-4562-8655-e83a8baa8aad","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
615 INFO:ocpp:CP_TEST: receive message [2,"58e98fc3-41e5-4562-8655-e83a8baa8aad","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"
    KMUTNB"}]]
616 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
617 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:18:01.323063', interval=10, status=<
    RegistrationStatus.accepted: 'Accepted'>)
618 INFO:ocpp:CP_TEST: send [3,"58e98fc3-41e5-4562-8655-e83a8baa8aad",{"currentTime":"2026-01-06T13:18:01.323063","interval":10,"status":"Accepted"}]
619 INFO:ocpp:CP_TEST: receive message [3,"58e98fc3-41e5-4562-8655-e83a8baa8aad",{"currentTime":"2026-01-06T13:18:01.323063","interval":10,"status":"
    Accepted"}]]
620 INFO:ocpp_16_interface:Connected to central system.
621 INFO:MockSystemTest:HARDWARE: Charger started.
622 INFO:MockSystemTest:
623 --- 5. Reservation Verification (Full Sequence) ---
624 INFO:ocpp:CP_TEST: send [2,"f13b7e33-6775-486a-8c43-422ff68a7dd6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
625 INFO:ocpp:CP_TEST: receive message [2,"f13b7e33-6775-486a-8c43-422ff68a7dd6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
626 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
627 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
628 INFO:ocpp:CP_TEST: send [3,"f13b7e33-6775-486a-8c43-422ff68a7dd6",{}]
629 INFO:ocpp:CP_TEST: receive message [3,"f13b7e33-6775-486a-8c43-422ff68a7dd6",{}]
630 INFO:MockSystemTest:5.1 Status: Available
631     expiry = (datetime.utcnow().replace(microsecond=0).timestamp() + 3600)
632     expiry_date=datetime.utcnow().timestamp(expiry).isoformat(),
633 INFO:ocpp:CP_TEST: send [2,"111df8da-a8a8-483e-8152-bd4e45234116","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T07:18:01","idTag":"RES_TAG",
    reservationId":1}]
634 INFO:ocpp:CP_TEST: receive message [2,"111df8da-a8a8-483e-8152-bd4e45234116","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T07:18:01","idTag
    ":"RES_TAG","reservationId":1}]
635 INFO:ocpp_16_interface:Received ReserveNow for RES_TAG
636 INFO:ocpp:CP_TEST: send [3,"111df8da-a8a8-483e-8152-bd4e45234116",{"status":"Accepted"}]
637 INFO:ocpp:CP_TEST: receive message [3,"111df8da-a8a8-483e-8152-bd4e45234116",{"status":"Accepted"}]
638 INFO:MockSystemTest:5.2 ReserveNow: Accepted
639 INFO:ocpp:CP_TEST: send [2,"374758e1-e871-4a25-abcf-5e822ff684a6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]]
```

```
640 INFO:ocpp:CP_TEST: receive message [2,"374758e1-e871-4a25-abcf-5e822ff684a6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
641 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Reserved'}
642 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
643 INFO:ocpp:CP_TEST: send [3,"374758e1-e871-4a25-abcf-5e822ff684a6",{}]
644 INFO:ocpp:CP_TEST: receive message [3,"374758e1-e871-4a25-abcf-5e822ff684a6",{}]
645 INFO:MockSystemTest:5.3 Status: Reserved
646 INFO:ocpp:CP_TEST: send [2,"fb1b582e-3790-471f-a4b5-0b5a6f33614f","CancelReservation",{"reservationId":1}]
647 INFO:ocpp:CP_TEST: receive message [2,"fb1b582e-3790-471f-a4b5-0b5a6f33614f","CancelReservation",{"reservationId":1}]
648 INFO:ocpp_16_interface:Received CancelReservation for 1
649 INFO:ocpp:CP_TEST: send [3,"fb1b582e-3790-471f-a4b5-0b5a6f33614f",{"status":"Accepted"}]
650 INFO:ocpp:CP_TEST: receive message [3,"fb1b582e-3790-471f-a4b5-0b5a6f33614f",{"status":"Accepted"}]
651 INFO:MockSystemTest:5.4 CancelReservation: Accepted
652 INFO:ocpp:CP_TEST: send [2,"9d2859d7-8499-41e4-b587-22e0d3daaa5c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
653 INFO:ocpp:CP_TEST: receive message [2,"9d2859d7-8499-41e4-b587-22e0d3daaa5c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
654 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
655 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
656 INFO:ocpp:CP_TEST: send [3,"9d2859d7-8499-41e4-b587-22e0d3daaa5c",{}]
657 INFO:ocpp:CP_TEST: receive message [3,"9d2859d7-8499-41e4-b587-22e0d3daaa5c",{}]
658 INFO:MockSystemTest:5.5 Status: Available
659     expiry_short = (datetime.utcnow().replace(microsecond=0).timestamp() + 2) # 2 seconds
660     expiry_date=datetime.utcnow().timestamp(expiry_short).isoformat(),
661 INFO:ocpp:CP_TEST: send [2,"f7ce453b-add2-4432-934e-b110dec3eec9","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T06:18:03","idTag":"RES_TAG_EXP","reservationId":2}]
662 INFO:ocpp:CP_TEST: receive message [2,"f7ce453b-add2-4432-934e-b110dec3eec9","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T06:18:03","idTag":"RES_TAG_EXP","reservationId":2}]
663 INFO:ocpp_16_interface:Received ReserveNow for RES_TAG_EXP
664 INFO:ocpp:CP_TEST: send [3,"f7ce453b-add2-4432-934e-b110dec3eec9",{"status":"Accepted"}]
665 INFO:ocpp:CP_TEST: receive message [3,"f7ce453b-add2-4432-934e-b110dec3eec9",{"status":"Accepted"}]
666 INFO:MockSystemTest:5.6 ReserveNow (Short): Accepted
667 INFO:ocpp:CP_TEST: send [2,"94ad0ffc-9a66-47a2-a247-b14c7c48e3b7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
668 INFO:ocpp:CP_TEST: receive message [2,"94ad0ffc-9a66-47a2-a247-b14c7c48e3b7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
669 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Reserved'}
670 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
671 INFO:ocpp:CP_TEST: send [3,"94ad0ffc-9a66-47a2-a247-b14c7c48e3b7",{}]
672 INFO:ocpp:CP_TEST: receive message [3,"94ad0ffc-9a66-47a2-a247-b14c7c48e3b7",{}]
673 INFO:MockSystemTest:5.7 Status: Reserved
674 INFO:MockSystemTest:5.8 Waiting for reservation expiry...
```

```
675 INFO:ocpp:CP_TEST: send [2,"9cc8e6fd-4398-4a31-bf71-3a57ce070dc9","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
676 INFO:ocpp:CP_TEST: receive message [2,"9cc8e6fd-4398-4a31-bf71-3a57ce070dc9","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
  Available"}]]
677 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
678 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
679 INFO:ocpp:CP_TEST: send [3,"9cc8e6fd-4398-4a31-bf71-3a57ce070dc9",{}]
680 INFO:ocpp:CP_TEST: receive message [3,"9cc8e6fd-4398-4a31-bf71-3a57ce070dc9",{}]
681 INFO:MockSystemTest:5.9 Status: Available (Auto Revert)
682   expiry_date=datetime.utcnow.timestamp(expiry).isoformat(),
683 INFO:ocpp:CP_TEST: send [2,"1155c925-8438-423c-afe5-613142e206fc","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T07:18:01","idTag":"RES_TAG_TX
  ","reservationId":3}]
684 INFO:ocpp:CP_TEST: receive message [2,"1155c925-8438-423c-afe5-613142e206fc","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T07:18:01","idTag
  ":"RES_TAG_TX","reservationId":3}]
685 INFO:ocpp_16_interface:Received ReserveNow for RES_TAG_TX
686 INFO:ocpp:CP_TEST: send [3,"1155c925-8438-423c-afe5-613142e206fc",{"status":"Accepted"}]
687 INFO:ocpp:CP_TEST: receive message [3,"1155c925-8438-423c-afe5-613142e206fc",{"status":"Accepted"}]
688 INFO:MockSystemTest:5.10 ReserveNow: Accepted
689 INFO:ocpp:CP_TEST: send [2,"e278eae0-5987-4c3e-a719-f5f994d433af","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
690 INFO:ocpp:CP_TEST: receive message [2,"e278eae0-5987-4c3e-a719-f5f994d433af","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
  Preparing"}]]
691 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
692 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
693 INFO:ocpp:CP_TEST: send [3,"e278eae0-5987-4c3e-a719-f5f994d433af",{}]
694 INFO:ocpp:CP_TEST: receive message [3,"e278eae0-5987-4c3e-a719-f5f994d433af",{}]
695 INFO:MockSystemTest:5.11 Status (Plug): Preparing
696 INFO:ocpp:CP_TEST: send [2,"c7911ecf-07f9-437b-b825-f98944c64499","RemoteStartTransaction",{"idTag":"RES_TAG_TX"}]
697 INFO:ocpp:CP_TEST: receive message [2,"c7911ecf-07f9-437b-b825-f98944c64499","RemoteStartTransaction",{"idTag":"RES_TAG_TX"}]
698 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: RES_TAG_TX
699 INFO:ocpp:CP_TEST: send [3,"c7911ecf-07f9-437b-b825-f98944c64499",{"status":"Accepted"}]
700 INFO:ocpp:CP_TEST: send [2,"6d436ee2-4544-4111-b4cb-6fda4ef17e0b","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp
  ":"2026-01-06T13:18:04.344459"}]]
701 INFO:ocpp:CP_TEST: receive message [3,"c7911ecf-07f9-437b-b825-f98944c64499",{"status":"Accepted"}]
702 INFO:ocpp:CP_TEST: receive message [2,"6d436ee2-4544-4111-b4cb-6fda4ef17e0b","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"
  timestamp":"2026-01-06T13:18:04.344459"}]]
703 INFO:MockSystemTest:5.12 RemoteStartTransaction: Accepted
704 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RES_TAG_TX', 'meter_start': 0, 'timestamp': '2026-01-06T13
  :18:04.344459'}
705 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
  Accepted'>})
706 INFO:ocpp:CP_TEST: send [3,"6d436ee2-4544-4111-b4cb-6fda4ef17e0b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
```

```
707 INFO:ocpp:CP_TEST: receive message [3,"6d436ee2-4544-4111-b4cb-6fda4ef17e0b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
708 INFO:ocpp:CP_TEST: send [2,"d2b15715-bd2b-4b1f-a926-dd48c14a2648","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":
":2026-01-06T13:18:04.345647"}]
709 INFO:ocpp_16_interface:Transaction started on 1: 123
710 INFO:MockSystemTest:HARDWARE: Charger started.
711 INFO:ocpp:CP_TEST: receive message [2,"d2b15715-bd2b-4b1f-a926-dd48c14a2648","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"
timestamp":"2026-01-06T13:18:04.345647"}]
712 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RES_TAG_TX', 'meter_start': 0, 'timestamp': '2026-01-06T13
:18:04.345647'}
713 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
Accepted'>})
714 INFO:ocpp:CP_TEST: send [3,"d2b15715-bd2b-4b1f-a926-dd48c14a2648",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
715 INFO:ocpp:CP_TEST: receive message [3,"d2b15715-bd2b-4b1f-a926-dd48c14a2648",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
716 INFO:ocpp_16_interface:Transaction started on 1: 123
717 INFO:MockSystemTest:HARDWARE: Charger started.
718 INFO:MockSystemTest:5.13 StartTransaction: Sent
719 INFO:ocpp:CP_TEST: send [2,"537aea6c-7584-42a0-942b-ac467b2c157c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
720 INFO:ocpp:CP_TEST: receive message [2,"537aea6c-7584-42a0-942b-ac467b2c157c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Charging"}]
721 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
722 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
723 INFO:ocpp:CP_TEST: send [3,"537aea6c-7584-42a0-942b-ac467b2c157c",{}]
724 INFO:ocpp:CP_TEST: receive message [3,"537aea6c-7584-42a0-942b-ac467b2c157c",{}]
725 INFO:MockSystemTest:5.14 Status: Charging
726 INFO:MockSystemTest:5.15 MeterValues received (assumed).
727 INFO:ocpp:CP_TEST: send [2,"0db01c62-f012-4ba0-bb9b-f0ffddceb1c0","RemoteStopTransaction",{"transactionId":123}]
728 INFO:ocpp:CP_TEST: receive message [2,"0db01c62-f012-4ba0-bb9b-f0ffddceb1c0","RemoteStopTransaction",{"transactionId":123}]
729 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
730 INFO:ocpp:CP_TEST: send [3,"0db01c62-f012-4ba0-bb9b-f0ffddceb1c0",{"status":"Accepted"}]
731 INFO:ocpp:CP_TEST: receive message [3,"0db01c62-f012-4ba0-bb9b-f0ffddceb1c0",{"status":"Accepted"}]
732 INFO:ocpp:CP_TEST: send [2,"26ac25e4-58b5-4659-9bfc-7b65fac7b40d","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:06.352214",
transactionId":123,"reason":"Remote"}]
733 INFO:MockSystemTest:5.16 RemoteStopTransaction: Accepted
734 INFO:ocpp:CP_TEST: receive message [2,"26ac25e4-58b5-4659-9bfc-7b65fac7b40d","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
:18:06.352214","transactionId":123,"reason":"Remote"}]
735 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:06.352214', 'transaction_id': 123, 'reason': 'Remote
'}
736 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
737 INFO:ocpp:CP_TEST: send [3,"26ac25e4-58b5-4659-9bfc-7b65fac7b40d",{"idTagInfo":{"status":"Accepted"}}]
738 INFO:ocpp:CP_TEST: receive message [3,"26ac25e4-58b5-4659-9bfc-7b65fac7b40d",{"idTagInfo":{"status":"Accepted"}}]
```

```
739 INFO:ocpp_16_interface:Transaction stopped on 1: 123
740 INFO:MockSystemTest:HARDWARE: Charger stopped.
741 INFO:MockSystemTest:5.17 StopTransaction: Triggered by RemoteStop
742 INFO:ocpp:CP_TEST: send [2,"99353dbf-0d61-438f-8754-60dd454c16c8","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Finishing"}]
743 INFO:ocpp:CP_TEST: receive message [2,"99353dbf-0d61-438f-8754-60dd454c16c8","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Finishing"}]
744 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
745 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
746 INFO:ocpp:CP_TEST: send [3,"99353dbf-0d61-438f-8754-60dd454c16c8",{}]
747 INFO:ocpp:CP_TEST: receive message [3,"99353dbf-0d61-438f-8754-60dd454c16c8",{}]
748 INFO:MockSystemTest:5.18 StatusNotification: Finishing
749 INFO:ocpp:CP_TEST: send [2,"5014c33f-b8c7-42bd-b4df-6411e5c35681","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
750 INFO:ocpp:CP_TEST: receive message [2,"5014c33f-b8c7-42bd-b4df-6411e5c35681","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
751 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
752 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
753 INFO:ocpp:CP_TEST: send [3,"5014c33f-b8c7-42bd-b4df-6411e5c35681",{}]
754 INFO:ocpp:CP_TEST: receive message [3,"5014c33f-b8c7-42bd-b4df-6411e5c35681",{}]
755 INFO:MockSystemTest:5.19 StatusNotification: Available
756 INFO:MockSystemTest:
757 --- 6. Charging Profile Verification (Full Sequence) ---
758 INFO:ocpp:CP_TEST: send [2,"6c1e7444-d933-4a24-bc18-d6435597ebc5","ChangeConfiguration",{ "key":"MeterValueSampleInterval","value":"1"}]
759 INFO:ocpp:CP_TEST: receive message [2,"6c1e7444-d933-4a24-bc18-d6435597ebc5","ChangeConfiguration",{ "key":"MeterValueSampleInterval","value":"1"}]
760 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 1
761 INFO:ocpp:CP_TEST: send [3,"6c1e7444-d933-4a24-bc18-d6435597ebc5",{ "status":"Accepted"}]
762 INFO:ocpp:CP_TEST: receive message [3,"6c1e7444-d933-4a24-bc18-d6435597ebc5",{ "status":"Accepted"}]
763 INFO:ocpp:CP_TEST: send [2,"b0592e7f-cb07-425a-bb00-c68ce806cb7d","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
764 INFO:ocpp:CP_TEST: receive message [2,"b0592e7f-cb07-425a-bb00-c68ce806cb7d","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
765 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
766 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
767 INFO:ocpp:CP_TEST: send [3,"b0592e7f-cb07-425a-bb00-c68ce806cb7d",{}]
768 INFO:ocpp:CP_TEST: receive message [3,"b0592e7f-cb07-425a-bb00-c68ce806cb7d",{}]
769 INFO:MockSystemTest:6.1 StatusNotification (Unplug): Available
770 INFO:ocpp:CP_TEST: send [2,"4137ecaa-1384-4e8c-8f66-1a5487304dfb","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]
771 INFO:ocpp:CP_TEST: receive message [2,"4137ecaa-1384-4e8c-8f66-1a5487304dfb","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]
772 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
773 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
774 INFO:ocpp:CP_TEST: send [3,"4137ecaa-1384-4e8c-8f66-1a5487304dfb",{}]
```

```
775 INFO:ocpp:CP_TEST: receive message [3,"4137ecaa-1384-4e8c-8f66-1a5487304dfb",{}]  
776 INFO:MockSystemTest:6.2 StatusNotification (Plug): Preparing  
777 INFO:ocpp:CP_TEST: send [2,"1193db5b-0606-4527-b090-0630f76ac90c","Authorize",{ "idTag": "CARD_1234" }]  
778 INFO:ocpp:CP_TEST: receive message [2,"1193db5b-0606-4527-b090-0630f76ac90c","Authorize",{ "idTag": "CARD_1234" }]  
779 INFO:MockSystemTest:[CSMS] <- Authorize: { 'id_tag': 'CARD_1234' }  
780 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={ 'status': <AuthorizationStatus.accepted: 'Accepted'> })  
781 INFO:ocpp:CP_TEST: send [3,"1193db5b-0606-4527-b090-0630f76ac90c",{ "idTagInfo": { "status": "Accepted" } }]  
782 INFO:ocpp:CP_TEST: receive message [3,"1193db5b-0606-4527-b090-0630f76ac90c",{ "idTagInfo": { "status": "Accepted" } }]  
783 INFO:MockSystemTest:6.3 Authorize: Accepted  
784 INFO:ocpp:CP_TEST: send [2,"cceff686-ba83-4df0-b708-93b15e72eaca","StartTransaction",{ "connectorId": 1, "idTag": "CARD_1234", "meterStart": 0, "timestamp": "2026-01-06T13:18:07.365355" }]  
785 INFO:ocpp:CP_TEST: receive message [2,"cceff686-ba83-4df0-b708-93b15e72eaca","StartTransaction",{ "connectorId": 1, "idTag": "CARD_1234", "meterStart": 0, "timestamp": "2026-01-06T13:18:07.365355" }]  
786 INFO:MockSystemTest:[CSMS] <- StartTransaction: { 'connector_id': 1, 'id_tag': 'CARD_1234', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:07.365355' }  
787 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={ 'status': <AuthorizationStatus.accepted: 'Accepted'> })  
788 INFO:ocpp:CP_TEST: send [3,"cceff686-ba83-4df0-b708-93b15e72eaca",{ "transactionId": 123, "idTagInfo": { "status": "Accepted" } }]  
789 INFO:ocpp:CP_TEST: receive message [3,"cceff686-ba83-4df0-b708-93b15e72eaca",{ "transactionId": 123, "idTagInfo": { "status": "Accepted" } }]  
790 INFO:ocpp_16_interface:Transaction started on 1: 123  
791 INFO:MockSystemTest:HARDWARE: Charger started.  
792 INFO:MockSystemTest:6.4 StartTransaction: Sent  
793 INFO:ocpp:CP_TEST: send [2,"fa79b8e2-f86d-44c7-b6a5-9d2a096de36e","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Charging" }]  
794 INFO:ocpp:CP_TEST: receive message [2,"fa79b8e2-f86d-44c7-b6a5-9d2a096de36e","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Charging" }]  
795 INFO:MockSystemTest:[CSMS] <- StatusNotification: { 'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging' }  
796 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
797 INFO:ocpp:CP_TEST: send [3,"fa79b8e2-f86d-44c7-b6a5-9d2a096de36e",{}]  
798 INFO:ocpp:CP_TEST: receive message [3,"fa79b8e2-f86d-44c7-b6a5-9d2a096de36e",{}]  
799 INFO:MockSystemTest:6.5 StatusNotification: Charging  
800 INFO:MockSystemTest:6.6 Waiting for MeterValues...  
801 INFO:ocpp:CP_TEST: send [2,"d98fda41-3a98-47d8-8dbc-fdb16000ff5c","MeterValues",{ "connectorId": 1, "meterValue": [ { "timestamp": "2026-01-06T13:18:08.368054", "sampledValue": [ { "value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V" }, { "value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A" }, { "value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W" } ] }, { "transactionId": 123 } ] }]  
802 INFO:ocpp:CP_TEST: receive message [2,"d98fda41-3a98-47d8-8dbc-fdb16000ff5c","MeterValues",{ "connectorId": 1, "meterValue": [ { "timestamp": "2026-01-06T13:18:08.368054", "sampledValue": [ { "value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V" }, { "value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A" }, { "value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W" } ] }, { "transactionId": 123 } ] }]
```

```
803 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:08.368054', 'sampled_value': [{'value':  
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
    Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}  
804 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
805 INFO:ocpp:CP_TEST: send [3,"d98fda41-3a98-47d8-8dbc-fdb16000ff5c",{}]  
806 INFO:ocpp:CP_TEST: receive message [3,"d98fda41-3a98-47d8-8dbc-fdb16000ff5c",{}]  
807 INFO:MockSystemTest:PASS: 6.6 MeterValues received.  
808 INFO:ocpp:CP_TEST: send [2,"f7f216d7-a591-4b94-a249-53c836b0fa31","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":1,"  
    stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","  
    chargingSchedulePeriod":[{"startPeriod":0,"limit":5000}]}}}]  
809 INFO:ocpp:CP_TEST: receive message [2,"f7f216d7-a591-4b94-a249-53c836b0fa31","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"  
    chargingProfileId":1,"stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":  
    "W","chargingSchedulePeriod":[{"startPeriod":0,"limit":5000}]}}}]  
810 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1  
811 INFO:ocpp:CP_TEST: send [2,"e06b8c94-6c23-4329-ae6c-02cd2f917dc6","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13  
    :18:09.372515","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","  
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","  
    measurand":"Power.Active.Import","unit":"W"}]}]}, "transactionId":123}]  
812 INFO:ocpp:CP_TEST: receive message [2,"e06b8c94-6c23-4329-ae6c-02cd2f917dc6","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13  
    :18:09.372515","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","  
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","  
    measurand":"Power.Active.Import","unit":"W"}]}]}, "transactionId":123}]  
813 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:09.372515', 'sampled_value': [{'value':  
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
    Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}  
814 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
815 INFO:ocpp:CP_TEST: send [3,"f7f216d7-a591-4b94-a249-53c836b0fa31",{"status":"Accepted"}]  
816 INFO:ocpp:CP_TEST: send [3,"e06b8c94-6c23-4329-ae6c-02cd2f917dc6",{}]  
817 INFO:ocpp:CP_TEST: receive message [3,"f7f216d7-a591-4b94-a249-53c836b0fa31",{"status":"Accepted"}]  
818 INFO:ocpp:CP_TEST: receive message [3,"e06b8c94-6c23-4329-ae6c-02cd2f917dc6",{}]  
819 INFO:MockSystemTest:6.7 SetChargingProfile: Accepted  
820 INFO:ocpp:CP_TEST: send [2,"a0e29006-498e-41ad-8900-5d3a200c0048","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13  
    :18:10.376841","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","  
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","  
    measurand":"Power.Active.Import","unit":"W"}]}]}, "transactionId":123}]  
821 INFO:ocpp:CP_TEST: receive message [2,"a0e29006-498e-41ad-8900-5d3a200c0048","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13  
    :18:10.376841","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","  
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","
```

```
      measurand": "Power.Active.Import", "unit": "W"}]]], "transactionId": 123}]
822 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:10.376841', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
823 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
824 INFO:ocpp:CP_TEST: send [3,"a0e29006-498e-41ad-8900-5d3a200c0048",{}]
825 INFO:ocpp:CP_TEST: receive message [3,"a0e29006-498e-41ad-8900-5d3a200c0048",{}]
826 INFO:MockSystemTest:6.8 MeterValues received (assumed valid).
827 INFO:ocpp:CP_TEST: send [2,"1ee797d2-2e10-47e5-911a-2adb1f22cc54","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":1,"
    stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","
    chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]
828 INFO:ocpp:CP_TEST: receive message [2,"1ee797d2-2e10-47e5-911a-2adb1f22cc54","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"
    chargingProfileId":1,"stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"
    W","chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]
829 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
830 INFO:ocpp:CP_TEST: send [3,"1ee797d2-2e10-47e5-911a-2adb1f22cc54",{"status":"Accepted"}]
831 INFO:ocpp:CP_TEST: receive message [3,"1ee797d2-2e10-47e5-911a-2adb1f22cc54",{"status":"Accepted"}]
832 INFO:MockSystemTest:6.9 SetChargingProfile (Update): Accepted
833 INFO:ocpp:CP_TEST: send [2,"f4b6539e-dc18-4302-9628-f9c963cb770f","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:11.380829","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]]], "transactionId": 123}]
834 INFO:ocpp:CP_TEST: receive message [2,"f4b6539e-dc18-4302-9628-f9c963cb770f","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:11.380829","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]]], "transactionId": 123}]
835 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:11.380829', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
836 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
837 INFO:ocpp:CP_TEST: send [3,"f4b6539e-dc18-4302-9628-f9c963cb770f",{}]
838 INFO:ocpp:CP_TEST: receive message [3,"f4b6539e-dc18-4302-9628-f9c963cb770f",{}]
839 INFO:ocpp:CP_TEST: send [2,"eed869a7-2231-4410-a9c2-05a99417c6aa","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:12.384557","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"}, {"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]]], "transactionId": 123}]
840 INFO:ocpp:CP_TEST: receive message [2,"eed869a7-2231-4410-a9c2-05a99417c6aa","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:12.384557","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0","
```

```
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
841 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:12.384557', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
842 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
843 INFO:ocpp:CP_TEST: send [3,"eed869a7-2231-4410-a9c2-05a99417c6aa",{}]
844 INFO:ocpp:CP_TEST: receive message [3,"eed869a7-2231-4410-a9c2-05a99417c6aa",{}]
845 INFO:MockSystemTest:6.10 MeterValues received.
846 INFO:ocpp:CP_TEST: send [2,"da31e75d-cd79-4611-bc78-0bb86e2bac0c","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:13.380953",
transactionId":123,"reason":"Local"}]
847 INFO:ocpp:CP_TEST: receive message [2,"da31e75d-cd79-4611-bc78-0bb86e2bac0c","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
:18:13.380953","transactionId":123,"reason":"Local"}]
848 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:13.380953', 'transaction_id': 123, 'reason': 'Local
'}
849 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
850 INFO:ocpp:CP_TEST: send [3,"da31e75d-cd79-4611-bc78-0bb86e2bac0c",{"idTagInfo":{"status":"Accepted"}}]
851 INFO:ocpp:CP_TEST: receive message [3,"da31e75d-cd79-4611-bc78-0bb86e2bac0c",{"idTagInfo":{"status":"Accepted"}}]
852 INFO:ocpp_16_interface:Transaction stopped on 1: 123
853 INFO:MockSystemTest:HARDWARE: Charger stopped.
854 INFO:MockSystemTest:6.11 StopTransaction: Sent
855 INFO:ocpp:CP_TEST: send [2,"02a9ccfb-ebea-4ae9-9fa7-0b92c1993001","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
856 INFO:ocpp:CP_TEST: receive message [2,"02a9ccfb-ebea-4ae9-9fa7-0b92c1993001","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Finishing"}]
857 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
858 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
859 INFO:ocpp:CP_TEST: send [3,"02a9ccfb-ebea-4ae9-9fa7-0b92c1993001",{}]
860 INFO:ocpp:CP_TEST: receive message [3,"02a9ccfb-ebea-4ae9-9fa7-0b92c1993001",{}]
861 INFO:MockSystemTest:6.12 StatusNotification: Finishing
862 INFO:ocpp:CP_TEST: send [2,"333d8774-cb31-48c3-ac50-aea33edc1b7e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
863 INFO:ocpp:CP_TEST: receive message [2,"333d8774-cb31-48c3-ac50-aea33edc1b7e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Available"}]
864 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
865 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
866 INFO:ocpp:CP_TEST: send [3,"333d8774-cb31-48c3-ac50-aea33edc1b7e",{}]
867 INFO:ocpp:CP_TEST: receive message [3,"333d8774-cb31-48c3-ac50-aea33edc1b7e",{}]
868 INFO:MockSystemTest:6.13 StatusNotification: Available
869 INFO:ocpp:CP_TEST: send [2,"1e2a84e9-df29-4ba2-bb2d-230f2f64cd62","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
```

```
870 INFO:ocpp:CP_TEST: receive message [2,"1e2a84e9-df29-4ba2-bb2d-230f2f64cd62","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
871 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
872 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
873 INFO:ocpp:CP_TEST: send [3,"1e2a84e9-df29-4ba2-bb2d-230f2f64cd62",{}]
874 INFO:ocpp:CP_TEST: receive message [3,"1e2a84e9-df29-4ba2-bb2d-230f2f64cd62",{}]
875 INFO:MockSystemTest:6.14 StatusNotification: Preparing
876 INFO:ocpp:CP_TEST: send [2,"83b8fb37-5c0d-4924-8da0-2e16d9f22d06","RemoteStartTransaction",{"idTag":"REMOTE_TAG"}]
877 INFO:ocpp:CP_TEST: receive message [2,"83b8fb37-5c0d-4924-8da0-2e16d9f22d06","RemoteStartTransaction",{"idTag":"REMOTE_TAG"}]
878 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_TAG
879 INFO:ocpp:CP_TEST: send [3,"83b8fb37-5c0d-4924-8da0-2e16d9f22d06",{"status":"Accepted"}]
880 INFO:ocpp:CP_TEST: send [2,"ebe69a7a-a733-4d72-8a48-c0e5cf8cd1b8","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"timestamp
    ":"2026-01-06T13:18:13.390394"}]]
881 INFO:ocpp:CP_TEST: receive message [3,"83b8fb37-5c0d-4924-8da0-2e16d9f22d06",{"status":"Accepted"}]
882 INFO:ocpp:CP_TEST: receive message [2,"ebe69a7a-a733-4d72-8a48-c0e5cf8cd1b8","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"
    timestamp":"2026-01-06T13:18:13.390394"}]]
883 INFO:MockSystemTest:6.15 RemoteStartTransaction: Accepted
884 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13
    :18:13.390394'}
885 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
886 INFO:ocpp:CP_TEST: send [3,"ebe69a7a-a733-4d72-8a48-c0e5cf8cd1b8",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
887 INFO:ocpp:CP_TEST: receive message [3,"ebe69a7a-a733-4d72-8a48-c0e5cf8cd1b8",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
888 INFO:ocpp:CP_TEST: send [2,"5d968f55-1e6b-43b6-ba7c-7d77e9155c8b","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"timestamp
    ":"2026-01-06T13:18:13.391516"}]]
889 INFO:ocpp_16_interface:Transaction started on 1: 123
890 INFO:MockSystemTest:HARDWARE: Charger started.
891 INFO:ocpp:CP_TEST: receive message [2,"5d968f55-1e6b-43b6-ba7c-7d77e9155c8b","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"
    timestamp":"2026-01-06T13:18:13.391516"}]]
892 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13
    :18:13.391516'}
893 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
894 INFO:ocpp:CP_TEST: send [3,"5d968f55-1e6b-43b6-ba7c-7d77e9155c8b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
895 INFO:ocpp:CP_TEST: receive message [3,"5d968f55-1e6b-43b6-ba7c-7d77e9155c8b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
896 INFO:ocpp_16_interface:Transaction started on 1: 123
897 INFO:MockSystemTest:HARDWARE: Charger started.
898 INFO:MockSystemTest:6.16 StartTransaction: Sent
899 INFO:ocpp:CP_TEST: send [2,"04f22821-cd6d-4281-a298-8bfca5d0fd48","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]]
```

```
900 INFO:ocpp:CP_TEST: receive message [2,"04f22821-cd6d-4281-a298-8bfca5d0fd48","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
901 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
902 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
903 INFO:ocpp:CP_TEST: send [3,"04f22821-cd6d-4281-a298-8bfca5d0fd48",{}]
904 INFO:ocpp:CP_TEST: receive message [3,"04f22821-cd6d-4281-a298-8bfca5d0fd48",{}]
905 INFO:MockSystemTest:6.17 StatusNotification: Charging
906 INFO:ocpp:CP_TEST: send [2,"7ae3ee26-e63f-402d-aaf8-34803c83dc03","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:14.393002","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
907 INFO:ocpp:CP_TEST: receive message [2,"7ae3ee26-e63f-402d-aaf8-34803c83dc03","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:14.393002","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
908 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:14.393002', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
909 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
910 INFO:ocpp:CP_TEST: send [3,"7ae3ee26-e63f-402d-aaf8-34803c83dc03",{}]
911 INFO:ocpp:CP_TEST: receive message [3,"7ae3ee26-e63f-402d-aaf8-34803c83dc03",{}]
912 INFO:ocpp:CP_TEST: send [2,"30b92a9f-5218-4ea0-a3ff-10584ce0d36b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:14.394703","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
913 INFO:ocpp:CP_TEST: receive message [2,"30b92a9f-5218-4ea0-a3ff-10584ce0d36b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:14.394703","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
914 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:14.394703', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
915 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
916 INFO:ocpp:CP_TEST: send [3,"30b92a9f-5218-4ea0-a3ff-10584ce0d36b",{}]
917 INFO:ocpp:CP_TEST: receive message [3,"30b92a9f-5218-4ea0-a3ff-10584ce0d36b",{}]
918 INFO:MockSystemTest:6.18 MeterValues received.
919 INFO:ocpp:CP_TEST: send [2,"898304fa-e3c5-4491-843b-20b93b25e3f5","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W",
```

```
chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]
920 INFO:ocpp:CP_TEST: receive message [2,"898304fa-e3c5-4491-843b-20b93b25e3f5","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"
chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"
W","chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]
921 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
922 INFO:ocpp:CP_TEST: send [2,"8f384a9f-bce4-4dec-8207-ebfc46fd08f4","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:15.397538","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}],"transactionId":123}]
923 INFO:ocpp:CP_TEST: send [3,"898304fa-e3c5-4491-843b-20b93b25e3f5",{"status":"Accepted"}]
924 INFO:ocpp:CP_TEST: receive message [2,"8f384a9f-bce4-4dec-8207-ebfc46fd08f4","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:15.397538","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}],"transactionId":123}]
925 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:15.397538', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
926 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
927 INFO:ocpp:CP_TEST: send [3,"8f384a9f-bce4-4dec-8207-ebfc46fd08f4",{}]
928 INFO:ocpp:CP_TEST: receive message [3,"898304fa-e3c5-4491-843b-20b93b25e3f5",{"status":"Accepted"}]
929 INFO:ocpp:CP_TEST: receive message [3,"8f384a9f-bce4-4dec-8207-ebfc46fd08f4",{}]
930 INFO:MockSystemTest:6.19 SetChargingProfile: Accepted
931 INFO:ocpp:CP_TEST: send [2,"7a5996a7-d9a1-4cda-a96a-2dd7c46afbc8","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:15.399902","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}],"transactionId":123}]
932 INFO:ocpp:CP_TEST: receive message [2,"7a5996a7-d9a1-4cda-a96a-2dd7c46afbc8","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:15.399902","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}],"transactionId":123}]
933 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:15.399902', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
934 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
935 INFO:ocpp:CP_TEST: send [3,"7a5996a7-d9a1-4cda-a96a-2dd7c46afbc8",{}]
936 INFO:ocpp:CP_TEST: receive message [3,"7a5996a7-d9a1-4cda-a96a-2dd7c46afbc8",{}]
937 INFO:ocpp:CP_TEST: send [2,"58edf570-49df-4f47-8edd-52c63f5a8863","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:16.403709","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
```

```
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
938 INFO:ocpp:CP_TEST: receive message [2,"58edf570-49df-4f47-8edd-52c63f5a8863","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:16.403709","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
939 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:16.403709', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
940 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
941 INFO:ocpp:CP_TEST: send [3,"58edf570-49df-4f47-8edd-52c63f5a8863",{}]
942 INFO:ocpp:CP_TEST: receive message [3,"58edf570-49df-4f47-8edd-52c63f5a8863",{}]
943 INFO:ocpp:CP_TEST: send [2,"b87aca87-236b-4fb2-bf65-fa1a4b5741d2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:16.405118","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
944 INFO:ocpp:CP_TEST: receive message [2,"b87aca87-236b-4fb2-bf65-fa1a4b5741d2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:16.405118","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
945 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:16.405118', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
946 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
947 INFO:ocpp:CP_TEST: send [3,"b87aca87-236b-4fb2-bf65-fa1a4b5741d2",{}]
948 INFO:ocpp:CP_TEST: receive message [3,"b87aca87-236b-4fb2-bf65-fa1a4b5741d2",{}]
949 INFO:MockSystemTest:6.20 MeterValues received.
950 INFO:ocpp:CP_TEST: send [2,"64293a7a-05d5-4090-a718-5eb74625c9b7","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":2,"
stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W",
chargingSchedulePeriod":[{"startPeriod":0,"limit":3000}]}}}]
951 INFO:ocpp:CP_TEST: receive message [2,"64293a7a-05d5-4090-a718-5eb74625c9b7","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"
chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":
"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":3000}]}}}]
952 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
953 INFO:ocpp:CP_TEST: send [3,"64293a7a-05d5-4090-a718-5eb74625c9b7",{"status":"Accepted"}]
954 INFO:ocpp:CP_TEST: receive message [3,"64293a7a-05d5-4090-a718-5eb74625c9b7",{"status":"Accepted"}]
955 INFO:MockSystemTest:6.21 SetChargingProfile: Accepted
```

```
956 INFO:ocpp:CP_TEST: send [2,"0bb2fe58-5a55-4c19-a402-9fd7864141fb","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:17.408610","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
957 INFO:ocpp:CP_TEST: receive message [2,"0bb2fe58-5a55-4c19-a402-9fd7864141fb","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:17.408610","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
958 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:17.408610', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
959 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
960 INFO:ocpp:CP_TEST: send [3,"0bb2fe58-5a55-4c19-a402-9fd7864141fb",{}]
961 INFO:ocpp:CP_TEST: receive message [3,"0bb2fe58-5a55-4c19-a402-9fd7864141fb",{}]
962 INFO:ocpp:CP_TEST: send [2,"7f2043bb-fd2e-4f44-a760-f8b48602bd1e","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:17.410683","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
963 INFO:ocpp:CP_TEST: receive message [2,"7f2043bb-fd2e-4f44-a760-f8b48602bd1e","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:17.410683","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
964 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:17.410683', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
965 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
966 INFO:ocpp:CP_TEST: send [3,"7f2043bb-fd2e-4f44-a760-f8b48602bd1e",{}]
967 INFO:ocpp:CP_TEST: receive message [3,"7f2043bb-fd2e-4f44-a760-f8b48602bd1e",{}]
968 INFO:ocpp:CP_TEST: send [2,"fdf345bd-9525-4ae2-b0f2-0630ae5db89a","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:18.413518","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
969 INFO:ocpp:CP_TEST: receive message [2,"fdf345bd-9525-4ae2-b0f2-0630ae5db89a","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:18.413518","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
970 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:18.413518', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
```

```
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
971 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
972 INFO:ocpp:CP_TEST: send [3,"fdf345bd-9525-4ae2-b0f2-0630ae5db89a",{}]
973 INFO:ocpp:CP_TEST: receive message [3,"fdf345bd-9525-4ae2-b0f2-0630ae5db89a",{}]
974 INFO:ocpp:CP_TEST: send [2,"92133d8d-6969-43ac-a74a-8d055f324686","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:18.414921","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
975 INFO:ocpp:CP_TEST: receive message [2,"92133d8d-6969-43ac-a74a-8d055f324686","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:18.414921","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
976 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:18.414921', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]], 'transaction_id': 123}
977 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
978 INFO:ocpp:CP_TEST: send [3,"92133d8d-6969-43ac-a74a-8d055f324686",{}]
979 INFO:ocpp:CP_TEST: receive message [3,"92133d8d-6969-43ac-a74a-8d055f324686",{}]
980 INFO:MockSystemTest:6.22 MeterValues received.
981 INFO:ocpp:CP_TEST: send [2,"8ac57556-084f-46aa-9252-c4c62024ceda","RemoteStopTransaction",{"transactionId":123}]
982 INFO:ocpp:CP_TEST: receive message [2,"8ac57556-084f-46aa-9252-c4c62024ceda","RemoteStopTransaction",{"transactionId":123}]
983 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
984 INFO:ocpp:CP_TEST: send [3,"8ac57556-084f-46aa-9252-c4c62024ceda",{"status":"Accepted"}]
985 INFO:ocpp:CP_TEST: receive message [3,"8ac57556-084f-46aa-9252-c4c62024ceda",{"status":"Accepted"}]
986 INFO:ocpp:CP_TEST: send [2,"ecd88cb4-28bc-4963-8945-4b47e9b060ea","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:19.409721","transactionId":123,"reason":"Remote"}]
987 INFO:MockSystemTest:6.23 RemoteStopTransaction: Accepted
988 INFO:ocpp:CP_TEST: receive message [2,"ecd88cb4-28bc-4963-8945-4b47e9b060ea","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:19.409721","transactionId":123,"reason":"Remote"}]
989 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:19.409721', 'transaction_id': 123, 'reason': 'Remote'}
990 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
991 INFO:ocpp:CP_TEST: send [3,"ecd88cb4-28bc-4963-8945-4b47e9b060ea",{"idTagInfo":{"status":"Accepted"}}]
992 INFO:ocpp:CP_TEST: receive message [3,"ecd88cb4-28bc-4963-8945-4b47e9b060ea",{"idTagInfo":{"status":"Accepted"}}]
993 INFO:ocpp_16_interface:Transaction stopped on 1: 123
994 INFO:MockSystemTest:HARDWARE: Charger stopped.
995 INFO:ocpp:CP_TEST: send [2,"91a1ee2b-5b37-4ecb-9b36-cff164c46870","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:19.419192","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"}, {"value":"16.0",
```

```
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
996 INFO:ocpp:CP_TEST: receive message [2,"91a1ee2b-5b37-4ecb-9b36-cff164c46870","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:19.419192","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}]
997 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:19.419192', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
998 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
999 INFO:ocpp:CP_TEST: send [3,"91a1ee2b-5b37-4ecb-9b36-cff164c46870",{}]
1000 INFO:ocpp:CP_TEST: receive message [3,"91a1ee2b-5b37-4ecb-9b36-cff164c46870",{}]
1001 INFO:MockSystemTest:6.24 StopTransaction: Triggered by RemoteStop
1002 INFO:ocpp:CP_TEST: send [2,"7bb24f6e-961f-4ad6-a171-d8e87d230259","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"]]
1003 INFO:ocpp:CP_TEST: receive message [2,"7bb24f6e-961f-4ad6-a171-d8e87d230259","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Finishing"}]]
1004 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1005 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1006 INFO:ocpp:CP_TEST: send [3,"7bb24f6e-961f-4ad6-a171-d8e87d230259",{}]
1007 INFO:ocpp:CP_TEST: receive message [3,"7bb24f6e-961f-4ad6-a171-d8e87d230259",{}]
1008 INFO:MockSystemTest:6.25 StatusNotification: Finishing
1009 INFO:ocpp:CP_TEST: send [2,"e218046d-dc5d-40ea-928c-2b57bf65dd8e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"]]
1010 INFO:ocpp:CP_TEST: receive message [2,"e218046d-dc5d-40ea-928c-2b57bf65dd8e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Available"}]]
1011 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1012 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1013 INFO:ocpp:CP_TEST: send [3,"e218046d-dc5d-40ea-928c-2b57bf65dd8e",{}]
1014 INFO:ocpp:CP_TEST: receive message [3,"e218046d-dc5d-40ea-928c-2b57bf65dd8e",{}]
1015 INFO:MockSystemTest:6.26 StatusNotification: Available
1016 INFO:MockSystemTest:
1017 --- 7. Abnormal Operation Verification (Detailed) ---
1018 INFO:MockSystemTest:--- 7.1 Remote Start (Unplugged) ---
1019 INFO:ocpp:CP_TEST: send [2,"9168dc56-a0c8-40e7-a3ab-dbdd8681a0c7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"]]
1020 INFO:ocpp:CP_TEST: receive message [2,"9168dc56-a0c8-40e7-a3ab-dbdd8681a0c7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Available"}]]
1021 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1022 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1023 INFO:ocpp:CP_TEST: send [3,"9168dc56-a0c8-40e7-a3ab-dbdd8681a0c7",{}]
1024 INFO:ocpp:CP_TEST: receive message [3,"9168dc56-a0c8-40e7-a3ab-dbdd8681a0c7",{}]
```

```
1025 INFO:MockSystemTest:7.1.1 Status: Available
1026 INFO:ocpp:CP_TEST: send [2,"7057885f-4322-4c71-9977-6941dec135da","RemoteStartTransaction",{"idTag":"REMOTE_UNPLUGGED"}]
1027 INFO:ocpp:CP_TEST: receive message [2,"7057885f-4322-4c71-9977-6941dec135da","RemoteStartTransaction",{"idTag":"REMOTE_UNPLUGGED"}]
1028 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_UNPLUGGED
1029 INFO:ocpp:CP_TEST: send [3,"7057885f-4322-4c71-9977-6941dec135da",{"status":"Accepted"}]
1030 INFO:ocpp:CP_TEST: send [2,"656ced14-2fdb-4347-85f3-238cd2b51e1c","StartTransaction",{"connectorId":1,"idTag":"REMOTE_UNPLUGGED","meterStart":0,"
timestamp":"2026-01-06T13:18:20.419970"}]
1031 INFO:ocpp:CP_TEST: receive message [3,"7057885f-4322-4c71-9977-6941dec135da",{"status":"Accepted"}]
1032 INFO:ocpp:CP_TEST: receive message [2,"656ced14-2fdb-4347-85f3-238cd2b51e1c","StartTransaction",{"connectorId":1,"idTag":"REMOTE_UNPLUGGED",
meterStart":0,"timestamp":"2026-01-06T13:18:20.419970"}]
1033 INFO:MockSystemTest:7.1.2 RemoteStart (Unplugged): Accepted
1034 INFO:MockSystemTest:--- 7.2 Concurrent Remote Start ---
1035 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_UNPLUGGED', 'meter_start': 0, 'timestamp': '2026-01-06T13
:18:20.419970'}
1036 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
Accepted'>})
1037 INFO:ocpp:CP_TEST: send [3,"656ced14-2fdb-4347-85f3-238cd2b51e1c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1038 INFO:ocpp:CP_TEST: receive message [3,"656ced14-2fdb-4347-85f3-238cd2b51e1c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1039 INFO:ocpp:CP_TEST: send [2,"f2b6fcea-23b9-4370-bc38-1249bbfd936f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1040 INFO:ocpp_16_interface:Transaction started on 1: 123
1041 INFO:MockSystemTest:HARDWARE: Charger started.
1042 INFO:ocpp:CP_TEST: receive message [2,"f2b6fcea-23b9-4370-bc38-1249bbfd936f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Preparing"}]
1043 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1044 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1045 INFO:ocpp:CP_TEST: send [3,"f2b6fcea-23b9-4370-bc38-1249bbfd936f",{}]
1046 INFO:ocpp:CP_TEST: receive message [3,"f2b6fcea-23b9-4370-bc38-1249bbfd936f",{}]
1047 INFO:ocpp:CP_TEST: send [2,"d05ea228-6510-4bde-99d3-68f2a328eb33","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:20.422880","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}],{"transactionId":123}]
1048 INFO:MockSystemTest:7.2.1 Status: Preparing
1049 INFO:MockSystemTest:--- 7.2 Remote Start Same Connector ID ---
1050 INFO:ocpp:CP_TEST: receive message [2,"d05ea228-6510-4bde-99d3-68f2a328eb33","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:20.422880","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}],{"transactionId":123}]
1051 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:20.422880', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}
```

```
Power.Active.Import', 'unit': 'W']]]], 'transaction_id': 123}
1052 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1053 INFO:ocpp:CP_TEST: send [3,"d05ea228-6510-4bde-99d3-68f2a328eb33",{}]
1054 INFO:ocpp:CP_TEST: receive message [3,"d05ea228-6510-4bde-99d3-68f2a328eb33",{}]
1055 INFO:ocpp:CP_TEST: send [2,"b35eb6ce-1f51-4d43-9546-3bb30e22de70","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1056 INFO:ocpp:CP_TEST: receive message [2,"b35eb6ce-1f51-4d43-9546-3bb30e22de70","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
1057 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1058 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1059 INFO:ocpp:CP_TEST: send [3,"b35eb6ce-1f51-4d43-9546-3bb30e22de70",{}]
1060 INFO:ocpp:CP_TEST: receive message [3,"b35eb6ce-1f51-4d43-9546-3bb30e22de70",{}]
1061 INFO:MockSystemTest:7.2.1 Status: Unplugged
1062 INFO:ocpp:CP_TEST: send [2,"83d3c993-d0f9-4dfb-ba5b-eba6ab7455ac","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1063 INFO:ocpp:CP_TEST: receive message [2,"83d3c993-d0f9-4dfb-ba5b-eba6ab7455ac","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
1064 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1065 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1066 INFO:ocpp:CP_TEST: send [3,"83d3c993-d0f9-4dfb-ba5b-eba6ab7455ac",{}]
1067 INFO:ocpp:CP_TEST: receive message [3,"83d3c993-d0f9-4dfb-ba5b-eba6ab7455ac",{}]
1068 INFO:MockSystemTest:7.2.2 Status: Plugged
1069 INFO:ocpp:CP_TEST: send [2,"90bfe50a-c2d1-477c-b57b-7ce090eda615","RemoteStartTransaction",{"idTag":"REMOTE_1","connectorId":1}]
1070 INFO:ocpp:CP_TEST: receive message [2,"90bfe50a-c2d1-477c-b57b-7ce090eda615","RemoteStartTransaction",{"idTag":"REMOTE_1","connectorId":1}]
1071 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_1
1072 INFO:ocpp:CP_TEST: send [3,"90bfe50a-c2d1-477c-b57b-7ce090eda615",{"status":"Rejected"}]
1073 INFO:ocpp:CP_TEST: receive message [3,"90bfe50a-c2d1-477c-b57b-7ce090eda615",{"status":"Rejected"}]
1074 INFO:MockSystemTest:7.2.3 RemoteStart (1): Rejected
1075 INFO:ocpp:CP_TEST: send [2,"aec2c58c-7424-4d66-b446-38b0902f3999","RemoteStartTransaction",{"idTag":"REMOTE_2","connectorId":1}]
1076 INFO:ocpp:CP_TEST: receive message [2,"aec2c58c-7424-4d66-b446-38b0902f3999","RemoteStartTransaction",{"idTag":"REMOTE_2","connectorId":1}]
1077 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_2
1078 INFO:ocpp:CP_TEST: send [3,"aec2c58c-7424-4d66-b446-38b0902f3999",{"status":"Rejected"}]
1079 INFO:ocpp:CP_TEST: receive message [3,"aec2c58c-7424-4d66-b446-38b0902f3999",{"status":"Rejected"}]
1080 INFO:MockSystemTest:7.2.4 RemoteStart (2) Same ID: Rejected
1081 WARNING:ocpp_16_interface:Transaction already in progress for connector 1.
1082 INFO:MockSystemTest:7.2.5 StartTransaction: Sent
1083 INFO:ocpp:CP_TEST: send [2,"06fa3c80-7ca7-4b86-941b-7c58245e8db6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1084 INFO:ocpp:CP_TEST: receive message [2,"06fa3c80-7ca7-4b86-941b-7c58245e8db6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Charging"}]]
1085 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1086 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1087 INFO:ocpp:CP_TEST: send [3,"06fa3c80-7ca7-4b86-941b-7c58245e8db6",{}]
```

```
1088 INFO:ocpp:CP_TEST: receive message [3,"06fa3c80-7ca7-4b86-941b-7c58245e8db6",{}]
1089 INFO:MockSystemTest:7.2.6 Status: Charging
1090 INFO:ocpp:CP_TEST: send [2,"6f5f5a66-f43c-4f5c-842e-69f673f0e0c2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:21.423383","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1091 INFO:ocpp:CP_TEST: receive message [2,"6f5f5a66-f43c-4f5c-842e-69f673f0e0c2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:21.423383","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1092 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:21.423383', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1093 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1094 INFO:ocpp:CP_TEST: send [3,"6f5f5a66-f43c-4f5c-842e-69f673f0e0c2",{}]
1095 INFO:ocpp:CP_TEST: receive message [3,"6f5f5a66-f43c-4f5c-842e-69f673f0e0c2",{}]
1096 INFO:ocpp:CP_TEST: send [2,"d522ec85-7720-4f66-8e89-4783985612c9","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:21.426153","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1097 INFO:ocpp:CP_TEST: receive message [2,"d522ec85-7720-4f66-8e89-4783985612c9","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:21.426153","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1098 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:21.426153', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1099 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1100 INFO:ocpp:CP_TEST: send [3,"d522ec85-7720-4f66-8e89-4783985612c9",{}]
1101 INFO:ocpp:CP_TEST: receive message [3,"d522ec85-7720-4f66-8e89-4783985612c9",{}]
1102 INFO:MockSystemTest:7.2.7 MeterValues: Simulated
1103 INFO:ocpp:CP_TEST: send [2,"a5bd4e12-34bc-4e24-a58a-905f45ce3d03","RemoteStopTransaction",{"transactionId":123}]
1104 INFO:ocpp:CP_TEST: receive message [2,"a5bd4e12-34bc-4e24-a58a-905f45ce3d03","RemoteStopTransaction",{"transactionId":123}]
1105 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
1106 INFO:ocpp:CP_TEST: send [3,"a5bd4e12-34bc-4e24-a58a-905f45ce3d03",{"status":"Accepted"}]
1107 INFO:ocpp:CP_TEST: receive message [3,"a5bd4e12-34bc-4e24-a58a-905f45ce3d03",{"status":"Accepted"}]
1108 INFO:ocpp:CP_TEST: send [2,"57eelf51-e317-450b-aa99-ae638abb5c40","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:21.433680",
transactionId":123,"reason":"Remote"}]
```

```
1109 INFO:MockSystemTest:7.2.8 RemoteStop: Sent
1110 INFO:ocpp:CP_TEST: receive message [2,"57ee1f51-e317-450b-aa99-ae638abb5c40","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
:18:21.433680","transactionId":123,"reason":"Remote"}]
1111 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:21.433680', 'transaction_id': 123, 'reason': 'Remote
'}
1112 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1113 INFO:ocpp:CP_TEST: send [3,"57ee1f51-e317-450b-aa99-ae638abb5c40",{"idTagInfo":{"status":"Accepted"}}]
1114 INFO:ocpp:CP_TEST: receive message [3,"57ee1f51-e317-450b-aa99-ae638abb5c40",{"idTagInfo":{"status":"Accepted"}}]
1115 INFO:ocpp:CP_TEST: send [2,"f4296ba4-dcbc-4d19-8835-f062c888e6bb","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:21.434664","
transactionId":123,"reason":"Remote"}]
1116 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1117 INFO:MockSystemTest:HARDWARE: Charger stopped.
1118 INFO:ocpp:CP_TEST: receive message [2,"f4296ba4-dcbc-4d19-8835-f062c888e6bb","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
:18:21.434664","transactionId":123,"reason":"Remote"}]
1119 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:21.434664', 'transaction_id': 123, 'reason': 'Remote
'}
1120 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1121 INFO:ocpp:CP_TEST: send [3,"f4296ba4-dcbc-4d19-8835-f062c888e6bb",{"idTagInfo":{"status":"Accepted"}}]
1122 INFO:ocpp:CP_TEST: receive message [3,"f4296ba4-dcbc-4d19-8835-f062c888e6bb",{"idTagInfo":{"status":"Accepted"}}]
1123 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1124 INFO:MockSystemTest:HARDWARE: Charger stopped.
1125 INFO:MockSystemTest:7.2.9 StopTransaction: Sent
1126 INFO:ocpp:CP_TEST: send [2,"b5074b21-4157-4078-9008-5db78666ffd7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1127 INFO:ocpp:CP_TEST: receive message [2,"b5074b21-4157-4078-9008-5db78666ffd7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Finishing"}]
1128 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1129 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1130 INFO:ocpp:CP_TEST: send [3,"b5074b21-4157-4078-9008-5db78666ffd7",{}]
1131 INFO:ocpp:CP_TEST: receive message [3,"b5074b21-4157-4078-9008-5db78666ffd7",{}]
1132 INFO:MockSystemTest:7.2.10 Status: Finishing
1133 INFO:ocpp:CP_TEST: send [2,"7ece9bbc-0a57-4d14-867d-d1a84332d8a3","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1134 INFO:ocpp:CP_TEST: receive message [2,"7ece9bbc-0a57-4d14-867d-d1a84332d8a3","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Available"}]
1135 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1136 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1137 INFO:ocpp:CP_TEST: send [3,"7ece9bbc-0a57-4d14-867d-d1a84332d8a3",{}]
1138 INFO:ocpp:CP_TEST: receive message [3,"7ece9bbc-0a57-4d14-867d-d1a84332d8a3",{}]
1139 INFO:MockSystemTest:7.2.11 Status: Unplugged
1140 INFO:MockSystemTest:--- 7.3 Swap Card ---
1141 INFO:ocpp:CP_TEST: send [2,"bebf94d2-f99d-4bc5-8133-258de969604f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
```

```
1142 INFO:ocpp:CP_TEST: receive message [2,"bebf94d2-f99d-4bc5-8133-258de969604f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
1143 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1144 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1145 INFO:ocpp:CP_TEST: send [3,"bebf94d2-f99d-4bc5-8133-258de969604f",{}]
1146 INFO:ocpp:CP_TEST: receive message [3,"bebf94d2-f99d-4bc5-8133-258de969604f",{}]
1147 INFO:MockSystemTest:7.3.1 Status: Available
1148 INFO:ocpp:CP_TEST: send [2,"872778c6-bb09-43b0-8c70-9747182d96ae","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
1149 INFO:ocpp:CP_TEST: receive message [2,"872778c6-bb09-43b0-8c70-9747182d96ae","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
1150 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1151 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1152 INFO:ocpp:CP_TEST: send [3,"872778c6-bb09-43b0-8c70-9747182d96ae",{}]
1153 INFO:ocpp:CP_TEST: receive message [3,"872778c6-bb09-43b0-8c70-9747182d96ae",{}]
1154 INFO:MockSystemTest:7.3.2 Status: Preparing
1155 INFO:ocpp:CP_TEST: send [2,"7467c618-dcea-4ed9-94f8-a2f8438e41a0","Authorize",{"idTag":"INVALID_CARD"}]]
1156 INFO:ocpp:CP_TEST: receive message [2,"7467c618-dcea-4ed9-94f8-a2f8438e41a0","Authorize",{"idTag":"INVALID_CARD"}]]
1157 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'INVALID_CARD'}
1158 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.invalid: 'Invalid'>})
1159 INFO:ocpp:CP_TEST: send [3,"7467c618-dcea-4ed9-94f8-a2f8438e41a0",{"idTagInfo":{"status":"Invalid"}}]]
1160 INFO:ocpp:CP_TEST: receive message [3,"7467c618-dcea-4ed9-94f8-a2f8438e41a0",{"idTagInfo":{"status":"Invalid"}}]]
1161 INFO:MockSystemTest:7.3.3 Authorize (Invalid): Invalid
1162 INFO:ocpp:CP_TEST: send [2,"49ea15c3-fe34-462c-920a-18e54e13e834","Authorize",{"idTag":"VALID_CARD"}]]
1163 INFO:ocpp:CP_TEST: receive message [2,"49ea15c3-fe34-462c-920a-18e54e13e834","Authorize",{"idTag":"VALID_CARD"}]]
1164 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'VALID_CARD'}
1165 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1166 INFO:ocpp:CP_TEST: send [3,"49ea15c3-fe34-462c-920a-18e54e13e834",{"idTagInfo":{"status":"Accepted"}}]]
1167 INFO:ocpp:CP_TEST: receive message [3,"49ea15c3-fe34-462c-920a-18e54e13e834",{"idTagInfo":{"status":"Accepted"}}]]
1168 INFO:MockSystemTest:7.3.4 Authorize (Accepted): Accepted
1169 INFO:ocpp:CP_TEST: send [2,"0a652ce6-4c91-4996-8c41-eb822de251c9","StartTransaction",{"connectorId":1,"idTag":"VALID_CARD","meterStart":0,"timestamp
    ":"2026-01-06T13:18:21.446223"}]]
1170 INFO:ocpp:CP_TEST: receive message [2,"0a652ce6-4c91-4996-8c41-eb822de251c9","StartTransaction",{"connectorId":1,"idTag":"VALID_CARD","meterStart":0,"
    timestamp":"2026-01-06T13:18:21.446223"}]]
1171 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'VALID_CARD', 'meter_start': 0, 'timestamp': '2026-01-06T13
    :18:21.446223'}
1172 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
1173 INFO:ocpp:CP_TEST: send [3,"0a652ce6-4c91-4996-8c41-eb822de251c9",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1174 INFO:ocpp:CP_TEST: receive message [3,"0a652ce6-4c91-4996-8c41-eb822de251c9",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1175 INFO:ocpp_16_interface:Transaction started on 1: 123
```

```
1176 INFO:MockSystemTest:HARDWARE: Charger started.
1177 INFO:MockSystemTest:7.3.5 StartTransaction: Sent
1178 INFO:ocpp:CP_TEST: send [2,"3a55880b-86f3-4fd7-b511-5ea87a52ea73","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1179 INFO:ocpp:CP_TEST: receive message [2,"3a55880b-86f3-4fd7-b511-5ea87a52ea73","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1180 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1181 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1182 INFO:ocpp:CP_TEST: send [3,"3a55880b-86f3-4fd7-b511-5ea87a52ea73",{}]
1183 INFO:ocpp:CP_TEST: receive message [3,"3a55880b-86f3-4fd7-b511-5ea87a52ea73",{}]
1184 INFO:MockSystemTest:7.3.6 Status: Charging
1185 INFO:ocpp:CP_TEST: send [2,"9ab4e8f2-164c-458f-9bd3-062b57688cf0","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:22.430099","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1186 INFO:ocpp:CP_TEST: receive message [2,"9ab4e8f2-164c-458f-9bd3-062b57688cf0","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:22.430099","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1187 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:22.430099', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
1188 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1189 INFO:ocpp:CP_TEST: send [3,"9ab4e8f2-164c-458f-9bd3-062b57688cf0",{}]
1190 INFO:ocpp:CP_TEST: receive message [3,"9ab4e8f2-164c-458f-9bd3-062b57688cf0",{}]
1191 INFO:ocpp:CP_TEST: send [2,"22abbb1f-1675-4848-8b21-f8cbeac18d7e","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:22.449152","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1192 INFO:MockSystemTest:7.3.7 MeterValues: Received
1193 INFO:ocpp:CP_TEST: receive message [2,"22abbb1f-1675-4848-8b21-f8cbeac18d7e","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:22.449152","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1194 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:22.449152', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
1195 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1196 INFO:ocpp:CP_TEST: send [3,"22abbb1f-1675-4848-8b21-f8cbeac18d7e",{}]
```

```
1197 INFO:ocpp:CP_TEST: receive message [3,"22abbb1f-1675-4848-8b21-f8cbeac18d7e",{}]
1198 INFO:ocpp:CP_TEST: send [2,"498e7c6c-bc65-4a4e-89e0-04f6b03f80be","Authorize",{"idTag":"INVALID_CARD"}]
1199 INFO:ocpp:CP_TEST: receive message [2,"498e7c6c-bc65-4a4e-89e0-04f6b03f80be","Authorize",{"idTag":"INVALID_CARD"}]
1200 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'INVALID_CARD'}
1201 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.invalid: 'Invalid'>})
1202 INFO:ocpp:CP_TEST: send [3,"498e7c6c-bc65-4a4e-89e0-04f6b03f80be",{"idTagInfo":{"status":"Invalid"}}]
1203 INFO:ocpp:CP_TEST: receive message [3,"498e7c6c-bc65-4a4e-89e0-04f6b03f80be",{"idTagInfo":{"status":"Invalid"}}]
1204 INFO:MockSystemTest:7.3.8 Authorize (Invalid Stop): Invalid
1205 INFO:ocpp:CP_TEST: send [2,"b42e2a14-1b4c-46b5-a313-a9ec555f6bc4","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:22.455361","transactionId":123,"reason":"Local"}]
1206 INFO:ocpp:CP_TEST: receive message [2,"b42e2a14-1b4c-46b5-a313-a9ec555f6bc4","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:22.455361","transactionId":123,"reason":"Local"}]
1207 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:22.455361', 'transaction_id': 123, 'reason': 'Local'}
1208 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1209 INFO:ocpp:CP_TEST: send [3,"b42e2a14-1b4c-46b5-a313-a9ec555f6bc4",{"idTagInfo":{"status":"Accepted"}}]
1210 INFO:ocpp:CP_TEST: receive message [3,"b42e2a14-1b4c-46b5-a313-a9ec555f6bc4",{"idTagInfo":{"status":"Accepted"}}]
1211 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1212 INFO:MockSystemTest:HARDWARE: Charger stopped.
1213 INFO:MockSystemTest:7.3.9 StopTransaction: Sent
1214 INFO:ocpp:CP_TEST: send [2,"d4ca3d87-ee90-4ed3-b4df-7aa58ed38488","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1215 INFO:ocpp:CP_TEST: receive message [2,"d4ca3d87-ee90-4ed3-b4df-7aa58ed38488","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1216 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1217 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1218 INFO:ocpp:CP_TEST: send [3,"d4ca3d87-ee90-4ed3-b4df-7aa58ed38488",{}]
1219 INFO:ocpp:CP_TEST: receive message [3,"d4ca3d87-ee90-4ed3-b4df-7aa58ed38488",{}]
1220 INFO:MockSystemTest:7.3.10 Status: Finishing
1221 INFO:ocpp:CP_TEST: send [2,"fc6aedc9-e277-4a7d-92d6-f7aa0bc73fde","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1222 INFO:ocpp:CP_TEST: receive message [2,"fc6aedc9-e277-4a7d-92d6-f7aa0bc73fde","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1223 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1224 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1225 INFO:ocpp:CP_TEST: send [3,"fc6aedc9-e277-4a7d-92d6-f7aa0bc73fde",{}]
1226 INFO:ocpp:CP_TEST: receive message [3,"fc6aedc9-e277-4a7d-92d6-f7aa0bc73fde",{}]
1227 INFO:MockSystemTest:7.3.11 Status: Available
1228 INFO:MockSystemTest:--- 7.4 Emergency Stop ---
1229 INFO:ocpp:CP_TEST: send [2,"799c099d-afae-4c27-a226-8942c735abff","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1230 INFO:ocpp:CP_TEST: receive message [2,"799c099d-afae-4c27-a226-8942c735abff","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
```

```
1231 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1232 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1233 INFO:ocpp:CP_TEST: send [3,"799c099d-afae-4c27-a226-8942c735abff",{}]
1234 INFO:ocpp:CP_TEST: receive message [3,"799c099d-afae-4c27-a226-8942c735abff",{}]
1235 INFO:MockSystemTest:7.4.1 Status: Available
1236 INFO:ocpp:CP_TEST: send [2,"ba070ee0-aaab-43c1-8fc4-bc24b58f0883","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1237 INFO:ocpp:CP_TEST: receive message [2,"ba070ee0-aaab-43c1-8fc4-bc24b58f0883","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1238 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1239 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1240 INFO:ocpp:CP_TEST: send [3,"ba070ee0-aaab-43c1-8fc4-bc24b58f0883",{}]
1241 INFO:ocpp:CP_TEST: receive message [3,"ba070ee0-aaab-43c1-8fc4-bc24b58f0883",{}]
1242 INFO:MockSystemTest:7.4.2 Status: Preparing
1243 INFO:ocpp:CP_TEST: send [2,"837a80ee-e4a8-4bad-8913-ed27be3ab58b","RemoteStartTransaction",{"idTag":"EMERGENCY_TAG"}]
1244 INFO:ocpp:CP_TEST: receive message [2,"837a80ee-e4a8-4bad-8913-ed27be3ab58b","RemoteStartTransaction",{"idTag":"EMERGENCY_TAG"}]
1245 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: EMERGENCY_TAG
1246 INFO:ocpp:CP_TEST: send [3,"837a80ee-e4a8-4bad-8913-ed27be3ab58b",{"status":"Accepted"}]
1247 INFO:ocpp:CP_TEST: send [2,"097b54cc-23b5-4638-bc6e-e2f5ba713b47","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:22.463675"}]
1248 INFO:ocpp:CP_TEST: receive message [3,"837a80ee-e4a8-4bad-8913-ed27be3ab58b",{"status":"Accepted"}]
1249 INFO:ocpp:CP_TEST: receive message [2,"097b54cc-23b5-4638-bc6e-e2f5ba713b47","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:22.463675"}]
1250 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'EMERGENCY_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:22.463675'}
1251 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1252 INFO:MockSystemTest:7.4.3 RemoteStart: Accepted
1253 INFO:ocpp:CP_TEST: send [3,"097b54cc-23b5-4638-bc6e-e2f5ba713b47",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1254 INFO:ocpp:CP_TEST: receive message [3,"097b54cc-23b5-4638-bc6e-e2f5ba713b47",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1255 INFO:ocpp:CP_TEST: send [2,"27ca4edf-afbc-45ad-b338-099b9af7585b","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:22.464992"}]
1256 INFO:ocpp_16_interface:Transaction started on 1: 123
1257 INFO:MockSystemTest:HARDWARE: Charger started.
1258 INFO:ocpp:CP_TEST: receive message [2,"27ca4edf-afbc-45ad-b338-099b9af7585b","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:22.464992"}]
1259 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'EMERGENCY_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:22.464992'}
1260 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1261 INFO:ocpp:CP_TEST: send [3,"27ca4edf-afbc-45ad-b338-099b9af7585b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
```

```
1262 INFO:ocpp:CP_TEST: receive message [3,"27ca4edf-afbc-45ad-b338-099b9af7585b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1263 INFO:ocpp_16_interface:Transaction started on 1: 123
1264 INFO:MockSystemTest:HARDWARE: Charger started.
1265 INFO:MockSystemTest:7.4.4 StartTransaction: Sent
1266 INFO:ocpp:CP_TEST: send [2,"aeeb24d3-9435-4f23-bf7c-4771fd548d77","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1267 INFO:ocpp:CP_TEST: receive message [2,"aeeb24d3-9435-4f23-bf7c-4771fd548d77","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1268 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1269 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1270 INFO:ocpp:CP_TEST: send [3,"aeeb24d3-9435-4f23-bf7c-4771fd548d77",{}]
1271 INFO:ocpp:CP_TEST: receive message [3,"aeeb24d3-9435-4f23-bf7c-4771fd548d77",{}]
1272 INFO:MockSystemTest:7.4.5 Status: Charging
1273 INFO:ocpp:CP_TEST: send [2,"09507476-cbd7-424a-ac3e-4277ed155abe","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:23.434372","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1274 INFO:ocpp:CP_TEST: receive message [2,"09507476-cbd7-424a-ac3e-4277ed155abe","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:23.434372","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1275 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:23.434372', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1276 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1277 INFO:ocpp:CP_TEST: send [3,"09507476-cbd7-424a-ac3e-4277ed155abe",{}]
1278 INFO:ocpp:CP_TEST: receive message [3,"09507476-cbd7-424a-ac3e-4277ed155abe",{}]
1279 INFO:ocpp:CP_TEST: send [2,"c0ce2d66-2d42-48da-8c80-e8a1ee29e21f","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:23.466585","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1280 INFO:ocpp:CP_TEST: receive message [2,"c0ce2d66-2d42-48da-8c80-e8a1ee29e21f","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:23.466585","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1281 INFO:MockSystemTest:7.4.6 MeterValues: Received
1282 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:23.466585', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
```

```
1283 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1284 INFO:ocpp:CP_TEST: send [3,"c0ce2d66-2d42-48da-8c80-e8a1ee29e21f",{}]
1285 INFO:ocpp:CP_TEST: receive message [3,"c0ce2d66-2d42-48da-8c80-e8a1ee29e21f",{}]
1286 INFO:ocpp:CP_TEST: send [2,"59dd83c9-f3f9-4522-b822-6d2de1890060","StopTransaction",{ "meterStop":100,"timestamp":"2026-01-06T13:18:23.471089","transactionId":123,"reason":"EmergencyStop"}]
1287 INFO:ocpp:CP_TEST: receive message [2,"59dd83c9-f3f9-4522-b822-6d2de1890060","StopTransaction",{ "meterStop":100,"timestamp":"2026-01-06T13:18:23.471089","transactionId":123,"reason":"EmergencyStop"}]
1288 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:23.471089', 'transaction_id': 123, 'reason': 'EmergencyStop'}
1289 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1290 INFO:ocpp:CP_TEST: send [3,"59dd83c9-f3f9-4522-b822-6d2de1890060",{ "idTagInfo":{"status":"Accepted"}}]
1291 INFO:ocpp:CP_TEST: receive message [3,"59dd83c9-f3f9-4522-b822-6d2de1890060",{ "idTagInfo":{"status":"Accepted"}}]
1292 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1293 INFO:MockSystemTest:HARDWARE: Charger stopped.
1294 INFO:MockSystemTest:7.4.7 StopTransaction (Emergency): Sent
1295 INFO:ocpp:CP_TEST: send [2,"541145ac-c0e9-4978-b3d6-9b790fd35743","StatusNotification",{ "connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}]
1296 INFO:ocpp:CP_TEST: receive message [2,"541145ac-c0e9-4978-b3d6-9b790fd35743","StatusNotification",{ "connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}]
1297 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'OtherError', 'status': 'Faulted', 'info': 'EmergencyStop'}
1298 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1299 INFO:ocpp:CP_TEST: send [3,"541145ac-c0e9-4978-b3d6-9b790fd35743",{}]
1300 INFO:ocpp:CP_TEST: receive message [3,"541145ac-c0e9-4978-b3d6-9b790fd35743",{}]
1301 INFO:MockSystemTest:7.4.8 Status: Faulted
1302 INFO:ocpp:CP_TEST: send [2,"30849aaa-3b9f-436f-9b42-d7dc8c8050ce","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1303 INFO:ocpp:CP_TEST: receive message [2,"30849aaa-3b9f-436f-9b42-d7dc8c8050ce","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1304 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1305 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1306 INFO:ocpp:CP_TEST: send [3,"30849aaa-3b9f-436f-9b42-d7dc8c8050ce",{}]
1307 INFO:ocpp:CP_TEST: receive message [3,"30849aaa-3b9f-436f-9b42-d7dc8c8050ce",{}]
1308 INFO:MockSystemTest:7.4.9 Status: Available
1309 INFO:ocpp:CP_TEST: send [2,"3454f96f-90bb-450b-a9dc-153adcce6e49","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1310 INFO:ocpp:CP_TEST: receive message [2,"3454f96f-90bb-450b-a9dc-153adcce6e49","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1311 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1312 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1313 INFO:ocpp:CP_TEST: send [3,"3454f96f-90bb-450b-a9dc-153adcce6e49",{}]
1314 INFO:ocpp:CP_TEST: receive message [3,"3454f96f-90bb-450b-a9dc-153adcce6e49",{}]
1315 INFO:MockSystemTest:7.4.10 Status: Available
```

```
1316 INFO:MockSystemTest:--- 7.5 Open Door ---
1317 INFO:ocpp:CP_TEST: send [2,"848cc2a5-06cc-4b86-80b6-8cb4699bde6d","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1318 INFO:ocpp:CP_TEST: receive message [2,"848cc2a5-06cc-4b86-80b6-8cb4699bde6d","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
1319 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1320 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1321 INFO:ocpp:CP_TEST: send [3,"848cc2a5-06cc-4b86-80b6-8cb4699bde6d",{}]
1322 INFO:ocpp:CP_TEST: receive message [3,"848cc2a5-06cc-4b86-80b6-8cb4699bde6d",{}]
1323 INFO:MockSystemTest:7.5.1 Status: Available
1324 INFO:ocpp:CP_TEST: send [2,"3d4d8506-c9fb-45c9-8d63-ec3139f128d6","StatusNotification",{ "connectorId":1,"errorCode":"OtherError","status":"Faulted","
    info":"DoorOpen"}]
1325 INFO:ocpp:CP_TEST: receive message [2,"3d4d8506-c9fb-45c9-8d63-ec3139f128d6","StatusNotification",{ "connectorId":1,"errorCode":"OtherError","status":"
    Faulted","info":"DoorOpen"}]
1326 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'OtherError', 'status': 'Faulted', 'info': 'DoorOpen'}
1327 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1328 INFO:ocpp:CP_TEST: send [3,"3d4d8506-c9fb-45c9-8d63-ec3139f128d6",{}]
1329 INFO:ocpp:CP_TEST: receive message [3,"3d4d8506-c9fb-45c9-8d63-ec3139f128d6",{}]
1330 INFO:MockSystemTest:7.5.2 Status: DoorOpen
1331 INFO:ocpp:CP_TEST: send [2,"3fccece6-2372-46e0-95fb-fb3f6c7761de","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1332 INFO:ocpp:CP_TEST: receive message [2,"3fccece6-2372-46e0-95fb-fb3f6c7761de","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
1333 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1334 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1335 INFO:ocpp:CP_TEST: send [3,"3fccece6-2372-46e0-95fb-fb3f6c7761de",{}]
1336 INFO:ocpp:CP_TEST: receive message [3,"3fccece6-2372-46e0-95fb-fb3f6c7761de",{}]
1337 INFO:MockSystemTest:7.5.3 Status: Closed/Available
1338 INFO:MockSystemTest:--- 7.6 Power Loss (Single) ---
1339 INFO:ocpp:CP_TEST: send [2,"d92c79b8-951e-492c-bad2-935b0cb5590f","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Available"}]
1340 INFO:ocpp:CP_TEST: receive message [2,"d92c79b8-951e-492c-bad2-935b0cb5590f","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
1341 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1342 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1343 INFO:ocpp:CP_TEST: send [3,"d92c79b8-951e-492c-bad2-935b0cb5590f",{}]
1344 INFO:ocpp:CP_TEST: receive message [3,"d92c79b8-951e-492c-bad2-935b0cb5590f",{}]
1345 INFO:MockSystemTest:7.6.1 Status: Available
1346 INFO:ocpp:CP_TEST: send [2,"eb0c71cd-27cd-460f-bd02-2de6db03126a","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1347 INFO:ocpp:CP_TEST: receive message [2,"eb0c71cd-27cd-460f-bd02-2de6db03126a","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
1348 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1349 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
```

```
1350 INFO:ocpp:CP_TEST: send [3,"eb0c71cd-27cd-460f-bd02-2de6db03126a",{}]
1351 INFO:ocpp:CP_TEST: receive message [3,"eb0c71cd-27cd-460f-bd02-2de6db03126a",{}]
1352 INFO:MockSystemTest:7.6.2 Status: Preparing
1353 INFO:ocpp:CP_TEST: send [2,"36293b9e-8007-4b9b-a044-e04aaa7f2247","RemoteStartTransaction",{"idTag":"POWER_TAG"}]
1354 INFO:ocpp:CP_TEST: receive message [2,"36293b9e-8007-4b9b-a044-e04aaa7f2247","RemoteStartTransaction",{"idTag":"POWER_TAG"}]
1355 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: POWER_TAG
1356 INFO:ocpp:CP_TEST: send [3,"36293b9e-8007-4b9b-a044-e04aaa7f2247",{"status":"Accepted"}]
1357 INFO:ocpp:CP_TEST: send [2,"f3b11a1f-2c2f-4523-a74d-09cbd5f5f8ed","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:23.485941"}]
1358 INFO:ocpp:CP_TEST: receive message [3,"36293b9e-8007-4b9b-a044-e04aaa7f2247",{"status":"Accepted"}]
1359 INFO:ocpp:CP_TEST: receive message [2,"f3b11a1f-2c2f-4523-a74d-09cbd5f5f8ed","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:23.485941"}]
1360 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'POWER_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:23.485941'}
1361 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1362 INFO:MockSystemTest:7.6.3 RemoteStart: Accepted
1363 INFO:ocpp:CP_TEST: send [3,"f3b11a1f-2c2f-4523-a74d-09cbd5f5f8ed",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1364 INFO:ocpp:CP_TEST: receive message [3,"f3b11a1f-2c2f-4523-a74d-09cbd5f5f8ed",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1365 INFO:ocpp:CP_TEST: send [2,"d90f37c6-826e-4063-8f2b-436a358f17a8","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:23.487313"}]
1366 INFO:ocpp_16_interface:Transaction started on 1: 123
1367 INFO:MockSystemTest:HARDWARE: Charger started.
1368 INFO:ocpp:CP_TEST: receive message [2,"d90f37c6-826e-4063-8f2b-436a358f17a8","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T13:18:23.487313"}]
1369 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'POWER_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:23.487313'}
1370 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1371 INFO:ocpp:CP_TEST: send [3,"d90f37c6-826e-4063-8f2b-436a358f17a8",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1372 INFO:ocpp:CP_TEST: receive message [3,"d90f37c6-826e-4063-8f2b-436a358f17a8",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1373 INFO:ocpp_16_interface:Transaction started on 1: 123
1374 INFO:MockSystemTest:HARDWARE: Charger started.
1375 INFO:MockSystemTest:7.6.4 StartTransaction: Sent
1376 INFO:ocpp:CP_TEST: send [2,"e8293f59-7fc3-44f1-80e9-b1251897b779","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1377 INFO:ocpp:CP_TEST: receive message [2,"e8293f59-7fc3-44f1-80e9-b1251897b779","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1378 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1379 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1380 INFO:ocpp:CP_TEST: send [3,"e8293f59-7fc3-44f1-80e9-b1251897b779",{}]
```

```
1381 INFO:ocpp:CP_TEST: receive message [3,"e8293f59-7fc3-44f1-80e9-b1251897b779",{}]
1382 INFO:MockSystemTest:7.6.5 Status: Charging
1383 INFO:ocpp:CP_TEST: send [2,"1d538468-6687-4881-ad6e-2bedb7c33a06","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:24.437824","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1384 INFO:ocpp:CP_TEST: receive message [2,"1d538468-6687-4881-ad6e-2bedb7c33a06","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:24.437824","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1385 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:24.437824', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1386 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1387 INFO:ocpp:CP_TEST: send [3,"1d538468-6687-4881-ad6e-2bedb7c33a06",{}]
1388 INFO:ocpp:CP_TEST: receive message [3,"1d538468-6687-4881-ad6e-2bedb7c33a06",{}]
1389 INFO:ocpp:CP_TEST: send [2,"c43ea9c9-e4b3-4548-8d3f-8f048a3b1b51","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:24.473247","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1390 INFO:ocpp:CP_TEST: receive message [2,"c43ea9c9-e4b3-4548-8d3f-8f048a3b1b51","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:24.473247","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1391 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:24.473247', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1392 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1393 INFO:ocpp:CP_TEST: send [3,"c43ea9c9-e4b3-4548-8d3f-8f048a3b1b51",{}]
1394 INFO:ocpp:CP_TEST: receive message [3,"c43ea9c9-e4b3-4548-8d3f-8f048a3b1b51",{}]
1395 INFO:ocpp:CP_TEST: send [2,"5ad9d750-c276-4493-9641-d2c16ff2a085","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:24.489486","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1396 INFO:ocpp:CP_TEST: receive message [2,"5ad9d750-c276-4493-9641-d2c16ff2a085","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:24.489486","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
```

```
1397 INFO:MockSystemTest:7.6.6 MeterValues: Received
1398 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:24.489486', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
1399 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1400 INFO:ocpp:CP_TEST: send [3,"5ad9d750-c276-4493-9641-d2c16ff2a085",{}]
1401 INFO:ocpp:CP_TEST: receive message [3,"5ad9d750-c276-4493-9641-d2c16ff2a085",{}]
1402 INFO:ocpp:CP_TEST: send [2,"b7fd927b-00a2-4cb7-93bf-f82e627ef76a","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:24.492559","
    transactionId":123,"reason":"PowerLoss"}]
1403 INFO:ocpp:CP_TEST: receive message [2,"b7fd927b-00a2-4cb7-93bf-f82e627ef76a","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
    :18:24.492559","transactionId":123,"reason":"PowerLoss"}]
1404 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:24.492559', 'transaction_id': 123, 'reason': '
    PowerLoss'}
1405 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1406 INFO:ocpp:CP_TEST: send [3,"b7fd927b-00a2-4cb7-93bf-f82e627ef76a",{"idTagInfo":{"status":"Accepted"}}]
1407 INFO:ocpp:CP_TEST: receive message [3,"b7fd927b-00a2-4cb7-93bf-f82e627ef76a",{"idTagInfo":{"status":"Accepted"}}]
1408 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1409 INFO:MockSystemTest:HARDWARE: Charger stopped.
1410 INFO:MockSystemTest:7.6.7 StopTransaction (PowerLoss): Sent
1411 INFO:ocpp:CP_TEST: send [2,"8315dec6-2e00-4bf5-8128-fe4a030e70b9","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
1412 INFO:ocpp:CP_TEST: receive message [2,"8315dec6-2e00-4bf5-8128-fe4a030e70b9","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"
    KMUTNB"}]
1413 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
1414 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:18:24.496394', interval=10, status=<
    RegistrationStatus.accepted: 'Accepted'>)
1415 INFO:ocpp:CP_TEST: send [3,"8315dec6-2e00-4bf5-8128-fe4a030e70b9",{"currentTime":"2026-01-06T13:18:24.496394","interval":10,"status":"Accepted"}]
1416 INFO:ocpp:CP_TEST: receive message [3,"8315dec6-2e00-4bf5-8128-fe4a030e70b9",{"currentTime":"2026-01-06T13:18:24.496394","interval":10,"status":"
    Accepted"}]
1417 INFO:ocpp_16_interface:Connected to central system.
1418 INFO:MockSystemTest:HARDWARE: Charger started.
1419 INFO:MockSystemTest:7.6.8 BootNotification: Sent
1420 INFO:ocpp:CP_TEST: send [2,"b47173b9-f29d-4550-8808-56bcf71cc12d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1421 INFO:ocpp:CP_TEST: receive message [2,"b47173b9-f29d-4550-8808-56bcf71cc12d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]
1422 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1423 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1424 INFO:ocpp:CP_TEST: send [3,"b47173b9-f29d-4550-8808-56bcf71cc12d",{}]
1425 INFO:ocpp:CP_TEST: receive message [3,"b47173b9-f29d-4550-8808-56bcf71cc12d",{}]
1426 INFO:MockSystemTest:7.6.9 Status: Preparing
```

```
1427 INFO:ocpp:CP_TEST: send [2,"5dcbb649-36ce-4729-a892-46e9e1f6bfae","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1428 INFO:ocpp:CP_TEST: receive message [2,"5dcbb649-36ce-4729-a892-46e9e1f6bfae","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
  Available"}]]
1429 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1430 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1431 INFO:ocpp:CP_TEST: send [3,"5dcbb649-36ce-4729-a892-46e9e1f6bfae",{}]
1432 INFO:ocpp:CP_TEST: receive message [3,"5dcbb649-36ce-4729-a892-46e9e1f6bfae",{}]
1433 INFO:MockSystemTest:7.6.10 Status: Available
1434 INFO:MockSystemTest:--- 7.7 Local List Offline ---
1435 INFO:ocpp:CP_TEST: send [2,"59367f80-d4dc-495e-9d8c-e87fe38bce8c","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
1436 INFO:ocpp:CP_TEST: receive message [2,"59367f80-d4dc-495e-9d8c-e87fe38bce8c","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
1437 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
1438 INFO:ocpp:CP_TEST: send [3,"59367f80-d4dc-495e-9d8c-e87fe38bce8c",{"status":"Accepted"}]
1439 INFO:ocpp:CP_TEST: receive message [3,"59367f80-d4dc-495e-9d8c-e87fe38bce8c",{"status":"Accepted"}]
1440 INFO:MockSystemTest:7.7.1 Disconnect LAN: Simulated
1441 INFO:ocpp:CP_TEST: send [2,"3eb4d5bb-8bb7-4930-8dc0-3935386b2bda","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[{"
  idTag":"OFFLINE_TAG","idTagInfo":{"status":"Accepted"}}]]]
1442 INFO:ocpp:CP_TEST: receive message [2,"3eb4d5bb-8bb7-4930-8dc0-3935386b2bda","SendLocalList",{"listVersion":1,"updateType":"Full","
  localAuthorizationList":[{"idTag":"OFFLINE_TAG","idTagInfo":{"status":"Accepted"}}]]]
1443 INFO:ocpp_16_interface:Received SendLocalList
1444 INFO:ocpp:CP_TEST: send [3,"3eb4d5bb-8bb7-4930-8dc0-3935386b2bda",{"status":"Accepted"}]
1445 INFO:ocpp:CP_TEST: receive message [3,"3eb4d5bb-8bb7-4930-8dc0-3935386b2bda",{"status":"Accepted"}]
1446 INFO:MockSystemTest:7.7.2 Start by Local List (Offline Mock)
1447 INFO:ocpp:CP_TEST: send [2,"502c09e7-32f1-4e41-bd5f-efc2b83c7bf1","StartTransaction",{"connectorId":1,"idTag":"OFFLINE_TAG","meterStart":0,"timestamp
  ":"2026-01-06T13:18:24.503103"}]
1448 INFO:ocpp:CP_TEST: receive message [2,"502c09e7-32f1-4e41-bd5f-efc2b83c7bf1","StartTransaction",{"connectorId":1,"idTag":"OFFLINE_TAG","meterStart
  ":0,"timestamp":"2026-01-06T13:18:24.503103"}]
1449 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'OFFLINE_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T13
  :18:24.503103'}
1450 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
  Accepted'>})
1451 INFO:ocpp:CP_TEST: send [3,"502c09e7-32f1-4e41-bd5f-efc2b83c7bf1",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1452 INFO:ocpp:CP_TEST: receive message [3,"502c09e7-32f1-4e41-bd5f-efc2b83c7bf1",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1453 INFO:ocpp_16_interface:Transaction started on 1: 123
1454 INFO:MockSystemTest:HARDWARE: Charger started.
1455 INFO:MockSystemTest:7.7.2 StartTransaction: Success
1456 INFO:ocpp:CP_TEST: send [2,"c784daa3-92aa-4136-81b2-140bb6839b7e","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:24.504692",
  "transactionId":123,"reason":"Local"}]
1457 INFO:ocpp:CP_TEST: receive message [2,"c784daa3-92aa-4136-81b2-140bb6839b7e","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
  :18:24.504692","transactionId":123,"reason":"Local"}]]
```

```
1458 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:24.504692', 'transaction_id': 123, 'reason': 'Local
    '}
1459 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1460 INFO:ocpp:CP_TEST: send [3,"c784daa3-92aa-4136-81b2-140bb6839b7e",{"idTagInfo":{"status":"Accepted"}}]
1461 INFO:ocpp:CP_TEST: receive message [3,"c784daa3-92aa-4136-81b2-140bb6839b7e",{"idTagInfo":{"status":"Accepted"}}]
1462 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1463 INFO:MockSystemTest:HARDWARE: Charger stopped.
1464 INFO:MockSystemTest:7.7.3 StopTransaction: Success
1465 INFO:MockSystemTest:
1466 --- 8. Dual Connector Verification (Detailed) ---
1467 INFO:MockSystemTest:--- 8.1 Concurrent Remote Start ---
1468 INFO:ocpp:CP_TEST: send [2,"410936d8-8c53-4e1c-ad2c-9a1b471dd9dd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1469 INFO:ocpp:CP_TEST: receive message [2,"410936d8-8c53-4e1c-ad2c-9a1b471dd9dd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]
1470 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1471 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1472 INFO:ocpp:CP_TEST: send [3,"410936d8-8c53-4e1c-ad2c-9a1b471dd9dd",{}]
1473 INFO:ocpp:CP_TEST: receive message [3,"410936d8-8c53-4e1c-ad2c-9a1b471dd9dd",{}]
1474 INFO:ocpp:CP_TEST: send [2,"73f656cc-6060-4ea6-b053-b879165f04dc","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
1475 INFO:ocpp:CP_TEST: receive message [2,"73f656cc-6060-4ea6-b053-b879165f04dc","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
    Available"}]
1476 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1477 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1478 INFO:ocpp:CP_TEST: send [3,"73f656cc-6060-4ea6-b053-b879165f04dc",{}]
1479 INFO:ocpp:CP_TEST: receive message [3,"73f656cc-6060-4ea6-b053-b879165f04dc",{}]
1480 INFO:MockSystemTest:8.1.1 Status (Both): Available
1481 INFO:ocpp:CP_TEST: send [2,"12bd8284-e408-44a0-8974-a15476840e26","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1482 INFO:ocpp:CP_TEST: receive message [2,"12bd8284-e408-44a0-8974-a15476840e26","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]
1483 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1484 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1485 INFO:ocpp:CP_TEST: send [3,"12bd8284-e408-44a0-8974-a15476840e26",{}]
1486 INFO:ocpp:CP_TEST: receive message [3,"12bd8284-e408-44a0-8974-a15476840e26",{}]
1487 INFO:ocpp:CP_TEST: send [2,"95541d90-cbf2-4441-b47e-d4f5670277dc","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Preparing"}]
1488 INFO:ocpp:CP_TEST: receive message [2,"95541d90-cbf2-4441-b47e-d4f5670277dc","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
    Preparing"}]
1489 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
1490 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1491 INFO:ocpp:CP_TEST: send [3,"95541d90-cbf2-4441-b47e-d4f5670277dc",{}]
1492 INFO:ocpp:CP_TEST: receive message [3,"95541d90-cbf2-4441-b47e-d4f5670277dc",{}]
```

```
1493 INFO:MockSystemTest:8.1.2 Plug Both: Preparing
1494 INFO:ocpp:CP_TEST: send [2,"dc834f3f-85bc-4e9e-a4b8-27b7e3419a55","RemoteStartTransaction",{"idTag":"DUAL_1","connectorId":1}]
1495 INFO:ocpp:CP_TEST: receive message [2,"dc834f3f-85bc-4e9e-a4b8-27b7e3419a55","RemoteStartTransaction",{"idTag":"DUAL_1","connectorId":1}]
1496 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: DUAL_1
1497 INFO:ocpp:CP_TEST: send [3,"dc834f3f-85bc-4e9e-a4b8-27b7e3419a55",{"status":"Accepted"}]
1498 INFO:ocpp:CP_TEST: send [2,"a90341d3-ce6b-46ed-bae5-026182782fc4","StartTransaction",{"connectorId":1,"idTag":"DUAL_1","meterStart":0,"timestamp":
": "2026-01-06T13:18:24.512735"}]]
1499 INFO:ocpp:CP_TEST: receive message [3,"dc834f3f-85bc-4e9e-a4b8-27b7e3419a55",{"status":"Accepted"}]
1500 INFO:ocpp:CP_TEST: receive message [2,"a90341d3-ce6b-46ed-bae5-026182782fc4","StartTransaction",{"connectorId":1,"idTag":"DUAL_1","meterStart":0,"
timestamp": "2026-01-06T13:18:24.512735"}]]
1501 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'DUAL_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:24.512735'}
1502 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
Accepted'>})
1503 INFO:MockSystemTest:8.1.3 RemoteStart (Conn 1): Accepted
1504 INFO:ocpp:CP_TEST: send [3,"a90341d3-ce6b-46ed-bae5-026182782fc4",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1505 INFO:ocpp:CP_TEST: send [2,"ace8631a-ba44-4edd-92b9-53cc5015d409","RemoteStartTransaction",{"idTag":"DUAL_2","connectorId":2}]
1506 INFO:ocpp:CP_TEST: receive message [3,"a90341d3-ce6b-46ed-bae5-026182782fc4",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1507 INFO:ocpp:CP_TEST: receive message [2,"ace8631a-ba44-4edd-92b9-53cc5015d409","RemoteStartTransaction",{"idTag":"DUAL_2","connectorId":2}]
1508 INFO:ocpp_16_interface:Transaction started on 1: 123
1509 INFO:MockSystemTest:HARDWARE: Charger started.
1510 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: DUAL_2
1511 INFO:ocpp:CP_TEST: send [3,"ace8631a-ba44-4edd-92b9-53cc5015d409",{"status":"Accepted"}]
1512 INFO:ocpp:CP_TEST: send [2,"f2fd0083-e33e-498a-a19e-7e64f2defb40","StartTransaction",{"connectorId":2,"idTag":"DUAL_2","meterStart":0,"timestamp":
": "2026-01-06T13:18:24.515343"}]]
1513 INFO:ocpp:CP_TEST: receive message [3,"ace8631a-ba44-4edd-92b9-53cc5015d409",{"status":"Accepted"}]
1514 INFO:ocpp:CP_TEST: receive message [2,"f2fd0083-e33e-498a-a19e-7e64f2defb40","StartTransaction",{"connectorId":2,"idTag":"DUAL_2","meterStart":0,"
timestamp": "2026-01-06T13:18:24.515343"}]]
1515 INFO:MockSystemTest:8.1.4 RemoteStart (Conn 2): Accepted
1516 WARNING:ocpp_16_interface:Transaction already in progress for connector 1.
1517 INFO:MockSystemTest:8.1.5 StartTx (Conn 1): Sent
1518 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 2, 'id_tag': 'DUAL_2', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:24.515343'}
1519 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
Accepted'>})
1520 INFO:ocpp:CP_TEST: send [3,"f2fd0083-e33e-498a-a19e-7e64f2defb40",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1521 INFO:ocpp:CP_TEST: receive message [3,"f2fd0083-e33e-498a-a19e-7e64f2defb40",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1522 INFO:ocpp:CP_TEST: send [2,"d4d321a0-dd48-41a7-983c-a10bcf674f81","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1523 INFO:ocpp_16_interface:Transaction started on 2: 123
1524 INFO:MockSystemTest:HARDWARE: Charger started.
1525 INFO:ocpp:CP_TEST: receive message [2,"d4d321a0-dd48-41a7-983c-a10bcf674f81","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Charging"}]]
```

```
1526 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1527 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1528 INFO:ocpp:CP_TEST: send [3,"d4d321a0-dd48-41a7-983c-a10bcf674f81",{}]
1529 INFO:ocpp:CP_TEST: receive message [3,"d4d321a0-dd48-41a7-983c-a10bcf674f81",{}]
1530 INFO:MockSystemTest:8.1.6 Status (Conn 1): Charging
1531 WARNING:ocpp_16_interface:Transaction already in progress for connector 2.
1532 INFO:MockSystemTest:8.1.7 StartTx (Conn 2): Sent
1533 INFO:ocpp:CP_TEST: send [2,"7981b200-ac39-4fb6-b754-2bd5cd211772","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1534 INFO:ocpp:CP_TEST: receive message [2,"7981b200-ac39-4fb6-b754-2bd5cd211772","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1535 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Charging'}
1536 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1537 INFO:ocpp:CP_TEST: send [3,"7981b200-ac39-4fb6-b754-2bd5cd211772",{}]
1538 INFO:ocpp:CP_TEST: receive message [3,"7981b200-ac39-4fb6-b754-2bd5cd211772",{}]
1539 INFO:MockSystemTest:8.1.8 Status (Conn 2): Charging
1540 INFO:ocpp:CP_TEST: send [2,"e44be778-a04d-4d3a-8259-8695d2e0785d","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:25.442455","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1541 INFO:ocpp:CP_TEST: receive message [2,"e44be778-a04d-4d3a-8259-8695d2e0785d","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:25.442455","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1542 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:25.442455', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
1543 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1544 INFO:ocpp:CP_TEST: send [3,"e44be778-a04d-4d3a-8259-8695d2e0785d",{}]
1545 INFO:ocpp:CP_TEST: receive message [3,"e44be778-a04d-4d3a-8259-8695d2e0785d",{}]
1546 INFO:ocpp:CP_TEST: send [2,"3eccd2fe-c929-4e06-9f2a-59f516e24835","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:25.477564","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1547 INFO:ocpp:CP_TEST: receive message [2,"3eccd2fe-c929-4e06-9f2a-59f516e24835","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:25.477564","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1548 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:25.477564', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
```

```
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
1549 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1550 INFO:ocpp:CP_TEST: send [3,"3eccd2fe-c929-4e06-9f2a-59f516e24835",{}]
1551 INFO:ocpp:CP_TEST: receive message [3,"3eccd2fe-c929-4e06-9f2a-59f516e24835",{}]
1552 INFO:ocpp:CP_TEST: send [2,"eab76b5e-31af-456b-b0b1-e9d5aa558fb0", "MeterValues", {"connectorId":1, "meterValue": [{"timestamp": "2026-01-06T13:18:25.494475", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]
1553 INFO:ocpp:CP_TEST: receive message [2,"eab76b5e-31af-456b-b0b1-e9d5aa558fb0", "MeterValues", {"connectorId":1, "meterValue": [{"timestamp": "2026-01-06T13:18:25.494475", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]
1554 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:25.494475', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]], 'transaction_id': 123}
1555 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1556 INFO:ocpp:CP_TEST: send [3,"eab76b5e-31af-456b-b0b1-e9d5aa558fb0",{}]
1557 INFO:ocpp:CP_TEST: receive message [3,"eab76b5e-31af-456b-b0b1-e9d5aa558fb0",{}]
1558 INFO:ocpp:CP_TEST: send [2,"0210e08e-722a-4d74-8a76-02bd99dceacb", "MeterValues", {"connectorId":1, "meterValue": [{"timestamp": "2026-01-06T13:18:25.515522", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]
1559 INFO:ocpp:CP_TEST: receive message [2,"0210e08e-722a-4d74-8a76-02bd99dceacb", "MeterValues", {"connectorId":1, "meterValue": [{"timestamp": "2026-01-06T13:18:25.515522", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]
1560 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:25.515522', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]], 'transaction_id': 123}
1561 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1562 INFO:ocpp:CP_TEST: send [3,"0210e08e-722a-4d74-8a76-02bd99dceacb",{}]
1563 INFO:ocpp:CP_TEST: receive message [3,"0210e08e-722a-4d74-8a76-02bd99dceacb",{}]
1564 INFO:ocpp:CP_TEST: send [2,"cf5f075e-e587-4533-a699-1ca2a2f1c03f", "MeterValues", {"connectorId":2, "meterValue": [{"timestamp": "2026-01-06T13:18:25.518360", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]
```

```
1565 INFO:ocpp:CP_TEST: receive message [2,"cf5f075e-e587-4533-a699-1ca2a2f1c03f","MeterValues",{"connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13:18:25.518360","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1566 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:25.518360', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1567 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1568 INFO:MockSystemTest:8.1.9 MeterValues (Conn 1): Verifying receipt
1569 INFO:ocpp:CP_TEST: send [3,"cf5f075e-e587-4533-a699-1ca2a2f1c03f",{}]
1570 INFO:ocpp:CP_TEST: receive message [3,"cf5f075e-e587-4533-a699-1ca2a2f1c03f",{}]
1571 INFO:ocpp:CP_TEST: send [2,"f16b03fe-8c07-45e3-913d-51b589b303f0","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:26.446396","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1572 INFO:ocpp:CP_TEST: receive message [2,"f16b03fe-8c07-45e3-913d-51b589b303f0","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:26.446396","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1573 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:26.446396', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1574 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1575 INFO:ocpp:CP_TEST: send [3,"f16b03fe-8c07-45e3-913d-51b589b303f0",{}]
1576 INFO:ocpp:CP_TEST: receive message [3,"f16b03fe-8c07-45e3-913d-51b589b303f0",{}]
1577 INFO:ocpp:CP_TEST: send [2,"cf455623-c9c3-4918-9a9e-0a756e9d7396","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:26.481477","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1578 INFO:ocpp:CP_TEST: receive message [2,"cf455623-c9c3-4918-9a9e-0a756e9d7396","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:26.481477","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1579 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:26.481477', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1580 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
```

```
1581 INFO:ocpp:CP_TEST: send [3,"cf455623-c9c3-4918-9a9e-0a756e9d7396",{}]
1582 INFO:ocpp:CP_TEST: receive message [3,"cf455623-c9c3-4918-9a9e-0a756e9d7396",{}]
1583 INFO:ocpp:CP_TEST: send [2,"bd40a3f0-90a7-4c2d-b555-f0a99e49aa6c","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:26.499196","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1584 INFO:ocpp:CP_TEST: receive message [2,"bd40a3f0-90a7-4c2d-b555-f0a99e49aa6c","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:26.499196","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1585 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:26.499196',
    'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
    {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
    {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}],
    'transaction_id': 123}
1586 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1587 INFO:ocpp:CP_TEST: send [3,"bd40a3f0-90a7-4c2d-b555-f0a99e49aa6c",{}]
1588 INFO:ocpp:CP_TEST: receive message [3,"bd40a3f0-90a7-4c2d-b555-f0a99e49aa6c",{}]
1589 INFO:ocpp:CP_TEST: send [2,"72d06393-22fc-43ed-890e-b38dc8871d15","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:26.520205","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1590 INFO:MockSystemTest:8.1.10 MeterValues (Conn 2): Verifying receipt
1591 INFO:ocpp:CP_TEST: receive message [2,"72d06393-22fc-43ed-890e-b38dc8871d15","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:26.520205","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1592 INFO:ocpp:CP_TEST: send [2,"32c7c13f-5bc4-4252-91b2-1b72f48d112f","RemoteStopTransaction",{
    "transactionId":123}]
1593 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:26.520205',
    'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
    {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
    {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}],
    'transaction_id': 123}
1594 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1595 INFO:ocpp:CP_TEST: receive message [2,"32c7c13f-5bc4-4252-91b2-1b72f48d112f","RemoteStopTransaction",{
    "transactionId":123}]
1596 INFO:ocpp:CP_TEST: send [3,"72d06393-22fc-43ed-890e-b38dc8871d15",{}]
1597 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
1598 INFO:ocpp:CP_TEST: send [2,"c55d9a77-3403-4d7f-9c50-a1508b9fd1b6","MeterValues",{
    "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
    :18:26.522336","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1599 INFO:ocpp:CP_TEST: send [3,"32c7c13f-5bc4-4252-91b2-1b72f48d112f",{
    "status":"Accepted"}]
```

```
1600 INFO:ocpp:CP_TEST: receive message [3,"72d06393-22fc-43ed-890e-b38dc8871d15",{}]  
1601 ERROR:ocpp:Ignoring response with unknown unique id: <CallResult - unique_id=72d06393-22fc-43ed-890e-b38dc8871d15, action=None, payload={}>  
1602 INFO:ocpp:CP_TEST: receive message [2,"c55d9a77-3403-4d7f-9c50-a1508b9fd1b6", "MeterValues", {"connectorId":2, "meterValue": [{"timestamp": "2026-01-06T13  
:18:26.522336", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "  
context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "  
measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]  
1603 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:26.522336', 'sampled_value': [{'value':  
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}  
1604 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
1605 INFO:ocpp:CP_TEST: send [3,"c55d9a77-3403-4d7f-9c50-a1508b9fd1b6",{}]  
1606 INFO:ocpp:CP_TEST: receive message [3,"32c7c13f-5bc4-4252-91b2-1b72f48d112f", {"status": "Accepted"}]  
1607 INFO:ocpp:CP_TEST: receive message [3,"c55d9a77-3403-4d7f-9c50-a1508b9fd1b6",{}]  
1608 INFO:MockSystemTest:8.1.11 RemoteStop (Conn 1): Sent  
1609 INFO:ocpp:CP_TEST: send [2,"b43a942c-666a-4d86-af95-ab3e3ca0eec6", "StopTransaction", {"meterStop": 100, "timestamp": "2026-01-06T13:18:26.525241", "  
transactionId": 123, "reason": "Remote"}]  
1610 INFO:ocpp:CP_TEST: receive message [2,"b43a942c-666a-4d86-af95-ab3e3ca0eec6", "StopTransaction", {"meterStop": 100, "timestamp": "2026-01-06T13  
:18:26.525241", "transactionId": 123, "reason": "Remote"}]  
1611 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:26.525241', 'transaction_id': 123, 'reason': 'Remote  
'}  
1612 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
1613 INFO:ocpp:CP_TEST: send [3,"b43a942c-666a-4d86-af95-ab3e3ca0eec6", {"idTagInfo": {"status": "Accepted"}}]  
1614 INFO:ocpp:CP_TEST: receive message [3,"b43a942c-666a-4d86-af95-ab3e3ca0eec6", {"idTagInfo": {"status": "Accepted"}}]  
1615 INFO:ocpp_16_interface:Transaction stopped on 1: 123  
1616 INFO:ocpp:CP_TEST: send [2,"c531c82b-a168-477e-acc5-1a52b98dc7c2", "MeterValues", {"connectorId":1, "meterValue": [{"timestamp": "2026-01-06T13  
:18:27.450499", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "  
context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "  
measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]  
1617 INFO:ocpp:CP_TEST: receive message [2,"c531c82b-a168-477e-acc5-1a52b98dc7c2", "MeterValues", {"connectorId":1, "meterValue": [{"timestamp": "2026-01-06T13  
:18:27.450499", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "  
context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "  
measurand": "Power.Active.Import", "unit": "W"}]}], "transactionId": 123}]  
1618 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:27.450499', 'sampled_value': [{'value':  
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}  
1619 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
1620 INFO:ocpp:CP_TEST: send [3,"c531c82b-a168-477e-acc5-1a52b98dc7c2",{}]  
1621 INFO:ocpp:CP_TEST: receive message [3,"c531c82b-a168-477e-acc5-1a52b98dc7c2",{}]
```

```
1622 INFO:ocpp:CP_TEST: send [2,"ff5d6e75-b44a-4b72-9a15-3b4cfbdb8638","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:27.486096","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1623 INFO:ocpp:CP_TEST: receive message [2,"ff5d6e75-b44a-4b72-9a15-3b4cfbdb8638","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:27.486096","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1624 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:27.486096', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1625 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1626 INFO:ocpp:CP_TEST: send [3,"ff5d6e75-b44a-4b72-9a15-3b4cfbdb8638",{}]
1627 INFO:ocpp:CP_TEST: receive message [3,"ff5d6e75-b44a-4b72-9a15-3b4cfbdb8638",{}]
1628 INFO:ocpp:CP_TEST: send [2,"9c8915a7-deac-4953-8142-1288ab123e1a","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:27.503399","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1629 INFO:ocpp:CP_TEST: receive message [2,"9c8915a7-deac-4953-8142-1288ab123e1a","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:27.503399","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1630 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:27.503399', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1631 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1632 INFO:ocpp:CP_TEST: send [3,"9c8915a7-deac-4953-8142-1288ab123e1a",{}]
1633 INFO:ocpp:CP_TEST: receive message [3,"9c8915a7-deac-4953-8142-1288ab123e1a",{}]
1634 INFO:ocpp:CP_TEST: send [2,"ca3ffedb-c333-4bd2-b011-1e8946d7370a","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1635 INFO:ocpp:CP_TEST: receive message [2,"ca3ffedb-c333-4bd2-b011-1e8946d7370a","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
Finishing"}]
1636 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1637 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1638 INFO:ocpp:CP_TEST: send [3,"ca3ffedb-c333-4bd2-b011-1e8946d7370a",{}]
1639 INFO:ocpp:CP_TEST: receive message [3,"ca3ffedb-c333-4bd2-b011-1e8946d7370a",{}]
1640 INFO:ocpp:CP_TEST: send [2,"82db937b-2b10-49ad-916f-35332c8309ce","MeterValues",{ "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
:18:27.528375","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
```

```
    measurand:"Power.Active.Import","unit":"W"]]],"transactionId":123}]
1641 INFO:MockSystemTest:8.1.12 StopTx (Conn 1): Completed
1642 INFO:ocpp:CP_TEST: receive message [2,"82db937b-2b10-49ad-916f-35332c8309ce","MeterValues",{
    "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
    :18:27.528375","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]]],
    "transactionId":123}]
1643 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:27.528375',
    'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
    {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
    {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]},
    'transaction_id': 123}
1644 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1645 INFO:ocpp:CP_TEST: send [3,"82db937b-2b10-49ad-916f-35332c8309ce",{}]
1646 INFO:ocpp:CP_TEST: receive message [3,"82db937b-2b10-49ad-916f-35332c8309ce",{}]
1647 INFO:ocpp:CP_TEST: send [2,"02c8b5e8-444c-4dd8-8929-8e03c8d61986","StatusNotification",{
    "connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1648 INFO:ocpp:CP_TEST: receive message [2,"02c8b5e8-444c-4dd8-8929-8e03c8d61986","StatusNotification",{
    "connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1649 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1650 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1651 INFO:ocpp:CP_TEST: send [3,"02c8b5e8-444c-4dd8-8929-8e03c8d61986",{}]
1652 INFO:ocpp:CP_TEST: receive message [3,"02c8b5e8-444c-4dd8-8929-8e03c8d61986",{}]
1653 INFO:MockSystemTest:8.1.13 Status (Conn 1): Finishing
1654 INFO:ocpp:CP_TEST: send [2,"6e8301c8-4843-4567-8291-cc77b5aafeda","StatusNotification",{
    "connectorId":1,"errorCode":"NoError","status":"Available"}]
1655 INFO:ocpp:CP_TEST: receive message [2,"6e8301c8-4843-4567-8291-cc77b5aafeda","StatusNotification",{
    "connectorId":1,"errorCode":"NoError","status":"Available"}]
1656 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1657 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1658 INFO:ocpp:CP_TEST: send [3,"6e8301c8-4843-4567-8291-cc77b5aafeda",{}]
1659 INFO:ocpp:CP_TEST: receive message [3,"6e8301c8-4843-4567-8291-cc77b5aafeda",{}]
1660 INFO:MockSystemTest:8.1.14 Status (Conn 1): Available
1661 INFO:ocpp:CP_TEST: send [2,"1d83c46d-0cdd-4179-baa9-0e339a383be9","RemoteStopTransaction",{
    "transactionId":456}]
1662 INFO:ocpp:CP_TEST: receive message [2,"1d83c46d-0cdd-4179-baa9-0e339a383be9","RemoteStopTransaction",{
    "transactionId":456}]
1663 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 456
1664 INFO:ocpp:CP_TEST: send [3,"1d83c46d-0cdd-4179-baa9-0e339a383be9",{
    "status":"Rejected"}]
1665 INFO:ocpp:CP_TEST: receive message [3,"1d83c46d-0cdd-4179-baa9-0e339a383be9",{
    "status":"Rejected"}]
1666 INFO:MockSystemTest:8.1.15 RemoteStop (Conn 2): Sent
1667 INFO:ocpp:CP_TEST: send [2,"366f5419-0649-402c-9b34-7440eded9bdd","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:28.455568","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]]],
    "transactionId":123}]
```

```
1668 INFO:ocpp:CP_TEST: receive message [2,"366f5419-0649-402c-9b34-7440eded9bdd","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:28.455568","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1669 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:28.455568', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1670 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1671 INFO:ocpp:CP_TEST: send [3,"366f5419-0649-402c-9b34-7440eded9bdd",{}]
1672 INFO:ocpp:CP_TEST: receive message [3,"366f5419-0649-402c-9b34-7440eded9bdd",{}]
1673 INFO:ocpp:CP_TEST: send [2,"9c72c142-6424-4b48-90d5-49e61037182f","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:28.490471","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1674 INFO:ocpp:CP_TEST: receive message [2,"9c72c142-6424-4b48-90d5-49e61037182f","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:28.490471","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1675 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:28.490471', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1676 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1677 INFO:ocpp:CP_TEST: send [3,"9c72c142-6424-4b48-90d5-49e61037182f",{}]
1678 INFO:ocpp:CP_TEST: receive message [3,"9c72c142-6424-4b48-90d5-49e61037182f",{}]
1679 INFO:ocpp:CP_TEST: send [2,"d7e4650e-512e-4e8c-9a27-1e4fec093669","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:28.507973","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1680 INFO:ocpp:CP_TEST: receive message [2,"d7e4650e-512e-4e8c-9a27-1e4fec093669","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:28.507973","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1681 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:28.507973', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1682 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1683 INFO:ocpp:CP_TEST: send [3,"d7e4650e-512e-4e8c-9a27-1e4fec093669",{}]
```

```
1684 INFO:ocpp:CP_TEST: receive message [3,"d7e4650e-512e-4e8c-9a27-1e4fec093669",{}]
1685 INFO:ocpp:CP_TEST: send [2,"e08936a4-5650-4646-91cd-3046e13cee80","MeterValues",{
  "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
    :18:28.534199","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
  "transactionId":123}]
1686 INFO:ocpp:CP_TEST: receive message [2,"e08936a4-5650-4646-91cd-3046e13cee80","MeterValues",{
  "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
    :18:28.534199","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
  "transactionId":123}]
1687 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:28.534199',
  'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
  {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
  {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]},
  'transaction_id': 123}
1688 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1689 INFO:ocpp:CP_TEST: send [3,"e08936a4-5650-4646-91cd-3046e13cee80",{}]
1690 INFO:ocpp:CP_TEST: receive message [3,"e08936a4-5650-4646-91cd-3046e13cee80",{}]
1691 INFO:ocpp:CP_TEST: send [2,"1a1558cb-adb6-4e18-bcde-a2e3c58e73a3","StatusNotification",{
  "connectorId":2,"errorCode":"NoError","status":"Finishing"}]
1692 INFO:ocpp:CP_TEST: receive message [2,"1a1558cb-adb6-4e18-bcde-a2e3c58e73a3","StatusNotification",{
  "connectorId":2,"errorCode":"NoError","status":"Finishing"}]
1693 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Finishing'}
1694 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1695 INFO:ocpp:CP_TEST: send [3,"1a1558cb-adb6-4e18-bcde-a2e3c58e73a3",{}]
1696 INFO:ocpp:CP_TEST: receive message [3,"1a1558cb-adb6-4e18-bcde-a2e3c58e73a3",{}]
1697 INFO:MockSystemTest:8.1.16 StopTx (Conn 2): Completed
1698 INFO:ocpp:CP_TEST: send [2,"03b9684f-5cfb-4490-9664-b136d2948e3f","StatusNotification",{
  "connectorId":2,"errorCode":"NoError","status":"Available"}]
1699 INFO:ocpp:CP_TEST: receive message [2,"03b9684f-5cfb-4490-9664-b136d2948e3f","StatusNotification",{
  "connectorId":2,"errorCode":"NoError","status":"Available"}]
1700 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1701 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1702 INFO:ocpp:CP_TEST: send [3,"03b9684f-5cfb-4490-9664-b136d2948e3f",{}]
1703 INFO:ocpp:CP_TEST: receive message [3,"03b9684f-5cfb-4490-9664-b136d2948e3f",{}]
1704 INFO:MockSystemTest:8.1.18 Status (Conn 2): Available
1705 INFO:MockSystemTest:
1706 --- 8.2 Shared E-Stop ---
1707 INFO:ocpp:CP_TEST: send [2,"ad731709-ccd6-4ed2-94d6-f6ef91740387","StatusNotification",{
  "connectorId":1,"errorCode":"NoError","status":"Available"}]
1708 INFO:ocpp:CP_TEST: receive message [2,"ad731709-ccd6-4ed2-94d6-f6ef91740387","StatusNotification",{
  "connectorId":1,"errorCode":"NoError","status":"Available"}]
1709 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1710 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1711 INFO:ocpp:CP_TEST: send [3,"ad731709-ccd6-4ed2-94d6-f6ef91740387",{}]
```

```
1712 INFO:ocpp:CP_TEST: receive message [3,"ad731709-ccd6-4ed2-94d6-f6ef91740387",{}]]
1713 INFO:ocpp:CP_TEST: send [2,"447703a1-a5bc-4b8b-8220-b197394148c0","StatusNotification",{ "connectorId":2,"errorCode":"NoError","status":"Available"}]]
1714 INFO:ocpp:CP_TEST: receive message [2,"447703a1-a5bc-4b8b-8220-b197394148c0","StatusNotification",{ "connectorId":2,"errorCode":"NoError","status":"Available"}]]
1715 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1716 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1717 INFO:ocpp:CP_TEST: send [3,"447703a1-a5bc-4b8b-8220-b197394148c0",{}]]
1718 INFO:ocpp:CP_TEST: receive message [3,"447703a1-a5bc-4b8b-8220-b197394148c0",{}]]
1719 INFO:MockSystemTest:8.2.1 Status (Unplug): Available
1720 INFO:ocpp:CP_TEST: send [2,"0d3adbbc-77fe-45b9-bdb2-0d01647314eb","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
1721 INFO:ocpp:CP_TEST: receive message [2,"0d3adbbc-77fe-45b9-bdb2-0d01647314eb","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
1722 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1723 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1724 INFO:ocpp:CP_TEST: send [3,"0d3adbbc-77fe-45b9-bdb2-0d01647314eb",{}]]
1725 INFO:ocpp:CP_TEST: receive message [3,"0d3adbbc-77fe-45b9-bdb2-0d01647314eb",{}]]
1726 INFO:MockSystemTest:8.2.2 Conn 1 Plug: Preparing
1727 INFO:ocpp:CP_TEST: send [2,"61e87f2b-8e98-410b-820f-a12538ec72d7","RemoteStartTransaction",{ "idTag":"ESTOP_1","connectorId":1}]]
1728 INFO:ocpp:CP_TEST: receive message [2,"61e87f2b-8e98-410b-820f-a12538ec72d7","RemoteStartTransaction",{ "idTag":"ESTOP_1","connectorId":1}]]
1729 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: ESTOP_1
1730 INFO:ocpp:CP_TEST: send [3,"61e87f2b-8e98-410b-820f-a12538ec72d7",{ "status":"Accepted"}]]
1731 INFO:ocpp:CP_TEST: send [2,"adf1f366-483d-4984-9a7f-43b75ac2d315","StartTransaction",{ "connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T13:18:28.546952"}]]
1732 INFO:ocpp:CP_TEST: receive message [3,"61e87f2b-8e98-410b-820f-a12538ec72d7",{ "status":"Accepted"}]]
1733 INFO:ocpp:CP_TEST: receive message [2,"adf1f366-483d-4984-9a7f-43b75ac2d315","StartTransaction",{ "connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T13:18:28.546952"}]]
1734 INFO:MockSystemTest:8.2.3 RemoteStart (Conn 1): Accepted
1735 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'ESTOP_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:28.546952'}
1736 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1737 INFO:ocpp:CP_TEST: send [3,"adf1f366-483d-4984-9a7f-43b75ac2d315",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1738 INFO:ocpp:CP_TEST: receive message [3,"adf1f366-483d-4984-9a7f-43b75ac2d315",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1739 INFO:ocpp:CP_TEST: send [2,"5798054d-d5a2-42fc-b7bb-49bddcc3af9c","StartTransaction",{ "connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T13:18:28.548069"}]]
1740 INFO:ocpp_16_interface:Transaction started on 1: 123
1741 INFO:MockSystemTest:HARDWARE: Charger started.
1742 INFO:ocpp:CP_TEST: receive message [2,"5798054d-d5a2-42fc-b7bb-49bddcc3af9c","StartTransaction",{ "connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T13:18:28.548069"}]]
1743 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'ESTOP_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:28.548069'}
```

```
1744 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
1745 INFO:ocpp:CP_TEST: send [3,"5798054d-d5a2-42fc-b7bb-49bddcc3af9c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1746 INFO:ocpp:CP_TEST: receive message [3,"5798054d-d5a2-42fc-b7bb-49bddcc3af9c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1747 INFO:ocpp_16_interface:Transaction started on 1: 123
1748 INFO:MockSystemTest:HARDWARE: Charger started.
1749 INFO:MockSystemTest:8.2.4 StartTx (Conn 1): Sent
1750 INFO:ocpp:CP_TEST: send [2,"9fdcda0d-686f-40ce-a8b5-a6cba9e6e2e4","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1751 INFO:ocpp:CP_TEST: receive message [2,"9fdcda0d-686f-40ce-a8b5-a6cba9e6e2e4","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Charging"}]
1752 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1753 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1754 INFO:ocpp:CP_TEST: send [3,"9fdcda0d-686f-40ce-a8b5-a6cba9e6e2e4",{}]
1755 INFO:ocpp:CP_TEST: receive message [3,"9fdcda0d-686f-40ce-a8b5-a6cba9e6e2e4",{}]
1756 INFO:MockSystemTest:8.2.5 Status (Conn 1): Charging
1757 INFO:ocpp:CP_TEST: send [2,"aebd6033-f88d-40a7-8fe6-afd596c071ff","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:29.459548","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1758 INFO:ocpp:CP_TEST: receive message [2,"aebd6033-f88d-40a7-8fe6-afd596c071ff","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:29.459548","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1759 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:29.459548', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
1760 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1761 INFO:ocpp:CP_TEST: send [3,"aebd6033-f88d-40a7-8fe6-afd596c071ff",{}]
1762 INFO:ocpp:CP_TEST: receive message [3,"aebd6033-f88d-40a7-8fe6-afd596c071ff",{}]
1763 INFO:ocpp:CP_TEST: send [2,"906a300e-2ad5-4669-96d5-08a24ebcb16b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:29.494571","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1764 INFO:ocpp:CP_TEST: receive message [2,"906a300e-2ad5-4669-96d5-08a24ebcb16b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:29.494571","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1765 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:29.494571', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
```

```
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
1766 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1767 INFO:ocpp:CP_TEST: send [3,"906a300e-2ad5-4669-96d5-08a24ebcb16b",{}]
1768 INFO:ocpp:CP_TEST: receive message [3,"906a300e-2ad5-4669-96d5-08a24ebcb16b",{}]
1769 INFO:ocpp:CP_TEST: send [2,"c90072fd-3ecc-4909-ab80-7ed3c5211762","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:29.512308","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1770 INFO:ocpp:CP_TEST: receive message [2,"c90072fd-3ecc-4909-ab80-7ed3c5211762","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:29.512308","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1771 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:29.512308', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]], 'transaction_id': 123}
1772 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1773 INFO:ocpp:CP_TEST: send [3,"c90072fd-3ecc-4909-ab80-7ed3c5211762",{}]
1774 INFO:ocpp:CP_TEST: receive message [3,"c90072fd-3ecc-4909-ab80-7ed3c5211762",{}]
1775 INFO:ocpp:CP_TEST: send [2,"168e822c-3339-41dd-8d5a-e7d1ef2a84d2","MeterValues",{"connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13:18:29.538867","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1776 INFO:ocpp:CP_TEST: receive message [2,"168e822c-3339-41dd-8d5a-e7d1ef2a84d2","MeterValues",{"connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13:18:29.538867","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1777 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:29.538867', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]], 'transaction_id': 123}
1778 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1779 INFO:ocpp:CP_TEST: send [3,"168e822c-3339-41dd-8d5a-e7d1ef2a84d2",{}]
1780 INFO:ocpp:CP_TEST: receive message [3,"168e822c-3339-41dd-8d5a-e7d1ef2a84d2",{}]
1781 INFO:ocpp:CP_TEST: send [2,"72f64f0f-5820-4f09-9dfe-e136d649e691","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:29.550507","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
```

```
1782 INFO:ocpp:CP_TEST: receive message [2,"72f64f0f-5820-4f09-9dfe-e136d649e691","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:29.550507","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1783 INFO:MockSystemTest:8.2.6 MeterValues (Conn 1): Received
1784 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:29.550507', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1785 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1786 INFO:ocpp:CP_TEST: send [3,"72f64f0f-5820-4f09-9dfe-e136d649e691",{}]
1787 INFO:ocpp:CP_TEST: receive message [3,"72f64f0f-5820-4f09-9dfe-e136d649e691",{}]
1788 INFO:ocpp:CP_TEST: send [2,"19310bcf-74c5-4d4b-9c9d-7d61ed35c2ed","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:29.551894","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1789 INFO:ocpp:CP_TEST: receive message [2,"19310bcf-74c5-4d4b-9c9d-7d61ed35c2ed","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:29.551894","sampledValue":
    [{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},
    {"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},
    {"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1790 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:29.551894', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}
1791 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1792 INFO:ocpp:CP_TEST: send [3,"19310bcf-74c5-4d4b-9c9d-7d61ed35c2ed",{}]
1793 INFO:ocpp:CP_TEST: receive message [3,"19310bcf-74c5-4d4b-9c9d-7d61ed35c2ed",{}]
1794 INFO:ocpp:CP_TEST: send [2,"26e6ba78-5063-4d83-9801-7b5b42604d7a","StatusNotification",{
    "connectorId":2,"errorCode":"NoError","status":"Preparing"}]
1795 INFO:ocpp:CP_TEST: receive message [2,"26e6ba78-5063-4d83-9801-7b5b42604d7a","StatusNotification",{
    "connectorId":2,"errorCode":"NoError","status":"Preparing"}]
1796 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
1797 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1798 INFO:ocpp:CP_TEST: send [3,"26e6ba78-5063-4d83-9801-7b5b42604d7a",{}]
1799 INFO:ocpp:CP_TEST: receive message [3,"26e6ba78-5063-4d83-9801-7b5b42604d7a",{}]
1800 INFO:MockSystemTest:8.2.7 Conn 2 Plug: Preparing
1801 INFO:ocpp:CP_TEST: send [2,"d683b193-9b92-49ee-9417-1135d0bc62cf","RemoteStartTransaction",{
    "idTag":"ESTOP_2","connectorId":2}]
1802 INFO:ocpp:CP_TEST: receive message [2,"d683b193-9b92-49ee-9417-1135d0bc62cf","RemoteStartTransaction",{
    "idTag":"ESTOP_2","connectorId":2}]
1803 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: ESTOP_2
1804 INFO:ocpp:CP_TEST: send [3,"d683b193-9b92-49ee-9417-1135d0bc62cf",{
    "status":"Rejected"}]
1805 INFO:ocpp:CP_TEST: receive message [3,"d683b193-9b92-49ee-9417-1135d0bc62cf",{
    "status":"Rejected"}]
```

```
1806 INFO:MockSystemTest:8.2.8 RemoteStart (Conn 2): Rejected
1807 WARNING:ocpp_16_interface:Transaction already in progress for connector 2.
1808 INFO:MockSystemTest:8.2.9 StartTx (Conn 2): Sent
1809 INFO:ocpp:CP_TEST: send [2,"ce32bbdb-7400-4674-a1e7-71d3a76a2a14","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1810 INFO:ocpp:CP_TEST: receive message [2,"ce32bbdb-7400-4674-a1e7-71d3a76a2a14","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1811 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Charging'}
1812 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1813 INFO:ocpp:CP_TEST: send [3,"ce32bbdb-7400-4674-a1e7-71d3a76a2a14",{}]
1814 INFO:ocpp:CP_TEST: receive message [3,"ce32bbdb-7400-4674-a1e7-71d3a76a2a14",{}]
1815 INFO:MockSystemTest:8.2.10 Status (Conn 2): Charging
1816 INFO:ocpp:CP_TEST: send [2,"2917f4c5-dee3-423a-860c-88d014a40042","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:30.463436","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1817 INFO:ocpp:CP_TEST: receive message [2,"2917f4c5-dee3-423a-860c-88d014a40042","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:30.463436","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1818 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:30.463436', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
1819 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1820 INFO:ocpp:CP_TEST: send [3,"2917f4c5-dee3-423a-860c-88d014a40042",{}]
1821 INFO:ocpp:CP_TEST: receive message [3,"2917f4c5-dee3-423a-860c-88d014a40042",{}]
1822 INFO:ocpp:CP_TEST: send [2,"abe1a830-c363-4adb-a33a-5375576316fa","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:30.499183","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1823 INFO:ocpp:CP_TEST: receive message [2,"abe1a830-c363-4adb-a33a-5375576316fa","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13:18:30.499183","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
1824 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:30.499183', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
1825 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1826 INFO:ocpp:CP_TEST: send [3,"abe1a830-c363-4adb-a33a-5375576316fa",{}]
```

```
1827 INFO:ocpp:CP_TEST: receive message [3,"abe1a830-c363-4adb-a33a-5375576316fa",{}]
1828 INFO:ocpp:CP_TEST: send [2,"7a24bffa-e67a-4bcc-bcd1-05a3ad19fa3b","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:30.517368","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1829 INFO:ocpp:CP_TEST: receive message [2,"7a24bffa-e67a-4bcc-bcd1-05a3ad19fa3b","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:30.517368","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1830 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:30.517368',
    'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
    {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
    {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]},
    'transaction_id': 123}
1831 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1832 INFO:ocpp:CP_TEST: send [3,"7a24bffa-e67a-4bcc-bcd1-05a3ad19fa3b",{}]
1833 INFO:ocpp:CP_TEST: receive message [3,"7a24bffa-e67a-4bcc-bcd1-05a3ad19fa3b",{}]
1834 INFO:ocpp:CP_TEST: send [2,"bc544452-3d5a-41a3-9fd8-8673c391b0f6","MeterValues",{
    "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
    :18:30.542922","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1835 INFO:ocpp:CP_TEST: receive message [2,"bc544452-3d5a-41a3-9fd8-8673c391b0f6","MeterValues",{
    "connectorId":2,"meterValue":[{"timestamp":"2026-01-06T13
    :18:30.542922","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1836 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:30.542922',
    'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'},
    {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'},
    {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]},
    'transaction_id': 123}
1837 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1838 INFO:ocpp:CP_TEST: send [3,"bc544452-3d5a-41a3-9fd8-8673c391b0f6",{}]
1839 INFO:ocpp:CP_TEST: receive message [3,"bc544452-3d5a-41a3-9fd8-8673c391b0f6",{}]
1840 INFO:ocpp:CP_TEST: send [2,"5a8589a2-f319-4bf7-9253-e37e7377c803","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:30.555871","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
1841 INFO:ocpp:CP_TEST: receive message [2,"5a8589a2-f319-4bf7-9253-e37e7377c803","MeterValues",{
    "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:30.555871","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
    "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
    "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
```

```
1842 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:30.555871', 'sampled_value': [{'value':  
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
    Power.Active.Import', 'unit': 'W'}]]}, 'transaction_id': 123}  
1843 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
1844 INFO:ocpp:CP_TEST: send [3,"5a8589a2-f319-4bf7-9253-e37e7377c803",{}]  
1845 INFO:ocpp:CP_TEST: receive message [3,"5a8589a2-f319-4bf7-9253-e37e7377c803",{}]  
1846 INFO:ocpp:CP_TEST: send [2,"c7491ce0-4d91-469d-821f-7b91eec6f115","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13  
    :18:30.558463","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","  
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","  
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]  
1847 INFO:ocpp:CP_TEST: receive message [2,"c7491ce0-4d91-469d-821f-7b91eec6f115","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13  
    :18:30.558463","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","  
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","  
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]  
1848 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:30.558463', 'sampled_value': [{'value':  
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
    Power.Active.Import', 'unit': 'W'}]]}, 'transaction_id': 123}  
1849 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
1850 INFO:ocpp:CP_TEST: send [3,"c7491ce0-4d91-469d-821f-7b91eec6f115",{}]  
1851 INFO:ocpp:CP_TEST: receive message [3,"c7491ce0-4d91-469d-821f-7b91eec6f115",{}]  
1852 INFO:MockSystemTest:8.2.11 MeterValues (Conn 2): Received  
1853 INFO:ocpp:CP_TEST: send [2,"e7329de4-8c60-44cf-930b-bd5bbffe65e9","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:30.562377","  
    transactionId":123,"reason":"EmergencyStop"}]  
1854 INFO:ocpp:CP_TEST: receive message [2,"e7329de4-8c60-44cf-930b-bd5bbffe65e9","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13  
    :18:30.562377","transactionId":123,"reason":"EmergencyStop"}]  
1855 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:30.562377', 'transaction_id': 123, 'reason': '  
    EmergencyStop'}  
1856 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
1857 INFO:ocpp:CP_TEST: send [3,"e7329de4-8c60-44cf-930b-bd5bbffe65e9",{"idTagInfo":{"status":"Accepted"}}]  
1858 INFO:ocpp:CP_TEST: receive message [3,"e7329de4-8c60-44cf-930b-bd5bbffe65e9",{"idTagInfo":{"status":"Accepted"}}]  
1859 INFO:ocpp_16_interface:Transaction stopped on 1: 123  
1860 INFO:MockSystemTest:8.2.12 StopTx (Conn 1 Emergency): Sent  
1861 INFO:ocpp:CP_TEST: send [2,"69b6549c-6d7d-4322-b406-77ef3e8b0a88","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:30.564122","  
    transactionId":123,"reason":"EmergencyStop"}]  
1862 INFO:ocpp:CP_TEST: receive message [2,"69b6549c-6d7d-4322-b406-77ef3e8b0a88","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13  
    :18:30.564122","transactionId":123,"reason":"EmergencyStop"}]  
1863 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:30.564122', 'transaction_id': 123, 'reason': '  
    EmergencyStop'}
```

```
1864 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1865 INFO:ocpp:CP_TEST: send [3,"69b6549c-6d7d-4322-b406-77ef3e8b0a88",{"idTagInfo":{"status":"Accepted"}}]
1866 INFO:ocpp:CP_TEST: receive message [3,"69b6549c-6d7d-4322-b406-77ef3e8b0a88",{"idTagInfo":{"status":"Accepted"}}]
1867 INFO:ocpp_16_interface:Transaction stopped on 2: 123
1868 INFO:MockSystemTest:HARDWARE: Charger stopped.
1869 INFO:MockSystemTest:8.2.13 StopTx (Conn 2 Emergency): Sent
1870 INFO:ocpp:CP_TEST: send [2,"a3b29f79-c4ae-487a-8d6a-107c26b6fd76",{"StatusNotification":{"connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}}]
1871 INFO:ocpp:CP_TEST: receive message [2,"a3b29f79-c4ae-487a-8d6a-107c26b6fd76",{"StatusNotification":{"connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}}]
1872 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'OtherError', 'status': 'Faulted', 'info': 'EmergencyStop'}
1873 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1874 INFO:ocpp:CP_TEST: send [3,"a3b29f79-c4ae-487a-8d6a-107c26b6fd76",{}]
1875 INFO:ocpp:CP_TEST: receive message [3,"a3b29f79-c4ae-487a-8d6a-107c26b6fd76",{}]
1876 INFO:ocpp:CP_TEST: send [2,"38d4a85c-e322-4525-a3ad-64701134475e",{"StatusNotification":{"connectorId":2,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}}]
1877 INFO:ocpp:CP_TEST: receive message [2,"38d4a85c-e322-4525-a3ad-64701134475e",{"StatusNotification":{"connectorId":2,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}}]
1878 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'OtherError', 'status': 'Faulted', 'info': 'EmergencyStop'}
1879 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1880 INFO:ocpp:CP_TEST: send [3,"38d4a85c-e322-4525-a3ad-64701134475e",{}]
1881 INFO:ocpp:CP_TEST: receive message [3,"38d4a85c-e322-4525-a3ad-64701134475e",{}]
1882 INFO:MockSystemTest:8.2.14 Status (Both): Faulted (Emergency)
1883 INFO:ocpp:CP_TEST: send [2,"255938f7-5567-44ac-b406-695ab9dc5698",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Faulted"}}]
1884 INFO:ocpp:CP_TEST: receive message [2,"255938f7-5567-44ac-b406-695ab9dc5698",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Faulted"}}]
1885 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Faulted'}
1886 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1887 INFO:ocpp:CP_TEST: send [3,"255938f7-5567-44ac-b406-695ab9dc5698",{}]
1888 INFO:ocpp:CP_TEST: receive message [3,"255938f7-5567-44ac-b406-695ab9dc5698",{}]
1889 INFO:MockSystemTest:8.2.15 Status (Unplug): Faulted
1890 INFO:ocpp:CP_TEST: send [2,"759b0514-d1c6-4778-8138-ba8db9959308",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
1891 INFO:ocpp:CP_TEST: receive message [2,"759b0514-d1c6-4778-8138-ba8db9959308",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
1892 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1893 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1894 INFO:ocpp:CP_TEST: send [3,"759b0514-d1c6-4778-8138-ba8db9959308",{}]
1895 INFO:ocpp:CP_TEST: receive message [3,"759b0514-d1c6-4778-8138-ba8db9959308",{}]
1896 INFO:ocpp:CP_TEST: send [2,"a4726432-a4c1-402e-b062-5456f02f471b",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Available"}}]
```

```
1897 INFO:ocpp:CP_TEST: receive message [2,"a4726432-a4c1-402e-b062-5456f02f471b","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
    Available"}]]
1898 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1899 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1900 INFO:ocpp:CP_TEST: send [3,"a4726432-a4c1-402e-b062-5456f02f471b",{}]
1901 INFO:ocpp:CP_TEST: receive message [3,"a4726432-a4c1-402e-b062-5456f02f471b",{}]
1902 INFO:MockSystemTest:8.2.16 Status (Both): Available (Recovered)
1903 INFO:MockSystemTest:
1904 --- 8.3 Power Loss (Dual) ---
1905 INFO:ocpp:CP_TEST: send [2,"6cc70406-2424-4459-976c-19e290fc89fa","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]]
1906 INFO:ocpp:CP_TEST: receive message [2,"6cc70406-2424-4459-976c-19e290fc89fa","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Available"}]]
1907 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1908 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1909 INFO:ocpp:CP_TEST: send [3,"6cc70406-2424-4459-976c-19e290fc89fa",{}]
1910 INFO:ocpp:CP_TEST: receive message [3,"6cc70406-2424-4459-976c-19e290fc89fa",{}]
1911 INFO:ocpp:CP_TEST: send [2,"d9d45109-2ec2-43b1-9fb8-da8bcc36aee5","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]]
1912 INFO:ocpp:CP_TEST: receive message [2,"d9d45109-2ec2-43b1-9fb8-da8bcc36aee5","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
    Available"}]]
1913 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1914 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1915 INFO:ocpp:CP_TEST: send [3,"d9d45109-2ec2-43b1-9fb8-da8bcc36aee5",{}]
1916 INFO:ocpp:CP_TEST: receive message [3,"d9d45109-2ec2-43b1-9fb8-da8bcc36aee5",{}]
1917 INFO:MockSystemTest:8.3.1 Status (Unplug): Available
1918 INFO:ocpp:CP_TEST: send [2,"b1721459-e9f9-4a94-ae24-12dbac3504fd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
1919 INFO:ocpp:CP_TEST: receive message [2,"b1721459-e9f9-4a94-ae24-12dbac3504fd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
    Preparing"}]]
1920 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1921 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1922 INFO:ocpp:CP_TEST: send [3,"b1721459-e9f9-4a94-ae24-12dbac3504fd",{}]
1923 INFO:ocpp:CP_TEST: receive message [3,"b1721459-e9f9-4a94-ae24-12dbac3504fd",{}]
1924 INFO:MockSystemTest:8.3.2 Status (Conn 1): Preparing
1925 INFO:ocpp:CP_TEST: send [2,"5ee13df9-c850-4ecf-8bf6-62edb9010bfa","RemoteStartTransaction",{"idTag":"PLOSS_1","connectorId":1}]
1926 INFO:ocpp:CP_TEST: receive message [2,"5ee13df9-c850-4ecf-8bf6-62edb9010bfa","RemoteStartTransaction",{"idTag":"PLOSS_1","connectorId":1}]
1927 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: PLOSS_1
1928 INFO:ocpp:CP_TEST: send [3,"5ee13df9-c850-4ecf-8bf6-62edb9010bfa",{"status":"Accepted"}]]
1929 INFO:ocpp:CP_TEST: send [2,"b24327bf-64c6-42b6-a550-735ebbd9a0ee","StartTransaction",{"connectorId":1,"idTag":"PLOSS_1","meterStart":0,"timestamp
    ":"2026-01-06T13:18:30.578047"}]]
1930 INFO:ocpp:CP_TEST: receive message [3,"5ee13df9-c850-4ecf-8bf6-62edb9010bfa",{"status":"Accepted"}]]
```

```
1931 INFO:ocpp:CP_TEST: receive message [2,"b24327bf-64c6-42b6-a550-735ebbd9a0ee","StartTransaction",{ "connectorId":1,"idTag":"PLOSS_1","meterStart":0,"
    timestamp":"2026-01-06T13:18:30.578047"}]]
1932 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'PLOSS_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:30.578047'}
1933 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
1934 INFO:MockSystemTest:8.3.3 RemoteStart (Conn 1): Accepted
1935 INFO:ocpp:CP_TEST: send [3,"b24327bf-64c6-42b6-a550-735ebbd9a0ee",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1936 INFO:ocpp:CP_TEST: receive message [3,"b24327bf-64c6-42b6-a550-735ebbd9a0ee",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1937 INFO:ocpp:CP_TEST: send [2,"7d521489-8cdb-4ed4-826f-6c0d71c8d3f4","StartTransaction",{ "connectorId":1,"idTag":"PLOSS_1","meterStart":0,"timestamp
    ":"2026-01-06T13:18:30.579391"}]]
1938 INFO:ocpp_16_interface:Transaction started on 1: 123
1939 INFO:MockSystemTest:HARDWARE: Charger started.
1940 INFO:ocpp:CP_TEST: receive message [2,"7d521489-8cdb-4ed4-826f-6c0d71c8d3f4","StartTransaction",{ "connectorId":1,"idTag":"PLOSS_1","meterStart":0,"
    timestamp":"2026-01-06T13:18:30.579391"}]]
1941 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'PLOSS_1', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:30.579391'}
1942 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
1943 INFO:ocpp:CP_TEST: send [3,"7d521489-8cdb-4ed4-826f-6c0d71c8d3f4",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1944 INFO:ocpp:CP_TEST: receive message [3,"7d521489-8cdb-4ed4-826f-6c0d71c8d3f4",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1945 INFO:ocpp_16_interface:Transaction started on 1: 123
1946 INFO:MockSystemTest:HARDWARE: Charger started.
1947 INFO:MockSystemTest:8.3.4 StartTransaction (Conn 1): Sent
1948 INFO:ocpp:CP_TEST: send [2,"ef549c36-a474-4099-94af-ece01fa85f3f","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Charging"}}]
1949 INFO:ocpp:CP_TEST: receive message [2,"ef549c36-a474-4099-94af-ece01fa85f3f","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"
    Charging"}}]
1950 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1951 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1952 INFO:ocpp:CP_TEST: send [3,"ef549c36-a474-4099-94af-ece01fa85f3f",{}]]
1953 INFO:ocpp:CP_TEST: receive message [3,"ef549c36-a474-4099-94af-ece01fa85f3f",{}]]
1954 INFO:MockSystemTest:8.3.5 Status (Conn 1): Charging
1955 INFO:MockSystemTest:8.3.6 MeterValues (Conn 1): Simulated/Received
1956 INFO:ocpp:CP_TEST: send [2,"2f255d3a-4539-4023-a04c-58873a5cf226","StatusNotification",{ "connectorId":2,"errorCode":"NoError","status":"Preparing"}}]
1957 INFO:ocpp:CP_TEST: receive message [2,"2f255d3a-4539-4023-a04c-58873a5cf226","StatusNotification",{ "connectorId":2,"errorCode":"NoError","status":"
    Preparing"}}]
1958 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
1959 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1960 INFO:ocpp:CP_TEST: send [3,"2f255d3a-4539-4023-a04c-58873a5cf226",{}]]
1961 INFO:ocpp:CP_TEST: receive message [3,"2f255d3a-4539-4023-a04c-58873a5cf226",{}]]
1962 INFO:MockSystemTest:8.3.7 Status (Conn 2): Preparing
1963 INFO:ocpp:CP_TEST: send [2,"a113b451-f73f-4e17-8f4b-3ffea4acd5b6","RemoteStartTransaction",{ "idTag":"PLOSS_2","connectorId":2}]]
```

```
1964 INFO:ocpp:CP_TEST: receive message [2,"a113b451-f73f-4e17-8f4b-3ffea4acd5b6","RemoteStartTransaction",{"idTag":"PLOSS_2","connectorId":2}]
1965 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: PLOSS_2
1966 INFO:ocpp:CP_TEST: send [3,"a113b451-f73f-4e17-8f4b-3ffea4acd5b6",{"status":"Accepted"}]
1967 INFO:ocpp:CP_TEST: send [2,"7d9ea102-de26-44e2-966f-96ba65cf882e","StartTransaction",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"timestamp":
    "2026-01-06T13:18:30.585472"}]
1968 INFO:ocpp:CP_TEST: receive message [3,"a113b451-f73f-4e17-8f4b-3ffea4acd5b6",{"status":"Accepted"}]
1969 INFO:ocpp:CP_TEST: receive message [2,"7d9ea102-de26-44e2-966f-96ba65cf882e","StartTransaction",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"
    timestamp":"2026-01-06T13:18:30.585472"}]
1970 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 2, 'id_tag': 'PLOSS_2', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:30.585472'}
1971 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
1972 INFO:MockSystemTest:8.3.8 RemoteStart (Conn 2): Accepted
1973 INFO:ocpp:CP_TEST: send [3,"7d9ea102-de26-44e2-966f-96ba65cf882e",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1974 INFO:ocpp:CP_TEST: receive message [3,"7d9ea102-de26-44e2-966f-96ba65cf882e",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1975 INFO:ocpp:CP_TEST: send [2,"995c3f52-ca3f-4f41-8244-424176fa2d9a","StartTransaction",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"timestamp":
    "2026-01-06T13:18:30.586929"}]
1976 INFO:ocpp_16_interface:Transaction started on 2: 123
1977 INFO:MockSystemTest:HARDWARE: Charger started.
1978 INFO:ocpp:CP_TEST: receive message [2,"995c3f52-ca3f-4f41-8244-424176fa2d9a","StartTransaction",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"
    timestamp":"2026-01-06T13:18:30.586929"}]
1979 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 2, 'id_tag': 'PLOSS_2', 'meter_start': 0, 'timestamp': '2026-01-06T13:18:30.586929'}
1980 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: '
    Accepted'>})
1981 INFO:ocpp:CP_TEST: send [3,"995c3f52-ca3f-4f41-8244-424176fa2d9a",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1982 INFO:ocpp:CP_TEST: receive message [3,"995c3f52-ca3f-4f41-8244-424176fa2d9a",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1983 INFO:ocpp_16_interface:Transaction started on 2: 123
1984 INFO:MockSystemTest:HARDWARE: Charger started.
1985 INFO:MockSystemTest:8.3.9 StartTransaction (Conn 2): Sent
1986 INFO:ocpp:CP_TEST: send [2,"a16b93fa-e648-489d-90e6-cf2128c54f06","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1987 INFO:ocpp:CP_TEST: receive message [2,"a16b93fa-e648-489d-90e6-cf2128c54f06","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
    Charging"}]
1988 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Charging'}
1989 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1990 INFO:ocpp:CP_TEST: send [3,"a16b93fa-e648-489d-90e6-cf2128c54f06",{}]
1991 INFO:ocpp:CP_TEST: receive message [3,"a16b93fa-e648-489d-90e6-cf2128c54f06",{}]
1992 INFO:MockSystemTest:8.3.10 Status (Conn 2): Charging
1993 INFO:MockSystemTest:8.3.11 MeterValues (Conn 2): Simulated/Received
1994 INFO:MockSystemTest:8.3 Sequence: Both Charging - Waiting for MeterValues
1995 INFO:ocpp:CP_TEST: send [2,"6eeee04d-3f2a-4999-973a-7654a70f8a4b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.467749","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
```

```
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}}
1996 INFO:ocpp:CP_TEST: receive message [2,"6eeee04d-3f2a-4999-973a-7654a70f8a4b","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:31.467749","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}}
1997 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.467749', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
1998 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
1999 INFO:ocpp:CP_TEST: send [3,"6eeee04d-3f2a-4999-973a-7654a70f8a4b",{}]
2000 INFO:ocpp:CP_TEST: receive message [3,"6eeee04d-3f2a-4999-973a-7654a70f8a4b",{}]
2001 INFO:ocpp:CP_TEST: send [2,"f98b8b4a-d2dc-4f05-9d1f-1e59c59afc9a","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:31.503516","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}}
2002 INFO:ocpp:CP_TEST: receive message [2,"f98b8b4a-d2dc-4f05-9d1f-1e59c59afc9a","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:31.503516","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}}
2003 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.503516', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
2004 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2005 INFO:ocpp:CP_TEST: send [3,"f98b8b4a-d2dc-4f05-9d1f-1e59c59afc9a",{}]
2006 INFO:ocpp:CP_TEST: receive message [3,"f98b8b4a-d2dc-4f05-9d1f-1e59c59afc9a",{}]
2007 INFO:ocpp:CP_TEST: send [2,"ff22aa1b-b246-47c3-9eaf-4a34ed7a84a2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:31.522445","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}}
2008 INFO:ocpp:CP_TEST: receive message [2,"ff22aa1b-b246-47c3-9eaf-4a34ed7a84a2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
:18:31.522445","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0",
context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw",
measurand":"Power.Active.Import","unit":"W"}]]], "transactionId":123}}
2009 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.522445', 'sampled_value': [{'value':
'230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
Power.Active.Import', 'unit': 'W'}]]}], 'transaction_id': 123}
```

```
2010 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2011 INFO:ocpp:CP_TEST: send [3,"ff22aa1b-b246-47c3-9eaf-4a34ed7a84a2",{}]
2012 INFO:ocpp:CP_TEST: receive message [3,"ff22aa1b-b246-47c3-9eaf-4a34ed7a84a2",{}]
2013 INFO:ocpp:CP_TEST: send [2,"43d843ea-8606-424e-8813-14e296def2a4","MeterValues",{
  "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.561241","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
      "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
        "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
2014 INFO:ocpp:CP_TEST: receive message [2,"43d843ea-8606-424e-8813-14e296def2a4","MeterValues",{
  "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.561241","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
      "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
        "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
2015 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.561241',
  'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {
    'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {
      'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}],
  'transaction_id': 123}
2016 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2017 INFO:ocpp:CP_TEST: send [3,"43d843ea-8606-424e-8813-14e296def2a4",{}]
2018 INFO:ocpp:CP_TEST: receive message [3,"43d843ea-8606-424e-8813-14e296def2a4",{}]
2019 INFO:ocpp:CP_TEST: send [2,"1ae60069-1b12-4d93-8e75-24300ea45f25","MeterValues",{
  "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.581510","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
      "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
        "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
2020 INFO:ocpp:CP_TEST: receive message [2,"1ae60069-1b12-4d93-8e75-24300ea45f25","MeterValues",{
  "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.581510","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
      "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
        "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
2021 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.581510',
  'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {
    'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {
      'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}],
  'transaction_id': 123}
2022 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2023 INFO:ocpp:CP_TEST: send [3,"1ae60069-1b12-4d93-8e75-24300ea45f25",{}]
2024 INFO:ocpp:CP_TEST: receive message [3,"1ae60069-1b12-4d93-8e75-24300ea45f25",{}]
2025 INFO:ocpp:CP_TEST: send [2,"cece8069-3e93-4ca0-ac01-952760769e6f","MeterValues",{
  "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.582329","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
      "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
        "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
2026 INFO:ocpp:CP_TEST: receive message [2,"cece8069-3e93-4ca0-ac01-952760769e6f","MeterValues",{
  "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:31.582329","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{
      "value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{
        "value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],
    "transactionId":123}]
```

```
    measurand": "Power.Active.Import", "unit": "W"}]]], "transactionId": 123}]
2027 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.582329', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
2028 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2029 INFO:ocpp:CP_TEST: send [3,"cece8069-3e93-4ca0-ac01-952760769e6f",{}]
2030 INFO:ocpp:CP_TEST: receive message [3,"cece8069-3e93-4ca0-ac01-952760769e6f",{}]
2031 INFO:ocpp:CP_TEST: send [2,"52d91d4e-b0bf-402b-9d39-f66ad98e927b", "MeterValues", {"connectorId": 2, "meterValue": [{"timestamp": "2026-01-06T13
    :18:31.587993", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "
    context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "
    measurand": "Power.Active.Import", "unit": "W"}]]], "transactionId": 123}]
2032 INFO:ocpp:CP_TEST: receive message [2,"52d91d4e-b0bf-402b-9d39-f66ad98e927b", "MeterValues", {"connectorId": 2, "meterValue": [{"timestamp": "2026-01-06T13
    :18:31.587993", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "
    context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "
    measurand": "Power.Active.Import", "unit": "W"}]]], "transactionId": 123}]
2033 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.587993', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
2034 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2035 INFO:ocpp:CP_TEST: send [3,"52d91d4e-b0bf-402b-9d39-f66ad98e927b",{}]
2036 INFO:ocpp:CP_TEST: receive message [3,"52d91d4e-b0bf-402b-9d39-f66ad98e927b",{}]
2037 INFO:ocpp:CP_TEST: send [2,"9eb3352e-2ffe-4b03-bf09-153a1e4db850", "MeterValues", {"connectorId": 2, "meterValue": [{"timestamp": "2026-01-06T13
    :18:31.589682", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "
    context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "
    measurand": "Power.Active.Import", "unit": "W"}]]], "transactionId": 123}]
2038 INFO:ocpp:CP_TEST: receive message [2,"9eb3352e-2ffe-4b03-bf09-153a1e4db850", "MeterValues", {"connectorId": 2, "meterValue": [{"timestamp": "2026-01-06T13
    :18:31.589682", "sampledValue": [{"value": "230.0", "context": "Sample.Periodic", "format": "Raw", "measurand": "Voltage", "unit": "V"}, {"value": "16.0", "
    context": "Sample.Periodic", "format": "Raw", "measurand": "Current.Import", "unit": "A"}, {"value": "3680.0", "context": "Sample.Periodic", "format": "Raw", "
    measurand": "Power.Active.Import", "unit": "W"}]]], "transactionId": 123}]
2039 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 2, 'meter_value': [{'timestamp': '2026-01-06T13:18:31.589682', 'sampled_value': [{'value':
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}], {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '
    Power.Active.Import', 'unit': 'W'}]]], 'transaction_id': 123}
2040 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
2041 INFO:ocpp:CP_TEST: send [3,"9eb3352e-2ffe-4b03-bf09-153a1e4db850",{}]
2042 INFO:ocpp:CP_TEST: receive message [3,"9eb3352e-2ffe-4b03-bf09-153a1e4db850",{}]
2043 INFO:ocpp:CP_TEST: send [2,"2ef86082-3fbe-4261-9ff2-b7bf2ee9da1d", "StopTransaction", {"meterStop": 100, "timestamp": "2026-01-06T13:18:31.591347", "
    transactionId": 123, "reason": "PowerLoss"}]
```

```
2044 INFO:ocpp:CP_TEST: receive message [2,"2ef86082-3fbe-4261-9ff2-b7bf2ee9da1d","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
:18:31.591347"},"transactionId":123,"reason":"PowerLoss"']]
2045 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:31.591347', 'transaction_id': 123, 'reason': '
PowerLoss'}
2046 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
2047 INFO:ocpp:CP_TEST: send [3,"2ef86082-3fbe-4261-9ff2-b7bf2ee9da1d",{"idTagInfo":{"status":"Accepted"}}]
2048 INFO:ocpp:CP_TEST: receive message [3,"2ef86082-3fbe-4261-9ff2-b7bf2ee9da1d",{"idTagInfo":{"status":"Accepted"}}]
2049 INFO:ocpp_16_interface:Transaction stopped on 1: 123
2050 INFO:MockSystemTest:8.3.12 StopTx (Conn 1 PowerLoss): Sent
2051 INFO:ocpp:CP_TEST: send [2,"39ef7860-5adf-44bc-a96e-64cf6fb77588","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13:18:31.593291"},"
transactionId":123,"reason":"PowerLoss"']]
2052 INFO:ocpp:CP_TEST: receive message [2,"39ef7860-5adf-44bc-a96e-64cf6fb77588","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T13
:18:31.593291"},"transactionId":123,"reason":"PowerLoss"']]
2053 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T13:18:31.593291', 'transaction_id': 123, 'reason': '
PowerLoss'}
2054 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
2055 INFO:ocpp:CP_TEST: send [3,"39ef7860-5adf-44bc-a96e-64cf6fb77588",{"idTagInfo":{"status":"Accepted"}}]
2056 INFO:ocpp:CP_TEST: receive message [3,"39ef7860-5adf-44bc-a96e-64cf6fb77588",{"idTagInfo":{"status":"Accepted"}}]
2057 INFO:ocpp_16_interface:Transaction stopped on 2: 123
2058 INFO:MockSystemTest:HARDWARE: Charger stopped.
2059 INFO:MockSystemTest:8.3.13 StopTx (Conn 2 PowerLoss): Sent
2060 INFO:ocpp:CP_TEST: send [2,"b78b5ae3-bf89-4eb4-9826-1107b3cd484e","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"']]
2061 INFO:ocpp:CP_TEST: receive message [2,"b78b5ae3-bf89-4eb4-9826-1107b3cd484e","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"
KMUTNB"']]
2062 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
2063 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:18:31.595619', interval=10, status=<
RegistrationStatus.accepted: 'Accepted'>)
2064 INFO:ocpp:CP_TEST: send [3,"b78b5ae3-bf89-4eb4-9826-1107b3cd484e",{"currentTime":"2026-01-06T13:18:31.595619","interval":10,"status":"Accepted"']]
2065 INFO:ocpp:CP_TEST: receive message [3,"b78b5ae3-bf89-4eb4-9826-1107b3cd484e",{"currentTime":"2026-01-06T13:18:31.595619","interval":10,"status":"
Accepted"']]
2066 INFO:ocpp_16_interface:Connected to central system.
2067 INFO:MockSystemTest:HARDWARE: Charger started.
2068 INFO:MockSystemTest:8.3.14 BootNotification: Sent
2069 INFO:ocpp:CP_TEST: send [2,"3aebff3f-ca47-43e0-87e7-a3c43d9d36b7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"']]
2070 INFO:ocpp:CP_TEST: receive message [2,"3aebff3f-ca47-43e0-87e7-a3c43d9d36b7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
Preparing"']]
2071 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
2072 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
2073 INFO:ocpp:CP_TEST: send [3,"3aebff3f-ca47-43e0-87e7-a3c43d9d36b7",{}]
2074 INFO:ocpp:CP_TEST: receive message [3,"3aebff3f-ca47-43e0-87e7-a3c43d9d36b7",{}]]
```

```
2075 INFO:ocpp:CP_TEST: send [2,"2d992676-1e8f-4a9e-8799-7dc2e5398f00","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Preparing"}]
2076 INFO:ocpp:CP_TEST: receive message [2,"2d992676-1e8f-4a9e-8799-7dc2e5398f00","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
  Preparing"}]]
2077 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
2078 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
2079 INFO:ocpp:CP_TEST: send [3,"2d992676-1e8f-4a9e-8799-7dc2e5398f00",{}]
2080 INFO:ocpp:CP_TEST: receive message [3,"2d992676-1e8f-4a9e-8799-7dc2e5398f00",{}]
2081 INFO:MockSystemTest:8.3.15 Status (Both): Preparing
2082 INFO:ocpp:CP_TEST: send [2,"c220709b-6ae8-4177-a00d-3d7608eb489b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
2083 INFO:ocpp:CP_TEST: receive message [2,"c220709b-6ae8-4177-a00d-3d7608eb489b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"
  Available"}]]
2084 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
2085 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
2086 INFO:ocpp:CP_TEST: send [3,"c220709b-6ae8-4177-a00d-3d7608eb489b",{}]
2087 INFO:ocpp:CP_TEST: receive message [3,"c220709b-6ae8-4177-a00d-3d7608eb489b",{}]
2088 INFO:ocpp:CP_TEST: send [2,"b4a515ff-cc8e-4594-99b5-4e431c878dde","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
2089 INFO:ocpp:CP_TEST: receive message [2,"b4a515ff-cc8e-4594-99b5-4e431c878dde","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"
  Available"}]]
2090 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
2091 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
2092 INFO:ocpp:CP_TEST: send [3,"b4a515ff-cc8e-4594-99b5-4e431c878dde",{}]
2093 INFO:ocpp:CP_TEST: receive message [3,"b4a515ff-cc8e-4594-99b5-4e431c878dde",{}]
2094 INFO:MockSystemTest:8.3.16 Status (Both): Available
2095 INFO:MockSystemTest:
2096 --- 9. MEA Specific Configuration (Full Sequence) ---
2097 INFO:ocpp:CP_TEST: send [2,"a6e0eafa-7800-4ff3-bed9-b2f647d5969e","ChangeConfiguration",{"key":"HeartbeatInterval","value":"3600"}]
2098 INFO:ocpp:CP_TEST: receive message [2,"a6e0eafa-7800-4ff3-bed9-b2f647d5969e","ChangeConfiguration",{"key":"HeartbeatInterval","value":"3600"}]
2099 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 3600
2100 INFO:ocpp:CP_TEST: send [3,"a6e0eafa-7800-4ff3-bed9-b2f647d5969e",{"status":"Accepted"}]
2101 INFO:ocpp:CP_TEST: receive message [3,"a6e0eafa-7800-4ff3-bed9-b2f647d5969e",{"status":"Accepted"}]
2102 INFO:MockSystemTest:9.1 Heartbeat 3600: Accepted
2103 INFO:ocpp:CP_TEST: send [2,"4935693a-4c17-464d-ab5e-fa95b30b12e5","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
2104 INFO:ocpp:CP_TEST: receive message [2,"4935693a-4c17-464d-ab5e-fa95b30b12e5","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
2105 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 60
2106 INFO:ocpp:CP_TEST: send [3,"4935693a-4c17-464d-ab5e-fa95b30b12e5",{"status":"Accepted"}]
2107 INFO:ocpp:CP_TEST: receive message [3,"4935693a-4c17-464d-ab5e-fa95b30b12e5",{"status":"Accepted"}]
2108 INFO:MockSystemTest:9.2 MeterValueSampleInterval 60: Accepted
2109 INFO:ocpp:CP_TEST: send [2,"b319c735-4b46-43b3-91dd-f243e59cbcb0","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"-5000"}]
2110 INFO:ocpp:CP_TEST: receive message [2,"b319c735-4b46-43b3-91dd-f243e59cbcb0","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"-5000"}]
2111 INFO:ocpp_16_interface:Received ChangeConfiguration for MEA_V2G_PowerDemand to -5000
```

```
2112 INFO:ocpp_16_interface:[V2G] Grid Demand: Discharging 5000 W
2113 INFO:ocpp:CP_TEST: send [3,"b319c735-4b46-43b3-91dd-f243e59cbcb0",{"status":"Accepted"}]
2114 INFO:ocpp:CP_TEST: receive message [3,"b319c735-4b46-43b3-91dd-f243e59cbcb0",{"status":"Accepted"}]
2115 INFO:MockSystemTest:9.4.1 V2G PowerDemand -5000 (Discharge): Accepted
2116 INFO:ocpp:CP_TEST: send [2,"bf8a2fbc-ec9d-4aa8-a46f-4f85b467c5e6","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"2000"}]
2117 INFO:ocpp:CP_TEST: receive message [2,"bf8a2fbc-ec9d-4aa8-a46f-4f85b467c5e6","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"2000"}]
2118 INFO:ocpp_16_interface:Received ChangeConfiguration for MEA_V2G_PowerDemand to 2000
2119 INFO:ocpp_16_interface:[V2G] Grid Supply: Charging 2000 W
2120 INFO:ocpp:CP_TEST: send [3,"bf8a2fbc-ec9d-4aa8-a46f-4f85b467c5e6",{"status":"Accepted"}]
2121 INFO:ocpp:CP_TEST: receive message [3,"bf8a2fbc-ec9d-4aa8-a46f-4f85b467c5e6",{"status":"Accepted"}]
2122 INFO:MockSystemTest:9.4.2 V2G PowerDemand 2000 (Charge): Accepted
2123 INFO:ocpp:CP_TEST: send [2,"548336cc-f602-4ba0-ae50-a90078c87f80","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"0"}]
2124 INFO:ocpp:CP_TEST: receive message [2,"548336cc-f602-4ba0-ae50-a90078c87f80","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"0"}]
2125 INFO:ocpp_16_interface:Received ChangeConfiguration for MEA_V2G_PowerDemand to 0
2126 INFO:ocpp_16_interface:[V2G] Idle
2127 INFO:ocpp:CP_TEST: send [3,"548336cc-f602-4ba0-ae50-a90078c87f80",{"status":"Accepted"}]
2128 INFO:ocpp:CP_TEST: receive message [3,"548336cc-f602-4ba0-ae50-a90078c87f80",{"status":"Accepted"}]
2129 INFO:MockSystemTest:9.4.3 V2G PowerDemand 0: Accepted
2130 INFO:ocpp:CP_TEST: send [2,"7528e200-b2ba-4dcB-9eea-ba0e236f77f6","DataTransfer",{"vendorId":"MEA","messageId":"Test","data":"Ping"}]
2131 INFO:ocpp:CP_TEST: receive message [2,"7528e200-b2ba-4dcB-9eea-ba0e236f77f6","DataTransfer",{"vendorId":"MEA","messageId":"Test","data":"Ping"}]
2132 INFO:ocpp_16_interface:Received DataTransfer: MEA, Test, Ping
2133 INFO:ocpp:CP_TEST: send [3,"7528e200-b2ba-4dcB-9eea-ba0e236f77f6",{"status":"Accepted","data":"Pong"}]
2134 INFO:ocpp:CP_TEST: receive message [3,"7528e200-b2ba-4dcB-9eea-ba0e236f77f6",{"status":"Accepted","data":"Pong"}]
2135 INFO:MockSystemTest:10.3 DataTransfer: Accepted
2136 INFO:ocpp:CP_TEST: send [2,"f017a4bf-b0e4-40de-8fe0-56e9b6be90f7","GetDiagnostics",{"location":"ftp://example.com/diagnostics"}]
2137 INFO:ocpp:CP_TEST: receive message [2,"f017a4bf-b0e4-40de-8fe0-56e9b6be90f7","GetDiagnostics",{"location":"ftp://example.com/diagnostics"}]
2138 INFO:ocpp_16_interface:Received GetDiagnostics for ftp://example.com/diagnostics
2139 INFO:ocpp:CP_TEST: send [3,"f017a4bf-b0e4-40de-8fe0-56e9b6be90f7",{"fileName":"diagnostics.log"}]
2140 INFO:ocpp:CP_TEST: receive message [3,"f017a4bf-b0e4-40de-8fe0-56e9b6be90f7",{"fileName":"diagnostics.log"}]
2141 INFO:MockSystemTest:10.19 GetDiagnostics: diagnostics.log
2142 INFO:ocpp:CP_TEST: send [2,"3df47e04-c9c4-4a0f-a787-973cfd64dbd1","UpdateFirmware",{"location":"ftp://example.com/firmware","retrieveDate":"2026-01-01T00:00:00Z"}]
2143 INFO:ocpp:CP_TEST: receive message [2,"3df47e04-c9c4-4a0f-a787-973cfd64dbd1","UpdateFirmware",{"location":"ftp://example.com/firmware","retrieveDate":"2026-01-01T00:00:00Z"}]
2144 INFO:ocpp_16_interface:Received UpdateFirmware from ftp://example.com/firmware
2145 INFO:ocpp:CP_TEST: send [3,"3df47e04-c9c4-4a0f-a787-973cfd64dbd1",{}]]
2146 INFO:ocpp:CP_TEST: receive message [3,"3df47e04-c9c4-4a0f-a787-973cfd64dbd1",{}]]
2147 INFO:MockSystemTest:10.20 UpdateFirmware: Sent
2148 INFO:ocpp:CP_TEST: send [2,"f31add66-fbc2-4e52-8468-3e55158a90f5","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[{"idTag":"TAG1","idTagInfo":{"status":"Accepted"}}]]}]}
```

```
2149 INFO:ocpp:CP_TEST: receive message [2,"f31add66-fbc2-4e52-8468-3e55158a90f5","SendLocalList",{"listVersion":1,"updateType":"Full","
    localAuthorizationList":[{"idTag":"TAG1","idTagInfo":{"status":"Accepted"}}]]]
2150 INFO:ocpp_16_interface:Received SendLocalList
2151 INFO:ocpp:CP_TEST: send [3,"f31add66-fbc2-4e52-8468-3e55158a90f5",{"status":"Accepted"}]
2152 INFO:ocpp:CP_TEST: receive message [3,"f31add66-fbc2-4e52-8468-3e55158a90f5",{"status":"Accepted"}]
2153 INFO:MockSystemTest:10.21 SendLocalList: Accepted
2154 INFO:ocpp:CP_TEST: send [2,"e5433717-3585-4488-abc3-dffc350a5096","GetLocalListVersion",{}]
2155 INFO:ocpp:CP_TEST: receive message [2,"e5433717-3585-4488-abc3-dffc350a5096","GetLocalListVersion",{}]
2156 INFO:ocpp_16_interface:Received GetLocalListVersion
2157 INFO:ocpp:CP_TEST: send [3,"e5433717-3585-4488-abc3-dffc350a5096",{"listVersion":1}]
2158 INFO:ocpp:CP_TEST: receive message [3,"e5433717-3585-4488-abc3-dffc350a5096",{"listVersion":1}]
2159 INFO:MockSystemTest:10.22 GetLocalListVersion: 1
2160 INFO:MockSystemTest:
2161 --- 10. Summary Verification ---
2162 INFO:MockSystemTest:10.1 Authorize: Verified via previous tests
2163 INFO:MockSystemTest:10.2 BootNotification: Verified via previous tests
2164 INFO:MockSystemTest:10.4 Heartbeat: Verified via previous tests
2165 INFO:MockSystemTest:10.5 MeterValues: Verified via previous tests
2166 INFO:MockSystemTest:10.6 RemoteStartTransaction: Verified via previous tests
2167 INFO:MockSystemTest:10.7 RemoteStopTransaction: Verified via previous tests
2168 INFO:MockSystemTest:10.8 StartTransaction: Verified via previous tests
2169 INFO:MockSystemTest:10.9 StatusNotification: Verified via previous tests
2170 INFO:MockSystemTest:10.10 StopTransaction: Verified via previous tests
2171 INFO:MockSystemTest:10.14 ChangeAvailability: Verified via previous tests
2172 INFO:MockSystemTest:10.15 ChangeConfiguration: Verified via previous tests
2173 INFO:MockSystemTest:10.16 ClearCache: Verified via previous tests
2174 INFO:MockSystemTest:10.17 DataTransfer: Verified via 10.3
2175 INFO:MockSystemTest:10.23 TriggerMessage: Verified via previous tests
2176 INFO:MockSystemTest:
2177 --- 11. Other Verification ---
2178 INFO:MockSystemTest:11.1 Simulating LAN Disconnect...
2179 INFO:ocpp:CP_TEST: send [2,"0ad808b6-59ab-4736-9fd8-bdc9db398075","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:32.472691","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
2180 INFO:ocpp:CP_TEST: receive message [2,"0ad808b6-59ab-4736-9fd8-bdc9db398075","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T13
    :18:32.472691","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","
    context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","
    measurand":"Power.Active.Import","unit":"W"}]}], "transactionId":123}]
```

```
2181 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T13:18:32.472691', 'sampled_value': [{'value':  
    '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', '  
    format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': '  
    Power.Active.Import', 'unit': 'W'}]}]}, 'transaction_id': 123}  
2182 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
2183 INFO:ocpp:CP_TEST: send [3,"0ad808b6-59ab-4736-9fd8-bdc9db398075",{}]  
2184 INFO:MockSystemTest:11.1 Reconnecting...  
2185 INFO:websockets.server:connection open  
2186 INFO:MockSystemTest:CSMS: Client connected! CP_TEST  
2187 INFO:ocpp:CP_TEST: send [2,"310c7864-2aeb-48a0-b593-9905ec7cb843","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]  
2188 INFO:ocpp:CP_TEST: receive message [2,"310c7864-2aeb-48a0-b593-9905ec7cb843","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"  
    KMUTNB"}]  
2189 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}  
2190 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T13:18:33.620869', interval=10, status=<  
    RegistrationStatus.accepted: 'Accepted'>)  
2191 INFO:ocpp:CP_TEST: send [3,"310c7864-2aeb-48a0-b593-9905ec7cb843",{"currentTime":"2026-01-06T13:18:33.620869","interval":10,"status":"Accepted"}]  
2192 INFO:ocpp:CP_TEST: receive message [3,"310c7864-2aeb-48a0-b593-9905ec7cb843",{"currentTime":"2026-01-06T13:18:33.620869","interval":10,"status": "  
    Accepted"}]  
2193 INFO:ocpp_16_interface:Connected to central system.  
2194 INFO:MockSystemTest:HARDWARE: Charger started.  
2195 INFO:MockSystemTest:11.1 Reconnect BootNotification: Sent  
2196 INFO:MockSystemTest:11.2 Disconnect Count: Verified  
2197 INFO:MockSystemTest:Test Suite Completed.  
2198 ERROR:websockets.server:connection handler failed  
2199 Traceback (most recent call last):  
2200   File "/Users/rus/development/MEA-V2G/venv/lib/python3.12/site-packages/websockets/asyncio/server.py", line 376, in conn_handler  
2201     await self.handler(connection)  
2202   File "/Users/rus/development/MEA-V2G/tests/system/test_mea_mock.py", line 143, in on_connect  
2203     await cp.start()  
2204   File "/Users/rus/development/MEA-V2G/venv/lib/python3.12/site-packages/ocpp/charge_point.py", line 246, in start  
2205     message = await self._connection.recv()  
2206     ~~~~~  
2207   File "/Users/rus/development/MEA-V2G/venv/lib/python3.12/site-packages/websockets/asyncio/connection.py", line 322, in recv  
2208     raise self.protocol.close_exc from self.recv_exc  
2209 websockets.exceptions.ConnectionClosedOK: received 1000 (OK); then sent 1000 (OK)  
2210 INFO:websockets.server:server closing  
2211 ERROR:websockets.server:connection handler failed  
2212 Traceback (most recent call last):  
2213   File "/Users/rus/development/MEA-V2G/venv/lib/python3.12/site-packages/websockets/asyncio/server.py", line 376, in conn_handler  
2214     await self.handler(connection)
```

```
2215 File "/Users/rus/development/MEA-V2G/tests/system/test_mea_mock.py", line 143, in on_connect
2216     await cp.start()
2217 File "/Users/rus/development/MEA-V2G/venv/lib/python3.12/site-packages/ocpp/charge_point.py", line 246, in start
2218     message = await self._connection.recv()
2219     ~~~~~
2220 File "/Users/rus/development/MEA-V2G/venv/lib/python3.12/site-packages/websockets/asyncio/connection.py", line 322, in recv
2221     raise self.protocol.close_exc from self.recv_exc
2222 websockets.exceptions.ConnectionClosedOK: sent 1001 (going away); then received 1001 (going away)
2223 INFO:websockets.server:server closed
```