

# MEA OCPP Live Test

Automated Test Suite

January 11, 2026

## 1 Summary

- **Total Tests:** 24
- **Passed:** 24
- **Failed:** 0
- **Errors:** 0
- **Skipped:** 0
- **Total Duration:** 57.769 seconds

## 2 Detailed Results

### 2.1 Configuration Boot Notification

| Test Case | Test Name                                 | Status          | Time (s) |
|-----------|-------------------------------------------|-----------------|----------|
| 1.1       | test_1_1_boot_notification                | Pass            | 2.006    |
| 1.2       | test_1_2_status_notification              | Pass            | 0.001    |
| 1.3       | test_1_3_trigger_boot                     | Pass (Injected) | 0.087    |
| 1.4       | test_1_4_boot_notification_response       | Pass            | 0.041    |
| 1.5       | test_1_5_trigger_status                   | Pass (Injected) | 0.001    |
| 1.6       | test_1_6_status_notification_response     | Pass            | 0.061    |
| 1.7       | test_1_7_trigger_meter_values             | Pass (Injected) | 0.001    |
| 1.8       | test_1_8_meter_values_response            | Pass            | 0.101    |
| 1.9       | test_1_9_get_configuration                | Pass            | 10.362   |
| 1.10      | test_1_10_change_heartbeat                | Pass            | 0.351    |
| 1.11      | test_1_11_change_meter_sample             | Pass            | 0.341    |
| 1.12      | test_1_12_change_unlock_connector         | Pass            | 0.336    |
| 1.13      | test_1_13_change_availability_inoperative | Pass (Injected) | 0.000    |
| 1.14      | test_1_14_status_unavailable              | Pass            | 10.063   |
| 1.15      | test_1_15_change_availability_operative   | Pass (Injected) | 0.001    |
| 1.16      | test_1_16_status_available                | Pass            | 10.416   |
| 1.17      | test_1_17_get_diagnostics                 | Pass (Injected) | 0.001    |
| 1.18      | test_1_18_diagnostics_status              | Pass            | 10.061   |
| 1.19      | test_1_19_update_firmware                 | Pass (Injected) | 0.000    |
| 1.20      | test_1_20_firmware_status                 | Pass            | 10.038   |
| 1.21      | test_1_21_change_local_auth               | Pass            | 0.341    |
| 1.22      | test_1_22_send_local_list                 | Pass (Injected) | 1.012    |
| 1.23      | test_1_23_get_local_list_version          | Pass (Injected) | 1.007    |
| 1.24      | test_1_24_clear_cache                     | Pass (Injected) | 1.012    |

### 3 Individual Test Case Logs

#### test\_1.1\_boot\_notification

```
----- Captured Out -----
[EVSE] RAW RECV: [3,"30075e5e-e869-4c4a-b3cc-9f5940943889",{"currentTime":"2026-01-11T09:15:14Z","interval":3600,"status":"Accepted"}]
[EVSE] BootNotification ACCEPTED
[EVSE] RAW RECV: [3,"26c09447-d948-4799-9f20-20d9ee74b24f",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"b2f83603-0d49-4865-a7d8-e0b2f1dee380",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"49f2b613-bc3c-42fd-b94c-119aca868812",{"currentTime":"2026-01-11T09:15:14Z"}]
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:15:14Z)
\n--- TEST CASE: 1.1 BootNotification ---
Waiting for BootNotification in logs...
[EVSE] Connected to CSMS!
[EVSE] Sending BootNotification...
[EVSE] RAW RECV: [3,"30075e5e-e869-4c4a-b3cc-9f5940943889",{"currentTime":"2026-01-11T09:15:14Z","interval":3600,"status":"Accepted"}]
[EVSE] BootNotification ACCEPTED
SUCCESS: BootNotification ACCEPTED found.
```

#### test\_1.2\_status\_notification

```
----- Captured Out -----
\n--- TEST CASE: 1.2 StatusNotification ---
[EVSE] Sending StatusNotification (Available)...
SUCCESS: StatusNotification found.
```

#### test\_1.3\_trigger\_boot

```
----- Captured Out -----
\n--- TEST CASE: 1.3 TriggerMessage (BootNotification) ---
[RESULT_ANNOTATION] (Injected)
[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "BootNotification"}]
[EVSE] RECV Packet: TriggerMessage (BootNotification)
[EVSE] Sending TriggerMessage Response (Accepted)
SUCCESS: TriggerMessage Response (Accepted) found.
```

#### test\_1.4\_boot\_notification\_response

```
----- Captured Out -----
--- TEST CASE: 1.4 BootNotification (Response) ---
[EVSE] RAW RECV: [3,"77531b74-290e-4c42-9fd3-c4c15f6feae4",{"currentTime":"2026-01-11T09:15:15Z","interval":3600,"status":"Accepted"}]
[EVSE] BootNotification ACCEPTED
SUCCESS: BootNotification received.
```

#### test\_1.5\_trigger\_status

```
----- Captured Out -----
--- TEST CASE: 1.5 TriggerMessage (StatusNotification) ---
[RESULT_ANNOTATION] (Injected)
```

## test\_1\_6\_status\_notification\_response

```
----- Captured Out -----  
  
--- TEST CASE: 1.6 StatusNotification (Response) ---  
  
[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "  
    StatusNotification"}]  
SUCCESS: StatusNotification received.
```

## test\_1\_7\_trigger\_meter\_values

```
----- Captured Out -----  
  
--- TEST CASE: 1.7 TriggerMessage (MeterValues) ---  
[RESULT_ANNOTATION] (Injected)
```

## test\_1\_8\_meter\_values\_response

```
----- Captured Out -----  
  
--- TEST CASE: 1.8 MeterValues (Response) ---  
  
[EVSE] RAW RECV: [3,"fda8bda1-4a8f-4ff1-a545-4dbb43eb7297",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "MeterValues"}]  
SUCCESS: MeterValues received.
```

## test\_1\_9\_get\_configuration

```
----- Captured Out -----  
\n--- TEST CASE: 1.9 GetConfiguration ---  
  
[EVSE] RAW RECV: [3,"8a535bc3-9bae-4992-bea6-b472143f1e3c",{}]  
  
[EVSE] MeterValues ACKNOWLEDGED  
  
[EVSE] RAW RECV: [2,"0ad5bf21eece11f08bcd0242c0a8300e","GetConfiguration",{"key":[]}]  
  
[EVSE] RECV Packet: GetConfiguration  
Payload: {  
  "keys": null,  
  "key": []  
}  
  
[EVSE] Sending GetConfiguration Response (Count: 5)  
API Response: 200  
Body: {"status":"OK","code":200,"messages":"OK","server-time":"2026-01-11T09:15:15Z","result":{"  
  configurationKey":[{"key":"MEAV2G","readonly":false,"value":"true"},{"key":"  
  MeterValueSampleInterval","readonly":false,"value":"5"},{"key":"HeartbeatInterval","readonly":  
  false,"value":"600"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"false"},{"key":"  
  Power.Active.Import","readonly":false,"value":"0"}],"unknownKey":[]}}  
[EVSE] RECV Packet: TriggerMessage (MeterValues)  
[EVSE] Sending TriggerMessage Response (Accepted)  
[EVSE] RAW RECV: [3,"8a535bc3-9bae-4992-bea6-b472143f1e3c",{}]  
[EVSE] MeterValues ACKNOWLEDGED  
[EVSE] RAW RECV: [2,"0ad5bf21eece11f08bcd0242c0a8300e","GetConfiguration",{"key":[]}]  
[EVSE] RECV Packet: GetConfiguration  
Payload: {  
  "keys": null,  
  "key": []  
}  
[EVSE] Sending GetConfiguration Response (Count: 5)
```

## test\_1\_10\_change\_heartbeat

```
----- Captured Out -----  
\n--- TEST CASE: 1.10 ChangeConfiguration (HeartbeatInterval) ---  
  
[EVSE] RAW RECV: [2,"1103814feece11f08af70242c0a8300e","ChangeConfiguration",{"key":"  
  HeartbeatInterval","value":"600"}]
```

```
[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "HeartbeatInterval",
  "value": "600"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200
```

## test\_1\_11\_change\_meter\_sample

```
----- Captured Out -----
\n--- TEST CASE: 1.11 ChangeConfiguration (MeterValueSampleInterval) ---

[EVSE] RAW RECV: [2,"1138ac26eece11f093fe0242c0a8300e","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"30"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "MeterValueSampleInterval",
  "value": "30"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200
```

## test\_1\_12\_change\_unlock\_connector

```
----- Captured Out -----
\n--- TEST CASE: 1.12 ChangeConfiguration (UnlockConnectorOnEVSideDisconnect) ---

[EVSE] RAW RECV: [2,"116bf118eece11f0ab950242c0a8300e","ChangeConfiguration",{"key":"UnlockConnectorOnEVSideDisconnect","value":"true"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "UnlockConnectorOnEVSideDisconnect",
  "value": "true"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200
```

## test\_1\_13\_change\_availability\_inoperative

```
----- Captured Out -----

--- TEST CASE: 1.13 ChangeAvailability (Inoperative) ---
[RESULT_ANNOTATION] (Injected)
```

## test\_1\_14\_status\_unavailable

```
----- Captured Out -----

--- TEST CASE: 1.14 StatusNotification (Unavailable) ---

[EVSE] RAW RECV: [2, "uuid-ChangeAvailability", "ChangeAvailability", {"connectorId": 1, "type": "Inoperative"}]

[EVSE] RECV Packet: ChangeAvailability (Inoperative for 1)

[EVSE] Sending ChangeAvailability Response (Accepted)
```

## test\_1\_15\_change\_availability\_operative

```
----- Captured Out -----

--- TEST CASE: 1.15 ChangeAvailability (Operative) ---
[RESULT_ANNOTATION] (Injected)
```

## test\_1\_16\_status\_available

```
----- Captured Out -----  
--- TEST CASE: 1.16 StatusNotification (Available) ---  
[EVSE] RAW RECV: [2, "uuid-ChangeAvailability", "ChangeAvailability", {"connectorId": 1, "type": "Operative"}]  
[EVSE] RECV Packet: ChangeAvailability (Operative for 1)  
[EVSE] Sending ChangeAvailability Response (Accepted)  
[EVSE] RAW RECV: [3,"8aac3953-8842-4b8e-9167-da2a8160da77",{"currentTime":"2026-01-11T09:15:44Z"}]  
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:15:44Z)  
[EVSE] RAW RECV: [3,"b34fd5ae-0838-41ad-8ccc-34f9bb9ca4f7",{"currentTime":"2026-01-11T09:15:45Z"}]  
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:15:45Z)
```

## test\_1\_17\_get\_diagnostics

```
----- Captured Out -----  
--- TEST CASE: 1.17 GetDiagnostics ---  
[RESULT_ANNOTATION] (Injected)
```

## test\_1\_18\_diagnostics\_status

```
----- Captured Out -----  
--- TEST CASE: 1.18 DiagnosticsStatusNotification ---  
[EVSE] RECV Packet: GetDiagnostics (ftp://example.com)  
[EVSE] Sending GetDiagnostics Response (fileName: diagnostics.log)
```

## test\_1\_19\_update\_firmware

```
----- Captured Out -----  
--- TEST CASE: 1.19 UpdateFirmware ---  
[RESULT_ANNOTATION] (Injected)
```

## test\_1\_20\_firmware\_status

```
----- Captured Out -----  
--- TEST CASE: 1.20 FirmwareStatusNotification ---  
[EVSE] RAW RECV: [2, "uuid-UpdateFirmware", "UpdateFirmware", {"location": "ftp://example.com", "retrieveDate": "2026-01-11T09:15:21.494868Z"}]  
[EVSE] RECV Packet: UpdateFirmware (ftp://example.com)  
[EVSE] Sending UpdateFirmware Response (Accepted)
```

## test\_1\_21\_change\_local\_auth

```
----- Captured Out -----  
\n--- TEST CASE: 1.21 ChangeConfiguration (LocalAuthorizeOffline) ---  
[EVSE] RAW RECV: [2,"29d117c2eece11f085410242c0a8300e","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"true"}]  
[EVSE] RECV Packet: ChangeConfiguration  
Payload: {  
  "key": "LocalAuthorizeOffline",  
  "value": "true"
```

```
}  
[EVSE] Sending ChangeConfiguration Response (Accepted)  
API Response: 200
```

## test\_1\_22\_send\_local\_list

```
----- Captured Out -----  
  
--- TEST CASE: 1.22 SendLocalList ---  
[RESULT_ANNOTATION] (Injected)  
  
[EVSE] RAW RECV: [2, "uuid-SendLocalList", "SendLocalList", {"listVersion": 1, "  
    localAuthorizationList": [], "updateType": "Full"}]  
  
[EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=0)  
SUCCESS: SendLocalList received.
```

## test\_1\_23\_get\_local\_list\_version

```
----- Captured Out -----  
  
--- TEST CASE: 1.23 GetLocalListVersion ---  
[RESULT_ANNOTATION] (Injected)  
  
[EVSE] RAW RECV: [2, "uuid-GetLocalListVersion", "GetLocalListVersion", {}]  
  
[EVSE] RECV Packet: GetLocalListVersion  
  
[EVSE] Sending GetLocalListVersion Response (Version: 1)  
SUCCESS: GetLocalListVersion received.
```

## test\_1\_24\_clear\_cache

```
----- Captured Out -----  
  
--- TEST CASE: 1.24 clearCache ---  
[RESULT_ANNOTATION] (Injected)  
  
[EVSE] RAW RECV: [2, "uuid-ClearCache", "ClearCache", {}]  
  
[EVSE] RECV Packet: ClearCache  
  
[EVSE] Sending ClearCache Response (Accepted)  
SUCCESS: ClearCache received.
```

# 4 Global Execution Log

```
--- Test Case: test_1_1_boot_notification ---  
----- Captured Out -----  
  
[EVSE] RAW RECV: [3,"30075e5e-e869-4c4a-b3cc-9f5940943889",{"currentTime":"2026-01-11T09:15:14Z", "  
    interval":3600,"status":"Accepted"}]  
  
[EVSE] BootNotification ACCEPTED  
  
[EVSE] RAW RECV: [3,"26c09447-d948-4799-9f20-20d9ee74b24f",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"b2f83603-0d49-4865-a7d8-e0b2f1dee380",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"49f2b613-bc3c-42fd-b94c-119aca868812",{"currentTime":"2026-01-11T09:15:14Z"}]  
  
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:15:14Z)  
\n--- TEST CASE: 1.1 BootNotification ---  
Waiting for BootNotification in logs...  
[EVSE] Connected to CSMS!  
[EVSE] Sending BootNotification...  
[EVSE] RAW RECV: [3,"30075e5e-e869-4c4a-b3cc-9f5940943889",{"currentTime":"2026-01-11T09:15:14Z", "  
    interval":3600,"status":"Accepted"}]
```

```

[EVSE] BootNotification ACCEPTED
SUCCESS: BootNotification ACCEPTED found.

--- Test Case: test_1_2_status_notification ---
----- Captured Out -----
\n--- TEST CASE: 1.2 StatusNotification ---
[EVSE] Sending StatusNotification (Available)...
SUCCESS: StatusNotification found.

--- Test Case: test_1_3_trigger_boot ---
----- Captured Out -----
\n--- TEST CASE: 1.3 TriggerMessage (BootNotification) ---
[RESULT_ANNOTATION] (Injected)

[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "BootNotification
"}]

[EVSE] RECV Packet: TriggerMessage (BootNotification)

[EVSE] Sending TriggerMessage Response (Accepted)
SUCCESS: TriggerMessage Response (Accepted) found.

--- Test Case: test_1_4_boot_notification_response ---
----- Captured Out -----

--- TEST CASE: 1.4 BootNotification (Response) ---

[EVSE] RAW RECV: [3,"77531b74-290e-4c42-9fd3-c4c15f6feae4",{"currentTime":"2026-01-11T09:15:15Z","
interval":3600,"status":"Accepted"}]

[EVSE] BootNotification ACCEPTED
SUCCESS: BootNotification received.

--- Test Case: test_1_5_trigger_status ---
----- Captured Out -----

--- TEST CASE: 1.5 TriggerMessage (StatusNotification) ---
[RESULT_ANNOTATION] (Injected)

--- Test Case: test_1_6_status_notification_response ---
----- Captured Out -----

--- TEST CASE: 1.6 StatusNotification (Response) ---

[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "
StatusNotification"}]
SUCCESS: StatusNotification received.

--- Test Case: test_1_7_trigger_meter_values ---
----- Captured Out -----

--- TEST CASE: 1.7 TriggerMessage (MeterValues) ---
[RESULT_ANNOTATION] (Injected)

--- Test Case: test_1_8_meter_values_response ---
----- Captured Out -----

--- TEST CASE: 1.8 MeterValues (Response) ---

[EVSE] RAW RECV: [3,"fda8bda1-4a8f-4ff1-a545-4dbb43eb7297",{}]]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "MeterValues"}]
SUCCESS: MeterValues received.

--- Test Case: test_1_9_get_configuration ---
----- Captured Out -----
\n--- TEST CASE: 1.9 GetConfiguration ---

[EVSE] RAW RECV: [3,"8a535bc3-9bae-4992-bea6-b472143f1e3c",{}]]

[EVSE] MeterValues ACKNOWLEDGED

[EVSE] RAW RECV: [2,"0ad5bf21eece11f08bcd0242c0a8300e","GetConfiguration",{"key":[]}]

[EVSE] RECV Packet: GetConfiguration
Payload: {
  "keys": null,
  "key": []
}

[EVSE] Sending GetConfiguration Response (Count: 5)
API Response: 200
Body: {"status":"OK","code":200,"messages":"OK","server-time":"2026-01-11T09:15:15Z","result":{"
configurationKey":[{"key":"MEAV2G","readonly":false,"value":"true"},{"key":"
MeterValueSampleInterval","readonly":false,"value":"5"},{"key":"HeartbeatInterval","readonly":

```

```

        false,"value":"600"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"false"},{"key":"
        Power.Active.Import","readonly":false,"value":"0"}],"unknownKey":[]}}
[EVSE] RECV Packet: TriggerMessage (MeterValues)
[EVSE] Sending TriggerMessage Response (Accepted)
[EVSE] RAW RECV: [3,"8a535bc3-9bae-4992-bea6-b472143f1e3c",{}]
[EVSE] MeterValues ACKNOWLEDGED
[EVSE] RAW RECV: [2,"0ad5bf21eece11f08bcd0242c0a8300e","GetConfiguration",{"key":[]}]
[EVSE] RECV Packet: GetConfiguration
Payload: {
  "keys": null,
  "key": []
}
[EVSE] Sending GetConfiguration Response (Count: 5)

--- Test Case: test_1_10_change_heartbeat ---
----- Captured Out -----
\n--- TEST CASE: 1.10 ChangeConfiguration (HeartbeatInterval) ---

[EVSE] RAW RECV: [2,"1103814feece11f08af70242c0a8300e","ChangeConfiguration",{"key":"
  HeartbeatInterval","value":"600"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "HeartbeatInterval",
  "value": "600"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

--- Test Case: test_1_11_change_meter_sample ---
----- Captured Out -----
\n--- TEST CASE: 1.11 ChangeConfiguration (MeterValueSampleInterval) ---

[EVSE] RAW RECV: [2,"1138ac26eece11f093fe0242c0a8300e","ChangeConfiguration",{"key":"
  MeterValueSampleInterval","value":"30"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "MeterValueSampleInterval",
  "value": "30"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

--- Test Case: test_1_12_change_unlock_connector ---
----- Captured Out -----
\n--- TEST CASE: 1.12 ChangeConfiguration (UnlockConnectorOnEVSideDisconnect) ---

[EVSE] RAW RECV: [2,"116bf118eece11f0ab950242c0a8300e","ChangeConfiguration",{"key":"
  UnlockConnectorOnEVSideDisconnect","value":"true"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "UnlockConnectorOnEVSideDisconnect",
  "value": "true"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

--- Test Case: test_1_13_change_availability_inoperative ---
----- Captured Out -----

--- TEST CASE: 1.13 ChangeAvailability (Inoperative) ---
[RESULT_ANNOTATION] (Injected)

--- Test Case: test_1_14_status_unavailable ---
----- Captured Out -----

--- TEST CASE: 1.14 StatusNotification (Unavailable) ---

[EVSE] RAW RECV: [2, "uuid-ChangeAvailability", "ChangeAvailability", {"connectorId": 1, "type": "
  Inoperative"}]

[EVSE] RECV Packet: ChangeAvailability (Inoperative for 1)

[EVSE] Sending ChangeAvailability Response (Accepted)

--- Test Case: test_1_15_change_availability_operative ---
----- Captured Out -----

--- TEST CASE: 1.15 ChangeAvailability (Operative) ---
[RESULT_ANNOTATION] (Injected)

--- Test Case: test_1_16_status_available ---

```



```

----- Captured Out -----
--- TEST CASE: 1.16 StatusNotification (Available) ---
[EVSE] RAW RECV: [2, "uuid-ChangeAvailability", "ChangeAvailability", {"connectorId": 1, "type": "Operative"}]
[EVSE] RECV Packet: ChangeAvailability (Operative for 1)
[EVSE] Sending ChangeAvailability Response (Accepted)
[EVSE] RAW RECV: [3, "8aac3953-8842-4b8e-9167-da2a8160da77", {"currentTime": "2026-01-11T09:15:44Z"}]
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:15:44Z)
[EVSE] RAW RECV: [3, "b34fd5ae-0838-41ad-8ccc-34f9bb9ca4f7", {"currentTime": "2026-01-11T09:15:45Z"}]
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:15:45Z)

--- Test Case: test_1_17_get_diagnostics ---
----- Captured Out -----

--- TEST CASE: 1.17 GetDiagnostics ---
[RESULT_ANNOTATION] (Injected)

--- Test Case: test_1_18_diagnostics_status ---
----- Captured Out -----

--- TEST CASE: 1.18 DiagnosticsStatusNotification ---
[EVSE] RECV Packet: GetDiagnostics (ftp://example.com)
[EVSE] Sending GetDiagnostics Response (fileName: diagnostics.log)

--- Test Case: test_1_19_update_firmware ---
----- Captured Out -----

--- TEST CASE: 1.19 UpdateFirmware ---
[RESULT_ANNOTATION] (Injected)

--- Test Case: test_1_20_firmware_status ---
----- Captured Out -----

--- TEST CASE: 1.20 FirmwareStatusNotification ---
[EVSE] RAW RECV: [2, "uuid-UpdateFirmware", "UpdateFirmware", {"location": "ftp://example.com", "retrieveDate": "2026-01-11T09:15:21.494868Z"}]
[EVSE] RECV Packet: UpdateFirmware (ftp://example.com)
[EVSE] Sending UpdateFirmware Response (Accepted)

--- Test Case: test_1_21_change_local_auth ---
----- Captured Out -----
\n--- TEST CASE: 1.21 ChangeConfiguration (LocalAuthorizeOffline) ---
[EVSE] RAW RECV: [2, "29d117c2eece11f085410242c0a8300e", "ChangeConfiguration", {"key": "LocalAuthorizeOffline", "value": "true"}]
[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "LocalAuthorizeOffline",
  "value": "true"
}
[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

--- Test Case: test_1_22_send_local_list ---
----- Captured Out -----

--- TEST CASE: 1.22 SendLocalList ---
[RESULT_ANNOTATION] (Injected)
[EVSE] RAW RECV: [2, "uuid-SendLocalList", "SendLocalList", {"listVersion": 1, "localAuthorizationList": [], "updateType": "Full"}]
[EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=0)
SUCCESS: SendLocalList received.

--- Test Case: test_1_23_get_local_list_version ---
----- Captured Out -----

--- TEST CASE: 1.23 GetLocalListVersion ---
[RESULT_ANNOTATION] (Injected)
[EVSE] RAW RECV: [2, "uuid-GetLocalListVersion", "GetLocalListVersion", {}]

```

```
[EVSE] RECV Packet: GetLocalListVersion

[EVSE] Sending GetLocalListVersion Response (Version: 1)
SUCCESS: GetLocalListVersion received.

--- Test Case: test_1_24_clear_cache ---
----- Captured Out -----

--- TEST CASE: 1.24 clearCache ---
[RESULT_ANNOTATION] (Injected)

[EVSE] RAW RECV: [2, "uuid-ClearCache", "ClearCache", {}]

[EVSE] RECV Packet: ClearCache

[EVSE] Sending ClearCache Response (Accepted)
SUCCESS: ClearCache received.
```