

MEA OCPP Live Test

Automated Test Suite

January 11, 2026

1 Summary

- **Total Tests:** 24
- **Passed:** 24
- **Failed:** 0
- **Errors:** 0
- **Skipped:** 0
- **Total Duration:** 57.836 seconds

2 Detailed Results

2.1 Configuration and Boot Notification

Test Case	Test Name	Status	Time (s)
1.1	test_1_1_boot_notification	Pass	2.004
1.2	test_1_2_status_notification	Pass	0.001
1.3	test_1_3_trigger_boot	Pass (Injected)	0.080
1.4	test_1_4_boot_notification_response	Pass	0.046
1.5	test_1_5_trigger_status	Pass (Injected)	0.001
1.6	test_1_6_status_notification_response	Pass	0.057
1.7	test_1_7_trigger_meter_values	Pass (Injected)	0.001
1.8	test_1_8_meter_values_response	Pass	0.100
1.9	test_1_9_get_configuration	Pass	10.422
1.10	test_1_10_change_heartbeat	Pass	0.342
1.11	test_1_11_change_meter_sample	Pass	0.380
1.12	test_1_12_change_unlock_connector	Pass	0.366
1.13	test_1_13_change_availability_inoperative	Pass (Injected)	0.001
1.14	test_1_14_status_unavailable	Pass	10.034
1.15	test_1_15_change_availability_operative	Pass (Injected)	0.001
1.16	test_1_16_status_available	Pass	10.333
1.17	test_1_17_get_diagnostics	Pass (Injected)	0.001
1.18	test_1_18_diagnostics_status	Pass	10.105
1.19	test_1_19_update_firmware	Pass (Injected)	0.001
1.20	test_1_20_firmware_status	Pass	10.066
1.21	test_1_21_change_local_auth	Pass	0.337
1.22	test_1_22_send_local_list	Pass (Injected)	1.011
1.23	test_1_23_get_local_list_version	Pass (Injected)	1.007
1.24	test_1_24_clear_cache	Pass (Injected)	1.012

3 Individual Test Case Logs

test_1.1_boot_notification

```
----- Captured Out -----
[EVSE] RAW RECV: [3,"d2a19b8f-620e-4117-abb-b-a4e192632a7e",{"currentTime":"2026-01-11T12:46:31Z","interval":3600,"status":"Accepted"}]
[EVSE] BootNotification ACCEPTED
[EVSE] RAW RECV: [3,"3b6296f6-64ef-4b41-bc11-2bda45fdae4b",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"eccc5a5e-5074-4788-892b-30ec1bba363c",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"b4a284a2-965a-42d1-aa04-328d477373dc",{"currentTime":"2026-01-11T12:46:31Z"}]
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T12:46:31Z)
[TestMeaSection1] Extended Logging ENABLED for Report Generation
--- TEST CASE: 1.1 BootNotification ---
Waiting for BootNotification in logs...
[EVSE] Connected to CSMS!
[EVSE] Sending BootNotification...
[EVSE] BootNotification ACCEPTED
SUCCESS: BootNotification ACCEPTED found.
```

test_1.2_status_notification

```
----- Captured Out -----
--- TEST CASE: 1.2 StatusNotification ---
[EVSE] Sending StatusNotification (Available)...
SUCCESS: StatusNotification found.
```

test_1.3_trigger_boot

```
----- Captured Out -----
--- TEST CASE: 1.3 TriggerMessage (BootNotification) ---
[RESULT_ANNOTATION] (Injected)
[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "BootNotification"}]
[EVSE] RECV Packet: TriggerMessage (BootNotification)
[EVSE] Sending TriggerMessage Response (Accepted)
SUCCESS: TriggerMessage Response (Accepted) found.
```

test_1.4_boot_notification_response

```
----- Captured Out -----
--- TEST CASE: 1.4 BootNotification (Response) ---
[EVSE] RAW RECV: [3,"b1607320-41aa-4aaf-b652-e6fa3d0fc724",{"currentTime":"2026-01-11T12:46:32Z","interval":3600,"status":"Accepted"}]
[EVSE] BootNotification ACCEPTED
SUCCESS: BootNotification received.
```

test_1.5_trigger_status

```
----- Captured Out -----
--- TEST CASE: 1.5 TriggerMessage (StatusNotification) ---
[RESULT_ANNOTATION] (Injected)
```

test_1_6_status_notification_response

```
----- Captured Out -----  
  
--- TEST CASE: 1.6 StatusNotification (Response) ---  
  
[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "  
    StatusNotification"}]  
SUCCESS: StatusNotification received.
```

test_1_7_trigger_meter_values

```
----- Captured Out -----  
  
--- TEST CASE: 1.7 TriggerMessage (MeterValues) ---  
[RESULT_ANNOTATION] (Injected)
```

test_1_8_meter_values_response

```
----- Captured Out -----  
  
--- TEST CASE: 1.8 MeterValues (Response) ---  
  
[EVSE] RAW RECV: [3,"8ed3dc22-6b5c-457f-93ad-14e5d86a7459",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [2, "uuid-TriggerMessage", "TriggerMessage", {"requestedMessage": "MeterValues"}]  
SUCCESS: MeterValues received.
```

test_1_9_get_configuration

```
----- Captured Out -----  
  
--- TEST CASE: 1.9 GetConfiguration ---  
  
[EVSE] RAW RECV: [3,"825972d5-aa53-43e1-a9dd-0bcce6b64836",{}]  
  
[EVSE] MeterValues ACKNOWLEDGED  
  
[EVSE] RAW RECV: [2,"8e9ce296eeeb11f0b6b60242c0a8300e","GetConfiguration",{"key":[]}]  
  
[EVSE] RECV Packet: GetConfiguration  
Payload: {  
  "keys": null,  
  "key": []  
}  
  
[EVSE] Sending GetConfiguration Response (Count: 5)  
API Response: 200  
Body: {"status":"OK","code":200,"messages":"OK","server-time":"2026-01-11T12:46:32Z","result":{"  
  configurationKey":[{"key":"MEAV2G","readonly":false,"value":"true"},{"key":"  
    MeterValueSampleInterval","readonly":false,"value":"5"},{"key":"HeartbeatInterval","readonly":  
    false,"value":"600"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"false"},{"key":"  
    Power.Active.Import","readonly":false,"value":"0"}],"unknownKey":[]}}  
[EVSE] RECV Packet: TriggerMessage (MeterValues)  
[EVSE] Sending TriggerMessage Response (Accepted)  
[EVSE] SENDING Packet: MeterValues (One-off)  
[EVSE] RAW RECV: [3,"825972d5-aa53-43e1-a9dd-0bcce6b64836",{}]  
[EVSE] MeterValues ACKNOWLEDGED  
[EVSE] RAW RECV: [2,"8e9ce296eeeb11f0b6b60242c0a8300e","GetConfiguration",{"key":[]}]  
[EVSE] RECV Packet: GetConfiguration  
Payload: {  
  "keys": null,  
  "key": []  
}  
[EVSE] Sending GetConfiguration Response (Count: 5)
```

test_1_10_change_heartbeat

```

----- Captured Out -----

--- TEST CASE: 1.10 ChangeConfiguration (HeartbeatInterval) ---

[EVSE] RAW RECV: [2,"94ca64e7eeeb11f0abb00242c0a8300e","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "HeartbeatInterval",
  "value": "600"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

```

test_1_11_change_meter_sample

```

----- Captured Out -----

--- TEST CASE: 1.11 ChangeConfiguration (MeterValueSampleInterval) ---

[EVSE] RAW RECV: [2,"95045280eeeb11f092a30242c0a8300e","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"30"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "MeterValueSampleInterval",
  "value": "30"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

```

test_1_12_change_unlock_connector

```

----- Captured Out -----

--- TEST CASE: 1.12 ChangeConfiguration (UnlockConnectorOnEVSideDisconnect) ---

[EVSE] RAW RECV: [2,"953bfbdaeeeb11f0a2f70242c0a8300e","ChangeConfiguration",{"key":"UnlockConnectorOnEVSideDisconnect","value":"true"}]

[EVSE] RECV Packet: ChangeConfiguration
Payload: {
  "key": "UnlockConnectorOnEVSideDisconnect",
  "value": "true"
}

[EVSE] Sending ChangeConfiguration Response (Accepted)
API Response: 200

```

test_1_13_change_availability_inoperative

```

----- Captured Out -----

--- TEST CASE: 1.13 ChangeAvailability (Inoperative) ---
[RESULT_ANNOTATION] (Injected)

```

test_1_14_status_unavailable

```

----- Captured Out -----

--- TEST CASE: 1.14 StatusNotification (Unavailable) ---
[EVSE] RAW RECV: [2, "uuid-ChangeAvailability", "ChangeAvailability", {"connectorId": 1, "type": "Inoperative"}]

[EVSE] RECV Packet: ChangeAvailability (Inoperative for 1)

[EVSE] Sending ChangeAvailability Response (Accepted)

```

test_1_15_change_availability_operative

```
----- Captured Out -----  
  
--- TEST CASE: 1.15 ChangeAvailability (Operative) ---  
[RESULT_ANNOTATION] (Injected)
```

test_1_16_status_available

```
----- Captured Out -----  
  
--- TEST CASE: 1.16 StatusNotification (Available) ---  
  
[EVSE] RAW RECV: [2, "uuid-ChangeAvailability", "ChangeAvailability", {"connectorId": 1, "type": "Operative"}]  
  
[EVSE] RECV Packet: ChangeAvailability (Operative for 1)  
  
[EVSE] Sending ChangeAvailability Response (Accepted)  
  
[EVSE] SENDING Packet: Heartbeat  
  
[EVSE] RAW RECV: [3, "4cd69357-9977-4116-bd40-3fc1a1fc7223", {"currentTime": "2026-01-11T12:47:01Z"}]  
  
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T12:47:01Z)  
  
[EVSE] SENDING Packet: Heartbeat  
  
[EVSE] RAW RECV: [3, "82c92c4a-01f9-4a11-9776-63cce82c5244", {"currentTime": "2026-01-11T12:47:02Z"}]  
  
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T12:47:02Z)
```

test_1_17_get_diagnostics

```
----- Captured Out -----  
  
--- TEST CASE: 1.17 GetDiagnostics ---  
[RESULT_ANNOTATION] (Injected)
```

test_1_18_diagnostics_status

```
----- Captured Out -----  
  
--- TEST CASE: 1.18 DiagnosticsStatusNotification ---  
  
[EVSE] RAW RECV: [2, "uuid-GetDiagnostics", "GetDiagnostics", {"location": "ftp://example.com"}]  
  
[EVSE] RECV Packet: GetDiagnostics (ftp://example.com)  
  
[EVSE] Sending GetDiagnostics Response (fileName: diagnostics.log)
```

test_1_19_update_firmware

```
----- Captured Out -----  
  
--- TEST CASE: 1.19 UpdateFirmware ---  
[RESULT_ANNOTATION] (Injected)
```

test_1_20_firmware_status

```
----- Captured Out -----  
  
--- TEST CASE: 1.20 FirmwareStatusNotification ---  
  
[EVSE] RAW RECV: [2, "uuid-UpdateFirmware", "UpdateFirmware", {"location": "ftp://example.com", "retrieveDate": "2026-01-11T12:46:37.919794Z"}]  
  
[EVSE] RECV Packet: UpdateFirmware (ftp://example.com)  
  
[EVSE] Sending UpdateFirmware Response (Accepted)
```

test_1_21_change_local_auth

```
----- Captured Out -----  
  
--- TEST CASE: 1.21 ChangeConfiguration (LocalAuthorizeOffline) ---  
  
[EVSE] RAW RECV: [2,"ad9cf30feeeb11f083d60242c0a8300e","ChangeConfiguration",{"key":"  
    LocalAuthorizeOffline","value":"true"}]  
  
[EVSE] RECV Packet: ChangeConfiguration  
Payload: {  
    "key": "LocalAuthorizeOffline",  
    "value": "true"  
}  
  
[EVSE] Sending ChangeConfiguration Response (Accepted)  
API Response: 200
```

test_1_22_send_local_list

```
----- Captured Out -----  
  
--- TEST CASE: 1.22 SendLocalList ---  
[RESULT_ANNOTATION] (Injected)  
  
[EVSE] RAW RECV: [2, "uuid-SendLocalList", "SendLocalList", {"listVersion": 1, "  
    localAuthorizationList": [], "updateType": "Full"}]  
  
[EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=0)  
SUCCESS: SendLocalList received.
```

test_1_23_get_local_list_version

```
----- Captured Out -----  
  
--- TEST CASE: 1.23 GetLocalListVersion ---  
[RESULT_ANNOTATION] (Injected)  
  
[EVSE] RAW RECV: [2, "uuid-GetLocalListVersion", "GetLocalListVersion", {}]  
  
[EVSE] RECV Packet: GetLocalListVersion  
  
[EVSE] Sending GetLocalListVersion Response (Version: 1)  
SUCCESS: GetLocalListVersion received.
```

test_1_24_clear_cache

```
----- Captured Out -----  
  
--- TEST CASE: 1.24 clearCache ---  
[RESULT_ANNOTATION] (Injected)  
  
[EVSE] RAW RECV: [2, "uuid-ClearCache", "ClearCache", {}]  
  
[EVSE] RECV Packet: ClearCache  
  
[EVSE] Sending ClearCache Response (Accepted)  
SUCCESS: ClearCache received.  
  
[TestMeaSection1] Extended Logging DISABLED
```

4 Global Execution Log

```
===== test session starts =====  
platform darwin -- Python 3.12.3, pytest-9.0.2, pluggy-1.6.0  
rootdir: /Users/rus/development/MEA-V2G  
collected 24 items  
  
tests/api/test_mea_section1.py ..  
[EVSE] SENDING Packet: BootNotification  
Payload: {  
    "chargePointModel": "MEA-V2G-01",
```

```

    "chargePointVendor": "KMUTNB"
}
...
[EVSE] RECV Packet: TriggerMessage (StatusNotification)

[EVSE] Sending TriggerMessage Response (Accepted)

[EVSE] SENDING Packet: StatusNotification (Available)
..
[EVSE] RECV Packet: TriggerMessage (MeterValues)

[EVSE] Sending TriggerMessage Response (Accepted)

[EVSE] SENDING Packet: MeterValues (One-off)
..... [100%]

===== warnings summary =====
tests/api/test_mea_section1.py::TestMeaSection1::test_1_9_get_configuration
tests/api/test_mea_section1.py::TestMeaSection1::test_1_10_change_heartbeat
tests/api/test_mea_section1.py::TestMeaSection1::test_1_11_change_meter_sample
tests/api/test_mea_section1.py::TestMeaSection1::test_1_12_change_unlock_connector
tests/api/test_mea_section1.py::TestMeaSection1::test_1_21_change_local_auth
/Users/rus/development/MEA-V2G/tests/api/test_mea_section1.py:53: DeprecationWarning: datetime.
datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-
aware objects to represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
nonce = datetime.utcnow().isoformat() + "Z"

tests/api/test_mea_section1.py::TestMeaSection1::test_1_19_update_firmware
/Users/rus/development/MEA-V2G/tests/api/test_mea_section1.py:444: DeprecationWarning: datetime.
datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-
aware objects to represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
self.inject_csms_command(evse_simulation, "UpdateFirmware", {"location": "ftp://example.com", "
retrieveDate": datetime.utcnow().isoformat() + "Z"})

-- Docs: https://docs.pytest.org/en/stable/how-to/capture-warnings.html
- generated xml file: /Users/rus/development/MEA-V2G/tex/MEA-live_test_results_section1.xml -
===== 24 passed, 6 warnings in 57.84s =====

```