

MEA OCPP 1.6 Compliance Test Report

Section 4: Reset Verification

Vector vSECC.single Board vs MEA CSMS (rddQC4000001)

MEA-V2G Project — Automated Test

2026-06-11 04:33 UTC

Contents

1	Test Configuration	2
2	Section 4 Results	2
3	Notes	3

1 Test Configuration

Device Under Test	Vector vSECC.single Board
Device IP	192.168.1.166
OCPP Version	1.6 (JSON)
CP ID	rddQC4000001
CSMS	wss://ocpp.measandbox.com:2930
Connection	Direct TLS (Security Profile 1, no proxy)
Test Date	2026-06-11 04:33 UTC
Results file	tex/vsecc_section4_results.json

Test Architecture

The vSECC connects directly to the MEA CSMS at `wss://ocpp.measandbox.com:2930/EV/Srv/JSON/1.6/rddQC4000001` over TLS with no intermediate proxy. OCPP traffic is observed via the vSECC's `GET /api/logging/files/ocpplib.log` REST endpoint (TRACE-level log, raw » sent / « received frames) and via MQTT at `192.168.1.166:1883` (topic `vsecc/#`). The test PC NAT-routes internet access for the vSECC subnet (`192.168.1.x` via `enp3s0`).

2 Section 4 Results

Summary: 6 PASS 0 FAIL 15 WARN 0 SKIP (21 total)

Item	Test Description	Detail / Evidence	Result
4.1	Reset (Hard) Accepted	HTTP 200	PASS
""			
4.2	BootNotification Accepted (after Hard Reset)	CSMS reconnection confirmed after reset	PASS
4.3	StatusNotification Available (after reboot)	Available not observed on MQTT in 20 s after reset	WARN
4.4	StatusNotification Preparing (EV plug, Flow 1)	EV_WAIT_SEC=0 skipped <i>Connect physical EV to connector and rerun</i>	WARN
4.5	RemoteStartTransaction Accepted	HTTP 200	PASS
""			
4.6	StartTransaction (triggered by RemoteStart)	charging_session_state not observed on MQTT in 30 s	WARN
4.7	StatusNotification Charging (Flow 1)	Charging status not observed on MQTT in 20 s	WARN
4.8	MeterValues (Flow 1, during charging)	MeterValues not observed on MQTT in 15 s	WARN
4.9	Reset (Soft) Accepted (during charging)	HTTP 200	PASS
""			
4.10	StopTransaction (triggered by Soft Reset)	session_state idle/finished not observed in 30 s <i>Soft Reset should cause graceful StopTransaction before reboot</i>	WARN
4.11	StatusNotification Finishing (Soft Reset, EV plugged)	Finishing not observed on MQTT in 15 s <i>Some implementations skip Finishing go directly to Available</i>	WARN
4.12	StatusNotification Available (unplug after Soft Reset)	Available not observed on MQTT in 30 s unplug EV	WARN
4.13	StatusNotification Preparing (EV plug, Flow 2)	EV_WAIT_SEC=0 skipped <i>Connect physical EV to connector and rerun</i>	WARN

Item	Test Description	Detail / Evidence	Result
4.14	RemoteStartTransaction Accepted (Flow 2)	HTTP 200	PASS
""			
4.15	StartTransaction (Flow 2, triggered by RemoteStart)	charging_session_state not observed on MQTT in 30 s	WARN
4.16	StatusNotification Charging (Flow 2)	Charging status not observed on MQTT in 20 s	WARN
4.17	MeterValues (Flow 2, during charging)	MeterValues not observed on MQTT in 15 s	WARN
4.18	Reset (Hard) Accepted (during charging)	HTTP 200	PASS
""			
4.19	StopTransaction (triggered by Hard Reset)	session_state idle/finished not observed in 30 s <i>Hard Reset may not send StopTransaction before rebooting</i>	WARN
4.20	StatusNotification Finishing (Hard Reset, EV plugged)	Finishing not observed on MQTT in 15 s <i>Hard Reset typically skips Finishing goes directly Available after reboot</i>	WARN
4.21	StatusNotification Available (after Hard Reset, EV unplug)	Available not observed in 90s unplug EV / wait for reboot	WARN

3 Notes

Reset flows

Hard Reset and Soft Reset commands are issued via MEA REST API. BootNotification after Hard Reset confirms vSECC reconnection. All dependent session items (StartTransaction, MeterValues, StopTransaction) require a physical EV to be connected during the test.

BootNotification after reset

Verified via MQTT vsecc/ocpp_connection_status reconnect event. The ocpplib.log provides additional frame-level evidence.