

MEA OCPP 1.6 Compliance Test Report

Section 8: Dual Connector Verification

Vector vSECC.single Board vs MEA CSMS (rddQC4000001)

MEA-V2G Project — Automated Test

2026-06-11 04:47 UTC

Contents

1	Test Configuration	2
2	Section 8 Results	2
3	Notes	4

1 Test Configuration

Device Under Test Vector vSECC.single Board
Device IP 192.168.1.166
OCPP Version 1.6 (JSON)
CP ID rddQC4000001
CSMS wss://ocpp.measandbox.com:2930
Connection Direct TLS (Security Profile 1, no proxy)
Test Date 2026-06-11 04:47 UTC
Results file tex/vsecc_section8_results.json

Test Architecture

The vSECC connects directly to the MEA CSMS at `wss://ocpp.measandbox.com:2930/EV/Srv/JSON/1.6/rddQC4000001` over TLS with no intermediate proxy. OCPP traffic is observed via the vSECC's GET `/api/logging/files/ocpplib.log` REST endpoint (TRACE-level log, raw » sent / « received frames) and via MQTT at 192.168.1.166:1883 (topic `vsecc/#`). The test PC NAT-routes internet access for the vSECC subnet (192.168.1.x via `enp3s0`).

2 Section 8 Results

Summary: 0 PASS 0 FAIL 0 WARN 50 SKIP (50 total)

Item	Test Description	Detail / Evidence	Result
8.1.1	Concurrent RemoteStart Connector 1 Accepted	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.2	Concurrent RemoteStart Connector 2 Accepted	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.3	StartTransaction Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.4	StartTransaction Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.5	StatusNotification Charging Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.6	StatusNotification Charging Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.7	MeterValues Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.8	MeterValues Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.9	RemoteStop Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.10	RemoteStop Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.11	StopTransaction Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.12	StopTransaction Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.13	StatusNotification Finishing Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.14	StatusNotification Finishing Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.15	StatusNotification Available Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP

Item	Test Description	Detail / Evidence	Result
8.1.16	StatusNotification Available Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.17	Transaction isolation Connector 1 not affected by Connector 2 stop	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.1.18	Transaction isolation Connector 2 not affected by Connector 1 stop	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.1	Emergency Stop signal sent	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.2	RemoteStop broadcast Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.3	RemoteStop broadcast Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.4	StopTransaction (EmergencyStop reason) Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.5	StopTransaction (EmergencyStop reason) Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.6	StatusNotification Faulted Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.7	StatusNotification Faulted Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.8	StatusNotification Unavailable (after fault clear) Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.9	StatusNotification Unavailable (after fault clear) Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.10	ChangeAvailability Operative Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.11	ChangeAvailability Operative Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.12	StatusNotification Available Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.13	StatusNotification Available Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.14	New session possible after emergency stop Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.15	New session possible after emergency stop Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.2.16	Shared emergency stop clears both connectors simultaneously	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.1	Power loss event detected	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.2	Active session aborted Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.3	Active session aborted Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.4	StopTransaction (PowerLoss reason) Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.5	StopTransaction (PowerLoss reason) Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP

Item	Test Description	Detail / Evidence	Result
8.3.6	vSECC power loss BootNotification after restore	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.7	StatusNotification Available after power restore Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.8	StatusNotification Available after power restore Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.9	Session data integrity after power restore Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.10	Session data integrity after power restore Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.11	RemoteStart accepted after power restore Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.12	RemoteStart accepted after power restore Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.13	StartTransaction after power restore Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.14	StartTransaction after power restore Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.15	StatusNotification Charging after power restore Connector 1	vSECC.single has one connector dual-connector scenarios N/A	SKIP
8.3.16	StatusNotification Charging after power restore Connector 2	vSECC.single has one connector dual-connector scenarios N/A	SKIP

3 Notes

Dual connector

The Vector vSECC.single Board supports only a single connector. All Section 8 dual-connector items are recorded as SKIP.