Debater Lincoln-Douglass Edition

Models and Specs for the app

Models

class Debates

attributes

1. resolution (string)

relationships

1. has_many :positions
2. belongs_to :author, class_name: "User"

class Positions

attributes

1. affirmative? (bool)
2. speech (enum: 1AC, 1NC, 1AR, 1NR, 2AR)
3. value (string)
4. criterion (string)
5. thesis (string)

relationships

1. has_many :contentions
2. has_many :examples, through: :contentions
3. has_many :analyses, through: :contentions
4. belongs_to :user

class Contentions

attributes

1. topic (string)

relationships

1. belongs_to :position
2. belongs_to :user, through: :position
3. has_many :examples
4. has_many :analyses
5. belongs_to :responses, class_name: "Contention"
6. has_many :reactions, class_name: "Contention"

class Examples

attributes

1. summary (string)
2. evidence (string)
3. source (string)

relationships

1. belongs_to :contentions

class Analyses

attributes

1. summary (string)
2. text (string)

relationships

1. belongs_to :contentions

Specs

testing Debates

1. it should respond to resolution
2. it should be invalid without a resolution (res == nil)
3. resolution should be a string
4. it should have many(:Positions)
5. it should not have > 2 positions

testing Positions

1. it should respond to affirmative?
2. affirmative? cannot be nil
3. affirmative? should be a boolean
4. it should respond to speech
5. Speech should only take one of the following values: 1AC, 1NC, 1AR,

1NR, 2AR

6. it should respond to value

7. value cannot be nil

8. value should be a string

9. it should respond to criterion

10. criterion cannot be nil

11. criterion should be a string

12. it should respond to thesis

13. thesis should not be nil

14. thesis should be a string

15. it should have many :contentions

16. it should have many :examples, through: :contentions

17. it should have many :analyses, through: :contentions

18. it should belong to :user

testing Contentions

1. it should respond to topic

2. topic should not be nil

3. topic should be a string

4. it should belong to :position

5. it should belong to :user, through: :position

6. it should have many :examples

7. it should have many :analyses

8. it should belong to :responses, class_name: "Contention"

9. it should have many :reactions, class_name: "Contention"

testing Examples

1. it should respond to summary

2. summary should not be nil

3. summary should be a string

4. it should respond to evidence

5. evidence should be a string or nil

6. it should respond to source

7. if evidence is not nil, source should not be nil

8. if evidence is not nil, source should be a string

9. summary should not be nil

10. it should belong to :contentions

testing Analyses

1. it should respond to summary

2. it should respond to text

3. summary should not be nil

4. text should be a string or nil

5. it should belong to :contentions