MyQuest™

TAYLOR,RUSSELL

DOB: 02/22/1987
Sex: M
Phone: (559) 260-1238
Patient ID: 53079285

Age: 39
Fasting: N

Specimen: ZL241162K
Requisition: 0001210
Report Status: FINAL

Collected: 05/15/2026 10:19
Received: 05/15/2026 10:18
Reported: 05/26/2026 10:08

Client #: 88816378
NELSON,KELLY
SIERRA MULTI-SPEC-TRUCKEE
10978 DONNER PASS RD
TRUCKEE, CA 96161-0433
Phone: (530) 582-1212
Fax: (530) 587-3609

FASTING:NO

⚠ ANA SCREEN, IFA, W/REFL TITER AND PATTERN

Analyte	Value	
⚠ ANA SCREEN, IFA	POSITIVE	Reference Range: NEGATIVE

ANA IFA is a first line screen for detecting the presence of up to approximately 150 autoantibodies in various autoimmune diseases. A positive ANA IFA result is suggestive of autoimmune disease and reflexes to titer and pattern. Further laboratory testing may be considered if clinically indicated.

For additional information, please refer to http://education.QuestDiagnostics.com/faq/FAQ177 (This link is being provided for informational/ educational purposes only.)

⚠ ANTINUCLEAR ANTIBODIES TITER AND PATTERN

Analyte	Value	
⚠ ANA TITER	1:320 H	titer

Reference Range
<1:40 Negative
1:40-1:80 Low Antibody Level
>1:80 Elevated Antibody Level

Analyte	Value
⚠ ANA PATTERN	Nuclear, Dense Fine Speckled

Dense fine speckled pattern is seen in normal individuals and rarely associated with systemic lupus erythematosis (SLE), Sjogren's syndrome and systemic sclerosis.

AC-2: Dense Fine Speckled

International Consensus on ANA Patterns (https://doi.org/10.1515/cclm-2018-0052)

MAGNESIUM

Analyte	Value	
MAGNESIUM	2.1	Reference Range: 1.5-2.5 mg/dL

CREATINE KINASE, TOTAL

Analyte	Value	
CREATINE KINASE, TOTAL	115	Reference Range: 26-366 U/L

HLA-B27 ANTIGEN

Analyte	Value	
HLA-B27 ANTIGEN	NEGATIVE	Reference Range: NEGATIVE

C-REACTIVE PROTEIN

Analyte	Value	
C-REACTIVE PROTEIN	<3.0	Reference Range: <8.0 mg/L

LYME DISEASE AB W/REFL TO BLOT (IGG, IGM)

Analyte	Value	
LYME AB SCREEN	<0.90	INDEX

```
REFERENCE RANGE:  <0.90

Index       Interpretation
   < 0.90      NEGATIVE
0.90-1.09      EQUIVOCAL
   > 1.09      POSITIVE

As recommended by the Food and Drug Administration (FDA),
all samples with positive or equivocal results in a
Borrelia burgdorferi antibody screen will be tested
using a blot method. Positive or equivocal screening
test results should not be interpreted as truly
positive until verified as such using a supplemental
assay (e.g., B. burgdorferi blot).

The screening test and/or blot for B. burgdorferi
antibodies may be falsely negative in early stages
of Lyme disease, including the period when erythema
migrans is apparent.
```

Performing Sites

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

QAW Quest Diagnostics-Las Vegas - 4230 Burnham, 4230 Burnham Ave, Las Vegas, NV 89119-5408 Laboratory Director: Christine Ruemmler-Gamble

Key

Priority Out of Range Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: http://questdiagnostics.com/home/privacy-policy/online-privacy.html. © 2022 Quest Diagnostics Incorporated. All rights reserved.



These results have been sent to the person that ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.