

BIM FUNDAMENTALS

BS 1192:2007 INFORMATION NAMING & SUITABILITY CODES



INFINITE BIM
SIÂN MORRIS | BIM CONSULTANT

SIÂN MORRIS | BIM CONSULTANT

PRIMARY ROLES

BIM CONSULTANT

INFORMATION MANAGEMENT (PIM)

ARCHITECTURAL TECHNOLOGIST

BRE BIM LEVEL2 CERTIFICATION



REVIT FACTORY™

THANK YOU



BiM regions

the home of digital construction

East

'BIM FUNDAMENTALS':

BS 1192:2007 INFORMATION NAMING & SUITABILITY CODES

BIM PROCESS/FLOW

NAMING METHOD

SUITABILITY CODES

'BIM FUNDAMENTALS':

BS 1192:2007
INFORMATION NAMING
& SUITABILITY CODES



WHAT IS THE LANGUAGE OF INFORMATION?

Where's the acoustic report?


Is this the latest copy?

Which job is this for?

DARLEY AVE –GF PLANS
0000.2017.0003.056941
RF's REPORT UPDATE
17.01.24 ACO REPO
002-ARCH. SECIFICATION



Figure 15 – Extending the common data environment (CDE)



NAMING

OVERVIEW

WHATS IN A NAME?

DISTINGUISHING & IDENTIFYING



Table 4 Examples of field usage

Fields	Directories (see 5.4.2)	Files (see 5.4.3)	Containers within files including layers (see 5.4.4)	Clause
Project	PR1	PR1		6
Originator		XYZ		7
$\langle A_1 \rangle$ Volume or system $\langle A_1 \rangle$		$\langle A_2 \rangle$ 01 $\langle A_2 \rangle$		8.1.2
Levels and locations		01		8.1.3
Type		M3		9
Role		A	A	10
Classification		$\langle A_1 \rangle$ Uniclass $\langle A_1 \rangle$ (optional)	$\langle A_1 \rangle$ Uniclass $\langle A_1 \rangle$	11
Presentation			M	12
Number		0001		13
Description (optional)			Doors	14
Suitability (optional)	S1	S1		15.2.2
Revision (optional)	$\langle A_1 \rangle$ P02 $\langle A_1 \rangle$	$\langle A_1 \rangle$ P02 $\langle A_1 \rangle$		15.2.3
Name	PR1-S1-P2	$\langle A_2 \rangle$ PR1-XYZ-01-01-M3-A-0001 $\langle A_2 \rangle$	A- $\langle A_1 \rangle$ Uniclass $\langle A_1 \rangle$ -M_Doors	

SO WHATS IN A BIM NAME?






Table 4 Examples of field usage

Fields	Directories (see 5.4.2)	Files (see 5.4.3)	Containers within files including layers (see 5.4.4)	Clause
Project	PR1	PR1		6
Originator		XYZ		7
$\langle A_1 \rangle$ Volume or system $\langle A_1 \rangle$		$\langle A_2 \rangle$ 01 $\langle A_2 \rangle$		8.1.2
Levels and locations		01		8.1.3
Type		M3		9
Role		A	A	10
Classification		$\langle A_1 \rangle$ Uniclass $\langle A_1 \rangle$ (optional)	$\langle A_1 \rangle$ Uniclass $\langle A_1 \rangle$	11
Presentation			M	12
Number		0001		13
Description (optional)			Doors	14
Suitability (optional)	S1	S1		15.2.2
Revision (optional)	$\langle A_1 \rangle$ P02 $\langle A_1 \rangle$	$\langle A_1 \rangle$ P02 $\langle A_1 \rangle$		15.2.3
Name	PR1-S1-P2	$\langle A_2 \rangle$ PR1-XYZ-01-01-M3-A-0001 $\langle A_2 \rangle$	A- $\langle A_1 \rangle$ Uniclass $\langle A_1 \rangle$ -M_Doors	

UNRAVELLING THE SYSTEM

PROJECT

WHICH PROJECT DOES IT REFER TO?

PROJECT

*.... independent and recognizably
distinct from any individual
organization's internal job number.*

UNIQUE PROJECT REFERENCE NUMBER

PROJECT

= *ABC123*

2 – 6 Characters

ABC123

PROJECT

= *ABC123*

ORIGINATOR

THE COMPANY WHO PRODUCED THE DATA?

ABC123

PROJECT

= *ABC123*

ORIGINATOR

= *IBL*

3 – 6 Characters

INFINITE BIM LIMITED

ABC123 - IBL

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME


VOLUME OR SYSTEM?

ABC123 - IBL


THERE SHOULD BE AT LEAST ONE VOLUME PER ROLE

ABC123 - IBL - Volume?


*... EXPLICITLY DESIGNATED TO BE NONE
OVERLAPPING*



ARCHITECT



STRUCTURE



MEP


ABC123 - IBL - Volume?

*... EXPLICITLY DESIGNATED TO BE NONE
OVERLAPPING*

A MORE COMPLICATED/LARGER PROJECT MAY NEED TO BE DIVIDED INTO SEVERAL DIFFERENT VOLUMES.

THE VOLUME STRATEGY MUST BE AGREED AT THE BEGINNING OF A PROJECT.

NOT TO BE CONFUSED WITH COBIE ZONES.



ABC123 - IBL - *Volume?*

WHEREVER POSSIBLE, REPITIONS OF THE SAME CODES, PER ROLE, SHOULD BE AVOIDED

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

1 – 2 Characters

ZZ FOR DATA THAT CONTAINS ALL VOLUMES

ABC123 - IBL - A1

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS

LEVEL THE DATA REFERS TO?

ZZ ALL LEVELS

XX NO LEVEL

GF GROUND FLOOR

00 BASE LEVEL OF BUILDING

01 FLOOR ONE

02 FLOOR TWO

M1 MEZZANINE ABOVE 01

B1 LEVELS BELOW 00 ARE PREFIXED
WITH 'B'

ABC123 - IBL - A1

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

2 Characters

ABC123 - IBL - A1 - ZZ

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE

WHAT FORM IS THE DATA?

ABC123 - IBL - A1 - ZZ

PROJECT = ABC123

ORIGINATOR = IBL

VOLUME = A1

LEVELS = ZZ

TYPE

 File types for drawings and models

Code	File Type
AF	Animation file (of a model)
CM	Combined model (combined multidiscipline model)
CR	Specific for the clash process
DR	2D drawing
M2	2D model file
M3	3D model file
MR	Model rendition file for other renditions, e.g thermal analysis etc.
VS	Visualization file (of a model)

ABC123 - IBL - A1 - ZZ

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE

ABC123 - IBL - A1 - ZZ

File types for documents

Code	File Type
BQ	Bill of quantities
CA	Calculations
CO	Correspondence
CP	Cost plan
DB	Database
FN	File note
HS	Health and safety
IE	Information exchange file
MI	Minutes / action notes
MS	Method statement
PP	Presentation
PR	Programme
RD	Room data sheet
RI	Request for information
RP	Report
SA	Schedule of accommodation
SH	Schedule
SN	Snagging list
SP	Specification
SU	Survey 

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

2 Characters

ABC123 - IBL - A1 - ZZ - M3

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE

ROLE /DISCIPLINE?

ABC123 - IBL - A1 - ZZ - M3

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE

10.2 Standard codes for roles

The standard codes for file role should be exactly one character as follows:

- A Architect
- B Building Surveyor
- C Civil Engineer
- D Drainage, Highways Engineer
- E Electrical Engineer
- F Facilities Manager
- G Geographical and Land Surveyor
- H Heating and Ventilation Designer
- I Interior Designer
- K Client
- L Landscape Architect
- M Mechanical Engineer
- P Public Health Engineer
- Q Quantity Surveyor
- S Structural Engineer
- T Town and Country Planner
- W Contractor
- X Subcontractor
- Y Specialist Designer
- Z General (non-disciplinary)

ABC123 - IBL - A1 - ZZ - M3

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE = *A*

1 Characters

ABC123 - IBL - A1 - ZZ - M3 - A

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE = *A*

CLASSIFICATION

CLASSIFICATION

ABC123 - IBL - A1 - ZZ - M3 - A



*'UNICLASS 2015 is a unified classification
for the UK industry covering all construction
sectors'*

<https://toolkit.thenbs.com/articles/classification/>

VIEW AND DOWNLOAD THE CLASSIFICATION TABLES

Search Uniclass2015:

Filter by:

All tables

Results 1 to 10 of 15

Prev

1

2

Next

Code	Title
Co_35_10_37	Hospital complexes
Co_35_90_95	Veterinary hospitals
Pr_40_20_06_38	Hospital pattern bidets
Pr_40_20_93_37	Hospital pattern disposal units
Pr_40_20_93_38	Hospital pattern urinals
Pr_40_20_93_39	Hospital pattern WC pans and cisterns
Pr_40_20_96_39	Hospital pattern plaster sinks
Pr_40_20_96_40	Hospital pattern scrub-up troughs
Pr_40_30_20_38	Hospital bed screens
Pr_40_50_06_38	Hospital bedheads

Results 1 to 10 of 15

Prev

1

2

Next

Table	Status and revision information
Co - Complexes	v1.1, Published November 2016
En - Entities	v1.1, Published November 2016
Ac - Activities	v1.1, Published November 2016
SL - Spaces/ locations	v1.2, Published November 2016
EF - Elements/ functions	v1.2, Published November 2016
Ss - Systems	v1.4, Published November 2016
Pr - Products	v1.4, Published November 2016
Zz- CAD	v1.0, Published July 2015
CA - Construction aids	Beta status – consultation ongoing
FI - Form of information	Beta status – consultation ongoing
PM - Project management	Beta status – consultation ongoing

PROJECT	= <i>ABC123</i>
ORIGINATOR	= <i>IBL</i>
VOLUME	= <i>A1</i>
LEVELS	= <i>ZZ</i>
TYPE	= <i>M3</i>
ROLE	= <i>A</i>
CLASSIFICATION	= <i>Co_35_10_37</i> <i>UNICLASS 2015</i>

ABC123 - IBL - A1 - ZZ - M3 - A - Co_35_10_37

Table 4 Examples of field usage

Fields	Directories (see 5.4.2)	Files (see 5.4.3)	Containers within files including layers (see 5.4.4)	Clause
Project	PR1	PR1		6
Originator		XYZ		7
$\boxed{A_1}$ Volume or system $\langle A_1 \rangle$		$\boxed{A_2}$ 01 $\langle A_2 \rangle$		8.1.2
Levels and locations		01		8.1.3
Type		M3		9
Role		A	A	10
Classification		$\boxed{A_1}$ Uniclass $\langle A_1 \rangle$ (optional)	$\boxed{A_1}$ Uniclass $\langle A_1 \rangle$	11
Presentation			M	12
Number		0001		13
Description (optional)			Doors	14
Suitability (optional)	S1	S1		15.2.2
Revision (optional)	$\boxed{A_1}$ P02 $\langle A_1 \rangle$	$\boxed{A_1}$ P02 $\langle A_1 \rangle$		15.2.3
Name	PR1-S1-P2	$\boxed{A_2}$ PR1-XYZ-01-01-M3-A-0001 $\langle A_2 \rangle$	A- $\boxed{A_1}$ Uniclass $\langle A_1 \rangle$ -M_Doors	

ABC123 - IBL - A1 - ZZ - M3 - A - Co_35_10_37

Classification

$\boxed{A_1}$ Uniclass $\langle A_1 \rangle$ (optional) $\boxed{A_1}$

Presentation

Number

0001

Description (optional)

Suitability (optional) S1

S1

Revision (optional) $\boxed{A_1}$ P02 $\langle A_1 \rangle$

$\boxed{A_1}$ P02 $\langle A_1 \rangle$

Name PR1-S1-P2

$\boxed{A_2}$ PR1-XYZ-01-01-M3-A-0001 $\langle A_2 \rangle$

ABC123 - IBL - A1 - ZZ - M3 - A - Co_35_10_37

Table 2 **Naming of file**

Field	Obligation	Clause
Project	Required	6
Originator	Required	7
A1 Volume or system A1	Required	8.1.2
Levels and locations	Required	8.1.3
Type	Required	9
Role	Required	10
Classification	Optional	11
Number	Required	13
Suitability ^{A)}	A1 meta-data A1	15.2.2
Revision ^{A)}	A1 meta-data A1	15.2.3

^{A)} If files pass through an environment where there is no directory context, this field can be included to document the suitability and revision.
The **A1** meta-data **A1** fields “suitability” and “revision” should be used or omitted together.

ABC123 - IBL - A1 - ZZ - M3 - A - Co_35_10_37

PROJECT	= <i>ABC123</i>
ORIGINATOR	= <i>IBL</i>
VOLUME	= <i>A1</i>
LEVELS	= <i>ZZ</i>
TYPE	= <i>M3</i>
ROLE	= <i>A</i>
CLASSIFICATION	= <i>Co_35_10_37</i> <i>UNICLASS 2015</i>

ABC123 - IBL - A1 - ZZ - M3 - A - Co_35_10_37

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE = *A*

CLASSIFICATION

ABC123 - IBL - A1 - ZZ - M3 - A

PROJECT	= <i>ABC123</i>
ORIGINATOR	= <i>IBL</i>
VOLUME	= <i>A1</i>
LEVELS	= <i>ZZ</i>
TYPE	= <i>M3</i>
ROLE	= <i>A</i>
CLASSIFICATION	
NUMBER	=

Four integer numeric digits, with leading zeros

13.1 Principles

A sequential number should be used when a container is one of a series not distinguished by any other of the fields defined in Clauses 6 to 12.

NOTE This applies most often to files.

ABC123 - IBL - A1 - ZZ - M3 - A

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE = *A*

CLASSIFICATION

NUMBER

NUMBER

ABC123 - IBL - A1 - ZZ - M3 - A

PROJECT	= <i>ABC123</i>
ORIGINATOR	= <i>IBL</i>
VOLUME	= <i>A1</i>
LEVELS	= <i>ZZ</i>
TYPE	= <i>M3</i>
ROLE	= <i>A</i>
CLASSIFICATION	
NUMBER	

13.1 Principles

A sequential number should be used when a container is one of a series not distinguished by any other of the fields defined in Clauses 6 to 12.

NOTE This applies most often to files.

ABC123 - IBL - A1 - ZZ - M3 - A

PROJECT = ABC123

ORIGINATOR = IBL

VOLUME = A1

LEVELS = ZZ

TYPE = M3

ROLE = A

CLASSIFICATION

NUMBER = 0001

Name

-  ABC123-IBL-A1-00-DR-A-0001_GAPlan.pdf
-  ABC123-IBL-A1-00-DR-A-0002_SettingOut.pdf
-  ABC123-IBL-A1-00-DR-A-0003_FirePlan.pdf

Four integer numeric digits, with leading zeros

ABC123 - IBL - A1 - ZZ - M3 - A - 0001

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE = *A*

CLASSIFICATION

NUMBER

DESCRIPTION

DESCRIPTION

ABC123 - IBL - A1 - ZZ - M3 - A - 0001

PROJECT = *ABC123*

ORIGINATOR = *IBL*

VOLUME = *A1*

LEVELS = *ZZ*

TYPE = *M3*

ROLE = *A*

CLASSIFICATION

NUMBER

DESCRIPTION = *BLDG1*

Descriptive text to aid recognition

DESCRIPTION

ABC123 - IBL - A1 - ZZ - M3 - A - 0001 _ BLDG1

MODEL FILE NAME

ABC123-IBL-A1-ZZ-M3-A-0001_BLDG1

DRAWING FILE NAME

ABC123-IBL-A1-00-DR-A-0001_GAPlan

SUITABILITY & REVISION CODES

OVERVIEW

Table 2 **Naming of file**

Field	Obligation	Clause
Project	Required	6
Originator	Required	7
[A1] Volume or system [A1]	Required	8.1.2
Levels and locations	Required	8.1.3
Type	Required	9
Role	Required	10
Classification	Optional	11
Number	Required	13
Suitability ^{A)}	[A1] meta-data [A1]	15.2.2
Revision ^{A)}	[A1] meta-data [A1]	15.2.3

^{A)} If files pass through an environment where there is no directory context, this field can be included to document the suitability and revision.

The **[A1]** meta-data **[A1]** fields “suitability” and “revision” should be used or omitted together.

ALL OR NOTHING

Suitability ^{A)}	$\boxed{A_1}$ meta-data $\langle A_1 \rangle$	15.2.2
---------------------------	---	---------------

Revision ^{A)}	$\boxed{A_1}$ meta-data $\langle A_1 \rangle$	15.2.3
------------------------	---	---------------

^{A)} If files pass through an environment where there is no directory context, this field can be included to document the suitability and revision.

The $\boxed{A_1}$ meta-data $\langle A_1 \rangle$ fields “suitability” and “revision” should be used or omitted together.

Table 5 Standard codes for suitability models and documents

Status	Description	Revision	Graphical Data	Non-Graphical Data	Documents
Work in Progress					
S0	Initial status or WIP Master document index of file identifiers uploaded into the extranet.	E2 P01.01 etc to P0n.0n etc E3	✓	✓	✓
Shared (Non-contractual)					
S1	Suitable for Co-ordination The file is available to be 'shared' and used by other disciplines as a background for their information.	E2 P01 to P0n E3	✓	✗	✗
S2	Suitable for Information	E2 P01 to P0n E3	✗	✓	✓
S3	Suitable for Review & Comment	E2 P01 to P0n E3	As required	✓	✓
S4	Suitable for Stage Approval	E2 P01 to P0n E3	✗	✗	✓
E2 Text deleted E3					
S6	Suitable for PIM Authorization (Information Exchanges 1-3)	P01 to Pnn	✗	✗	✓
S7	Suitable for AIM Authorization (Information Exchange 6)	P01 to Pnn	✗	✗	✓
WIP to Published					
Unauthorized and (Non-contractual) use at risk.					
D1	Suitable for Costing	E2 P01.01 etc to P0n.0n E3	✓	✓	✓
D2	Suitable for Tender	E2 P01.01 etc to P0n.0n E3	✗	✓	✓
D3	Suitable for Contractor Design	E2 P01.01 etc to P0n.0n E3	✓	✓	✓
D4	Suitable for Manufacture/Procurement	E2 P01.01 etc to P0n.0n E3	✗	✓	✓
Published Documentation (Contractual)					
A1, A2, A3, An etc	Approved and accepted as stage complete (C= Contractual/Complete)	C01 to C0n	✓	✓	✓
B1, B2, B3, Bn etc	Partially signed-off: with minor comments from the Client. All minor comments should be indicated by the insertion of a cloud and a statement of 'in abeyance' until the comment is resolved, then resubmitted for full authorization.	P01.01 etc to P0n.0n etc	✓	✓	✓
Published for AIM Acceptance					
CR	As Construction Record documentation, PDF, Models etc	C01 to C0n	✓	✓	✓

Status	Description	Revision	Graphical Data	Non-Graphical Data	Documents
Work in Progress					
S0	Initial status or WIP Master document index of file identifiers uploaded into the extranet.	^{A2} P01.01 etc to P0n.0n etc ^{A2}	✓	✓	✓
Shared (Non-contractual)					
S1	Suitable for Co-ordination The file is available to be 'shared' and used by other disciplines as a background for their information.	^{A2} P01 to P0n ^{A2}	✓	✗	✗
S2	Suitable for Information	^{A2} P01 to P0n ^{A2}	✗	✓	✓
S3	Suitable for Review & Comment	^{A2} P01 to P0n ^{A2}	As required	✓	✓
S4	Suitable for Stage Approval	^{A2} P01 to P0n ^{A2}	✗	✗	✓
^{A2} Text deleted ^{A2}					
S6	Suitable for PIM Authorization (Information Exchanges 1-3)	P01 to Pnn	✗	✗	✓
S7	Suitable for AIM Authorization (Information Exchange 6)	P01 to Pnn	✗	✗	✓
WIP to Published					

Graphical Data	Non-Graphical Data	Documents

MODEL FILES

DRAWING FILES

DOCUMENTS



Status	Description	Revision	Graphical Data	Non-Graphical Data	Documents
Work in Progress					
S0	Initial status or WIP Master document index of file identifiers uploaded into the extranet.	^{A2} P01.01 etc to P0n.0n etc ^{A2}	✓	✓	✓
Shared (Non-contractual)					
S1	Suitable for Co-ordination The file is available to be 'shared' and used by other disciplines as a background for their information.	^{A2} P01 to P0n ^{A2}	✓	x	x
S2	Suitable for Information	^{A2} P01 to P0n ^{A2}	x	✓	✓
S3	Suitable for Review & Comment	^{A2} P01 to P0n ^{A2}	As required	✓	✓
S4	Suitable for Stage Approval	^{A2} P01 to P0n ^{A2}	x	x	✓
^{A2} Text deleted ^{A2}					
S6	Suitable for PIM Authorization (Information Exchanges 1-3)	P01 to Pnn	x	x	✓
S7	Suitable for AIM Authorization (Information Exchange 6)	P01 to Pnn	x	x	✓
WIP to Published					

<i>Published Documentation (Contractual)</i>					
A1, A2, A3, An etc	Approved and accepted as stage complete (C= Contractual/Complete)	C01 to C0n	✓	✓	✓
B1, B2, B3, Bn etc	Partially signed-off: with minor comments from the Client. All minor comments should be indicated by the insertion of a cloud and a statement of ‘in abeyance’ until the comment is resolved, then resubmitted for full authorization.	P01.01 etc to P0n.0n etc	✓	✓	✓

For Coordination

ABC123-IBL-A1-ZZ-M3-A-001_BLDG1

-S1-P01


Work in Progress

ABC123-IBL-A1-ZZ-M3-A-001_BLDG1

-S0-P01.1

Data Drop/Stage Completion
ABC123-IBL-A1-ZZ-M3-A-001_BLDG1

-A1-C01



MODEL FILE NAME (SHARED FOLDER)

ABC123 – IBL - A1 – ZZ – M3 – A -100 _ BLDG1 - S1 - P01

15.4 Project specific coding

15.4.1 Project specific codes for status

The project specific codes should not conflict with the standard codes.

15.4.2 Project specific codes for suitability

Extra suitability codes can be defined indicating other suitability for use, if required, with detailed descriptions, reflecting the contractual arrangements. These codes should not conflict with the standard codes.

15.4.3 Project specific codes for revisions

Extra revision codes can be defined, if required, with detailed descriptions. These codes should not conflict with the standard codes.

MODEL FILE NAME (SHARED FOLDER)

ABC123 – IBL - A1 – ZZ – M3 – A - 0001 _ BLDG1 - S1 - P01

ELEMENT NAME

ROLE	= <i>A</i>
CLASSIFICATION	= <i>Pr_40_50_12</i>
PRESENTATION	= <i>M</i>
DESCRIPTION	= <i>ChairOffice</i>



MODEL FILE NAME (WIP FOLDER)

ABC123 – IBL - A1 – ZZ – M3 – A - 0001 _ BLDG1 - S1 - P01

ELEMENT NAME

A-Pr_40_50_12-M_ChairOffice



STEPS TO SUCCESS

ACHIEVING BS 1192:2007 ZEN





FOLLOW THE PROCESS!


IT'S SET OUT
THIS WAY FOR
A REASON



ROLE OF THE INFORMATION MANAGER

APPOINTMENT ‘CAN’ AND IS EXPECTED TO SHIFT THROUGH THE LIFE OF THE PROJECT

CIC BIM PROTOCOL REQUIRES THE APPOINTMENT OF AN INFORMATION MANAGER AT ALL STAGES





ADOPT INDUSTRY STANDARDS

DON'T
REINVENT
THE WHEEL

RECRUIT INDUSTRY TRAINED
STAFF WITH EASE

COLLABORATE WITH
INDUSTRY COMPLIANT FIRMS

ELIMINATE MAINTENANCE
OF IN-HOUSE STANDARDS

REDUCE INDUCTION PROCEDURES

BS:1192-2 INFORMATION NAMING & SUITABILITY CODES

THANK YOU FOR
ATTENDING

QUESTIONS?

SIÂN MORRIS | BIM CONSULTANT

@BIMBUNNIE

SIAN.MORRIS@INFINITBIM.COM



INFINITE BIM

@INFINITEBIM