


Multimodal Autonomous AI Agents

Russ Salakhutdinov

Machine Learning Department
Carnegie Mellon University




Large Language Models



Autonomous AI Agents

- Many productive tasks we perform today are done on the computer
 - And many of these are on the web
- Many opportunities to automate menial tasks
- Augment human capabilities



Generated with DALLE

Autonomous Agents

vpc-01 3 / channy-vpc Actions ▾

Details Info	
VPC ID vpc-01-05	State Available
Tenancy Default	DHCP option set dept4-00
Default VPC No	IPv4 CIDR: 10.0.0.0/17
Network Address Usage metrics Disabled	Route 53 Resolver DNS Firewall rule groups -
	Owner ID channy

[Resource map](#) | [CIDRs](#) | [Flow logs](#) | [Tags](#)

Resource map [Info](#)

VPC [Show details](#)
Your AWS virtual network

channy-vpc

Introducing the VPC resource map
The new resource map helps you visualize the resources in your VPC. It shows your VPC, subnets, route tables, internet gateways, NAT gateways,

Subnets (9)
Subnets within this VPC

- us-west-2a
 - channy-subnet-public1-us-west-2a
 - channy-subnet-private4-us-west-2a
 - channy-subnet-private1-us-west-2a
- us-west-2b
 - channy-subnet-public2-us-west-2b

Route tables (8)
Route network traffic to resources


- channy-rtb-private6-us-west-2a
- channy-rtb-private4-us-west-2a
- rtb-CE-16
- channy-rtb-public
 - 3 subnet associations
 - 2 routes including local
- channy-rtb-private8-us-west-2b

Network connections (3)
Connections to other networks

- channy-igw
- channy-nat-public1-us-west-2a
- channy-upg-s3

4 / 126

Autonomous Agents



Task: “Create a set of PowerPoint slides to present the content in this paper.”

Autonomous Agents

Training scores

File Edit View Insert Format Data Tools Extensions Help Last edit was seconds ago

A1:C17 Employee

	A	B	C	D	E	F	G	H	I
1	Employee	Department	Score						
2	Bob Jones	HR	89						
3	Sarah Smith	Marketing	93						
4	Julia Kane								
5	Christina Graham								
6	Mike Beck								
7	Alison Adams								
8	Josh White								
9	Zoey Clark								
10	Robert Jackson								
11	Sam Johnson								
12	Mary Brown								
13	Chris Williams								
14	Emily Anderson								
15	John Lee								
16	Tina Thompson								
17	Katie Allen								
18									
19									
20									
21									
22									
23									
24									
25									

Department and Score

Employee	Department	Score
Bob Jones	HR	89
Sarah Smith	Marketing	93
Julia Kane	Marketing	88
Christina Graham	Finance	78
Mike Beck	HR	72
Alison Adams	Operations	65
Josh White	Marketing	85
Zoey Clark	Operations	82
Robert Jackson	Finance	75
Sam Johnson	Marketing	68
Mary Brown	Marketing	60
Chris Williams	Operations	58
Emily Anderson	Finance	70
John Lee	Operations	62
Tina Thompson	HR	73
Katie Allen	Marketing	68

Employee

Chart editor

Setup

Customize

Chart type

Column chart

Stacking

None

Data range

A1:C17

X-axis

Employee

Label

Department

Aggregate

Series

Sum: 1259

Explore

6 / 126


Web Agents

Web
Grounding

Visual
Encoder




LLM



HTML
Understanding

Web Agents

Web



Shunyu Yao, REACT Synergizing Reasoning and Acting in Language Models, 2023

Jason Wei et al, Chain of Thought Prompting Elicits Reasoning in Large Language Models, 2022

Reiichiro Nakano et al, WebGPT: Browser-assisted Question–Answering with Human Feedback, 2021.

Xiang Deng et al, MIND2WEB: Towards a Generalist Agent for the Web, 2023

Timo Schick et al, Toolformer: Language Models can Teach Themselves to Use Tools, 2023

Shibo Hao et al, ToolkenGPT: Augmenting Frozen Language Models with Massive Tools via Tool Embeddings, 2023

Yang et al., SWE-agent: Agent–Computer Interfaces Enable Automated Software Engineering, 2024

Task: Navigate to a page of a good Thai restaurant in Pittsburgh. It should have at least 200 reviews and 4.3 stars. Pick the one with the highest rating

Task: Navigate to the page of a good Thai restaurant in Pittsburgh. It should have at least 200 reviews and 4.3 stars. Pick the one with the highest rating.



```
(venv) jingyuk@G522433 visualwebarena % python run_demo.py \
--instruction_path agent/prompts/jsons \
/p_som_cot_id_actree_3s.json \
--start_url "https://www.yelp.com/" \
--intent "Navigate to the page of a go \
od Thai restaurant in Pittsburgh. It sho \
uld have at least 200 reviews and 4.3 st \
ars. Pick the one with the highest ratin \
g." \
--result_dir demo_test_yelp \
--model gpt-4-vision-preview \
--action_set_tag som --observation_ty \
pe image_som \
--render
```

Task: Make a reservation at Pusadee's Garden for 2 people on the earliest date for dinner. Use my name JY Koh and phone number 650-555-5555.



```
visualwebarena --Python run_demo.py --instruction_path agent/prompts/jsons/p_som_cot_id_actree_3s.json \
--start_url "https://www.google.com/" \
--intent "Make a reservation at Pusadee's Garden for 2 people on the earliest date at any time. Use my name JY Koh and phone number 650-555-5555." \
--result_dir demo_test_yelp \
--model gpt-4-vision-preview \
--action_set_tag som --observation_type image_som \
--render
```



Task: Help me navigate to a shirt that has this on it.



```
(venv) jingyuk@G522433 visualwebarena %  
python run_demo.py --instruction_path agent/prompts/jsons/  
/p_som_cot_id_actree_3s.json \  
--start_url "https://www.amazon.com/" \  
--image "https://media.npr.org/assets/  
img/2023/01/14/this-is-fine_wide-0077dc0  
607962e15b476fb7f3bd99c5f340af356-s1400-  
c100.jpg" \  
--intent "Help me navigate to a shirt  
that has this on it." \  
--result_dir demo_test_amazon \  
--model gpt-4-vision-preview \  
--action_set_tag som --observation_ty  
pe image_som \  
--render
```

Talk Outline

- VisualWebArena -- Evaluating Multimodal Agents on Realistic Visual Web Tasks (Koh et al., ACL 2024)
- Tree Search for Language Model Agents (Koh, McAleer, Fried, Salakhutdinov, arXiv 2024)
- Towards Internet-Scale Training For Agents (Trabucco, Sigurdsson, Piramuthu, Salakhutdinov, arXiv 2025)

WebArena




Shuyan Zhou

Frank Xu


- Most realistic web environment at the moment
- Websites from popular categories (shopping, Reddit, GitLab)
 - Self-hosted open source re-implementations
 - Data from real websites (Amazon, Reddit, GitHub)
- Tasks are easy for humans (78% success rate) but difficult for language model agents (14%)
- **But:** Tasks are designed to use just text and HTML source code
- Messy HTML, JavaScript: usually minified or compressed for efficiency
- Interactive elements don't display correctly in HTML
 - e.g., JavaScript/CSS code that moves objects after the page is loaded
- Context length: HTML pages are complex, easily filling up > 100k tokens

HTML is insufficient



- Messy HTML, JavaScript: usually minified or compressed for efficiency
 - Interactive elements don't display correctly in HTML
 - e.g., JavaScript/CSS code that moves objects after the page is loaded
 - Spatial layout is also usually not conveyed well
 - Context length: HTML pages are complex, easily filling up > 100k tokens


VisualWebArena

Jing Yu
Koh

Shuyan Zhou

Frank Xu

- Build and track the progress of **multimodal agents**
- We design visually grounded tasks to test these abilities
- Visual inputs (and outputs) allow for unique, interesting, and realistic tasks



VisualWebArena: Classifields



Task: Find this exact bike that's listed for \$300-500 and post a comment offering \$10 less than their asking price.

The screenshot shows the OsClass website interface. At the top, there is a navigation bar with the logo 'OsClass', 'My account', 'Logout', and a 'Publish Ad' button. Below the navigation bar, a large search bar asks 'What are you looking for today?'. It contains two input fields: 'Keyword' (with placeholder 'e.g., a blue used car') and 'Category' (with placeholder 'Select a category'). A 'Search' button is located to the right of the category field. Below the search bar, the heading 'Latest Listings' is displayed, followed by a grid of nine thumbnail images representing various items for sale: a Nintendo Switch, a JBL Powered PA Speaker, an Xbox Series X console, a Canon EF 100-400mm lens, a cardboard box, a white van, a Marshall amplifier, and a dark object.

VisualWebArena: Shopping



Task: Buy the cheapest color photo printer and send it to Emily's place (as shown in the image).

My Account | My Wish List | Sign Out | Welcome to One Stop Market

Search entire store here...

Advanced Search

One Stop Market

Beauty & Personal Care | Sports & Outdoors | Clothing, Shoes & Jewelry | Home & Kitchen | Office Products | Tools & Home Improvement |
Health & Household | Patio, Lawn & Garden | Electronics | Cell Phones & Accessories | Video Games | Grocery & Gourmet Food |

One Stop Market

Product Showcases



Pre-baked Gingerbread House Kit Value Pack, 17 oz, Pack of 2, Total 34 oz.

★★★★★ 3 reviews

\$19.99

Add to Cart



Energy Healthy Energy Drink, Ready Energy from Blocks and Green Tea, Pomegranate Blueberry, 8 Ounce Can, Pack of 24

★★★★★ 12 reviews

\$14.47

Add to Cart




Timeworn Infused Teas, Orange Vanilla Caffeine-Free Fruit Infusion, 16-Count Pouch

★★★★★ 4 reviews

\$19.96

Add to Cart



Bulk Of The Day Princess Sprinkle Mix Wedding Colors, Sprinkles, Cake Cupcake Cookies Sprinkles, Ice cream Candy Sprinkles, Yellow Cold Red Royal Red Rose King Flowers Decorating Sprinkles, BCZ

★★★★★ 12 reviews

\$23.99

Add to Cart



So Delicious Dairy Free CocoWhip Light, Vegan, Non-GMO Project Verified, 9 oz, Tub

★★★★★ 12 reviews

\$15.82

Add to Cart

VisualWebArena: Reddit



Task: What is the 2022 total nominal GDP of the area that produces most sugarcane in the year of 2021? (in billion)?

A screenshot of a Reddit post on the subreddit r/dataisbeautiful. The post, titled "[OC] Sugarcane was first introduced to Brazil in 1532. Half a millennium later, the country produces over 700M tonnes yearly (roughly the same amount as all of Asia, and 7x the amount produced by Africa)", has 1,163 upvotes. It includes a link to the original source: <https://redd.it/11111111>. The post features a chart titled "Brazil Produces About as Much Sugar Cane as All of Asia" from Latinometrics, which compares sugar cane production between Brazil, Asia, Africa, and others from 1960 to 2021. The chart shows Brazil's production (red line) surpassing Asia's (green line) around 2000.

VisualWebArena

POMDP environment: $\mathcal{E} = \langle \mathcal{S}, \mathcal{A}, \mathcal{O}, \mathcal{T} \rangle$,

- Observations \mathcal{O}

The figure displays three screenshots of a web browser window titled "wearena.onestopshop.com". The first screenshot shows a product listing for "Patio, Lawn & Garden" items, including a table and chairs. The second screenshot shows the same page with some text highlighted in red and blue, likely indicating specific elements being observed or interacted with. The third screenshot shows the raw HTML code of the page, with certain elements like links and spans highlighted in various colors (blue, red, green, orange), which corresponds to the visual state shown in the first two screenshots.

- Actions \mathcal{A}

Action Type a	Description
click [elem]	Click on element elem.
hover [elem]	Hover on element elem.
type [elem] [text]	Type text on element elem.
press [key_comb]	Press a key combination.
new.tab	Open a new tab.
tab.focus [index]	Focus on the i-th tab.
tab.close	Close current tab.
goto [url]	Open url.
go.back	Click the back button.
go.forward	Click the forward button.
scroll [up down]	Scroll up or down the page.
stop [answer]	End the task with an optional output.

- Deterministic transition function

$$\mathcal{T} : \mathcal{S} \times \mathcal{A} \longrightarrow \mathcal{S}$$

- Reward function: $r(\mathbf{a}, \mathbf{s})$

Image Inputs:



Task: “Buy the cheapest color photo printer and send it to Emily's place (as shown in the image).”

Shopping

One Stop Market

Search entire store here... Advanced search Cart

Beauty & Personal Care · Sports & Outdoors · Clothing, Shoes & Jewelry · Home & Kitchen · Office Products · Tools & Home Improvement ·
Health & Household · Patio, Lawn & Garden · Electronics · Cell Phones & Accessories · Video Games · Grocery & Gourmet Food ·

Home > Canon PIXMA MG2120 Color Photo Printer with Scanner and Copier

Canon PIXMA MG2120 Color Photo Printer with Scanner and Copier

INSTOCK SKU B00STGQ6C
Be the first to review this product
\$2.56

Qty Add to Cart

Add to Wish List Add to Compare





Task: “Buy the cheapest color photo printer and send it to Emily's place (as shown in the image).”

One Stop Market

My Account My Wish List Sign Out Member, Emma Lopez Advanced Search

Beauty & Personal Care Sports & Outdoors Clothing, Shoes & Jewelry Home & Kitchen Office Products Tools & Home Improvement

Health & Household Pet Supplies & Grooming Electronics Cell Phones & Accessories Video Games Groceries & Gourmet Food

One Stop Market

Product Showcases

Pre-baked Sandwich Cookies Water Pack, 17oz., Pack of 2, Total 34oz. ★ ★ ★ ★ ★ 1 Review \$19.98	V8 100% Pure Fruit Blend, Orange Energy Drink, Blackcurrant Green Tea, Pomegranate Blueberry, 6 Cans, Case, Pack of 24 ★ ★ ★ ★ ★ 10 Reviews \$14.47	Unsweetened Instant Hot, Organic Vanilla Caffeine Free Fruit Infusions Tea, Caffeine Free, Pomegranate, 16-Dutch Pouch	Edible Urine Safe Project Sprinkles Mix] Whirling Colorful Sprinkles [Cafe Decaf, Cookie Sprinkles; Ice cream, Gandy Sprinkles] Yellow Gold, Red, Royal Blue, Rose, Icing Flowers, Decorating Sprinkles, Rose	SUGARCOOKS Edible Edible Lollipops Light, Vegan, Non-GMO Project Verified, 9.3g, TWO ★ ★ ★ ★ ★ 12 Reviews \$11.42

Step 0: Start on the homepage of OneStopMarket.

One Stop Market

Beauty & Personal Care Sports & Outdoors Clothing, Shoes & Jewelry Home & Kitchen Office Products **Tools & Home Improvement**

Health & Household Pet Supplies & Grooming Electronics Cell Phones & Accessories Video Games Groceries & Gourmet Food

Home > Office Products > Office Equipment > Printers & Scanners

Printers & Accessories

Shop By Sort By POSITION

Shopping Options

Price \$20.00 - \$1,799.99, 1,033
\$11,000.00 and above(1)

Compare Products You have no items to compare

Recently Ordered

- Minnco iyo-Conn (U)R HOTPOINT HDPW1000WDRB - Minnco Switch
- DELL MFC-L7700DW Wireless All-in-One Color Inkjet Printer, Copier,Scanner, Amazon Dash Replenishment Ready
- MarBank "argent" 16

Epson WorkForce WF-3620DWF Direct All-in-One Color Inkjet Printer, Copier,Scanner, Amazon Dash Replenishment Ready	Digital Check TS240 Office Scanner 50 ppm, 1c, Inkjet, Scanner (Inkjet)	Canon iM4520 Color Inkjet/Wireless Printer, Print Scan Copy, AirPrint Office, up to 1000ppm, DRUM 1.20K A4, Portable, LightWeight, PC/USB Inkjet, wireless, color, copy	HP M425dn Wireless Laserjet Pro M425

Step 1: Navigate to the printers category.



Task: “Buy the cheapest color photo printer and send it to Emily's place (as shown in the image).”

Printers & Accessories

Sort By: Items: 1-3 of 23

Search: Advanced Search

Shopping Options: Price: \$0.00 - \$1,400.00 \$116.00 and above

Compare Products: New have no items to compare

Recently Ordered: Nintendo Joy-Con (L/R) Nintendo Switch OEM WPS USB Travel Charger Adapter 2019-2020 1-10 MacBook Charging Case Powerbank External Hard Drive 5W 5000 mAh Charger Cable Management Computer Accessories For MacBook Pro 13-16 inch (S & W) USB Chargers Charging Block DOLY 5-Rank TAP/TM USB Power Adapter Travel Adapter Wall Charger Cube Brink Box

Sort By: Price

 MSI MDT USB High-Speed Label Printer Thermal Printer for Barcode Labels Labeling with MS/NET/TM/BL DIRECT THERMAL Label Printer (Pack of 500) 4x6 Per Roll Labels!	\$2.56	<input type="button" value="Add to Cart"/> <input type="button" value="Compare"/> <input type="button" value="Details"/>
 Canon PIXMA MG2120 Color Photo Printer with Scanner and Copier	\$2.56	<input type="button" value="Add to Cart"/> <input type="button" value="Compare"/> <input type="button" value="Details"/>
 Ricoh Aficio SP 200 Color Laser Printer with Scanner and Copier	\$2.56	<input type="button" value="Add to Cart"/> <input type="button" value="Compare"/> <input type="button" value="Details"/>

Step 2: Sort by descending price.

One StopMarket

Sort By: Price: \$0.00 - \$1,400.00

Category: Office Products > Office Electronics > Printers & Accessories > Canon PIXMA MG2120 Color Photo Printer with Scanner and Copier

Price: \$2.56

Quantity:

Step 3: Click on the cheapest color photo printer.



Task: “Buy the cheapest color photo printer and send it to Emily's place (as shown in the image).”

One StopMarket

Search entire store here... Advanced Search

Beauty & Personal Care Sports & Outdoors Clothing, Shoes & Jewelry Home & Kitchen Office Products Tools & Home Improvement

Health & Household Radio, Lawn & Garden Electronics Cell Phones & Accessories Video Games Grocery & Gourmet Food

Shopping Cart

Item	Price	Qty.	Total
Canon PIXMA MG2120 Color Photo Printer with Scanner and Copier	\$2.56	1	\$2.56

Summary

Estimate Shipping and Tax

Subtotal	\$2.56
Shipping (Flat Rate - FedEx)	\$6.20
Order Total	\$8.76

Apply Discount Code

Proceed to Checkout

Customer Shopping **Update Shopping Cart** **Check Out with Multiple Addresses**

Privacy and Cookie Policy Search Terms

Sign into your mall account SEARCH

Step 4: Add it to the shopping cart.

One StopMarket

Shipping Review & Payment

Shipping Address

Emily Lopez
1915 Bay Mar Rd
San Mateo, California 94403
United States
843.900.1234

New Address

Shipping Methods

Flat Rate Flat Rate Flat Rate

Next

Step 5: Proceed to checkout



Task: “Buy the cheapest color photo printer and send it to Emily's place (as shown in the image).”

One Stop Market

Shipping

Shipping Address

First Name:

Last Name:

Company:

Street Address:

City:

Country:

State/Province:

Zip/Postal Code:

Phone Number:

Save in address book

[Cancel](#) [SHIP HERE](#)

One Stop Market

SEARCH Advanced Search

Baby & Personal Care | Sports & Outdoors | Clothing, Shoes & Jewelry | Home & Garden | Other Products | Tools & Home Improvement | Health & Household | Pet Supplies & Gardening | Electronics | Cell Phones & Accessories | Video Games | Grocery & Gourmet Food

Thank you for your purchase!

Your order number is: 040000198.

We'll email you an order confirmation with details and tracking info.

[Continue Shopping](#)

Privacy and Cookies Policy | Search Terms | Advanced Search | Contact Us


© 2011 One Stop Market. All rights reserved.

Step 6: Edit address to that of Emily's place.


Step 7: Place the order

VisualWebArena

Distribution of Tasks Across Sites



Distribution of Tasks by Difficulty



Execution Based Evaluation

Webpage / Input Image(s)	Example Intent	Reward Function $r(s, a)$ Implementation
	What is the ISIN of the company that occupies the largest portion in Warren Buffet's portfolio? Answer using the information from the Wikipedia site in the second tab.	<code>exact_match(a, "US0378331005")</code>
	Add something like what the man is wearing to my wish list.	<code>url = "/wishlist" locator(".wishlist .product-image-photo") eval_vqa(s, "Is this a polo shirt? (yes/no)", "yes") eval_vqa(s, "Is this shirt green? (yes/no)", "yes")</code>
	Create a post for each of the following images in the most related forums.	<code>eval_fuzzy_image_match(s, a)</code>
	Navigate to my listing of the white car and change the price to \$25000. Update the price in the description as well.	<code>url = "/index.php?page=item&id=84144" must_include(a, "\$25000 OR \$25,000") must_exclude(a, "\$30000 OR \$30,000")</code>

LLM and VLM Agents

Visual Language Models as Agents

```

Tab 0 (current): Search results for "hp inkjet"
[0] Root[Window] "Search results for 'hp inkjet'" focused: True
[01] Link "My Account"
[02] Link "My Wish List"
[03] Link "Sign Out"
[04] StaticText "Welcome to One Stop Market"
[05] Link "Skip to Content"
[06] Link "Share Page"
[07] Img "one_stop_market_logo"
[08] Link "viewIn My Cart"
[09] StaticText "Search"
[10] ComboBox "Search" autocomplete: with hasPopup; listbox required: false; expanded: False
[11] StaticText "hp inkjet"
[12] Link "Advanced Search"
[13] button "Search" disabled: True
[14] Table " " mousedown: raise orientation: horizontal
[15] Subpanel " "
[16] Menu " " orientation: vertical
[17] MenuItem "ue612 Beauty & Personal Care" hasPopup: menu
[18] MenuItem "ue612 Sports & Outdoors" hasPopup: menu
[19] MenuItem "ue612 Clothing, Shoes & Jewelry" hasPopup: menu
[20] MenuItem "ue612 Home & Kitchen" hasPopup: menu
[21] MenuItem "ue612 Office Products" hasPopup: menu
[22] MenuItem "ue612 Tools & Home Improvement" hasPopup: menu
[23] MenuItem "ue612 Health & Household" hasPopup: menu
[24] MenuItem "ue612 Patio, Lawn & Garden" hasPopup: menu
[25] MenuItem "ue612 Electronics" hasPopup: menu
[26] MenuItem "ue612 Cell Phones & Accessories" hasPopup: menu
[27] MenuItem "ue612 Video Games" hasPopup: menu
[28] MenuItem "ue612 Grocery & Gourmet Food" hasPopup: menu
[29] Link "Home"
[30] Main " "
[31] Heading "Search results for: 'hp inkjet'"
[32] StaticText "View as"
[33] String "Grid"
[34] Link "View as: ue606 List"
[35] StaticText "Sort"
[36] StaticText "Relevance"
[37] Link "Sort By"
[38] ComboBox "Sort by" hasPopup: menu expanded: False
[39] Link "ue614 Set Ascending Direction"
[40] Link "Image"
[41] Img "Image"
[42] Link "HP Business Inkjet 2800 Wide Format Printer (C8174WAU2J)"
[43] LayoutTable " "
[44] StaticText "Waiting"
[45] Generic "47"
[46] Link "xx8Reviews"
[47] StaticText "537.64"
[48] Link "Image"

```

Accessibility tree / HTML

representations: Cluttered with unnecessary information, long and confusing context.



VLM + SoM: Simplified representation with Set-of-Marks (SoM) prompting over interactable elements.

Visual Language Models as Agents

The screenshot shows a webpage titled '/f/food' with a red header bar containing 'Postroll', 'Forums', 'Wiki', and a search bar. Below the header is a navigation bar with 'Log in' and 'Sign up'. The main content area displays a list of posts:

- [Homemade] Obligatory Halloween Pumpkin Loaf! Submitted by [kneechalice](#) 1M year ago. 17,000 comments.
- [I ate] Maple Pecan Croissant Submitted by [AvengerPizzaiolli](#) 1M year ago. 11,078 comments.
- [Homemade] Margherita pizza Submitted by [sodar](#) 1M, 10 months ago. 11,000 comments.
- [Homemade] Sichuanese Spicy Beef Noodles Submitted by [sawang](#) 1M, 10 months ago. 11,049 comments.
- [I ate] Sushi platter Submitted by [terribles](#) 1M, 10 months ago. 10,995 comments.

A sidebar on the right includes a 'Toolbox' section with 'Items' and 'Submission Log'.

Original Webpage



The screenshot shows the same '/f/food' page, but the visual elements have been converted into interactive semantic objects (SoM). The interface includes a red header bar with 'Postroll', 'Forums', 'Wiki', and a search bar. Below the header is a navigation bar with 'Log in' and 'Sign up'. The main content area displays a list of posts with SoM annotations:

- [Homemade] Obligatory Halloween Pumpkin Loaf! Submitted by [kneechalice](#) 1M year ago. 17,000 comments.
- [I ate] Maple Pecan Croissant Submitted by [AvengerPizzaiolli](#) 1M year ago. 11,078 comments.
- [Homemade] Margherita pizza Submitted by [sodar](#) 1M, 10 months ago. 11,000 comments.
- [Homemade] Sichuanese Spicy Beef Noodles Submitted by [sawang](#) 1M, 10 months ago. 11,049 comments.
- [I ate] Sushi platter Submitted by [terribles](#) 1M, 10 months ago. 10,995 comments.

A sidebar on the right includes a 'Toolbox' section with 'Bans' and 'Moderating'.

Webpage with SoM of Interactable Elements

```
...
[7] [A] [Comments]
[8] [BUTTON] [Hot]
[9] [IMG] [description; picture of a pumpkin]
[10] [A] [kneechalice]
...
```

SoM Elements and Text Content



LLM / VLM
Agent



click [31]

Visual Language Models as Agents

User goal:



I'm trying to find this post. Navigate to the comment section for it.

Observations

o_t :

The screenshot shows a user interface for a social media platform. At the top, there are tabs for 'Postroll', 'For you', and 'Wiki'. A search bar is in the center. On the right, there's a sidebar with a profile picture, a 'Log In' button, and a 'Sign up' button. The main area is titled '/f/food'. It displays several posts: 1. [Homemade] Obligatory Halloween Pumpkin Loaf! (comment) 2. [I ate] Maple Pecan Croissant (comment) 3. [Homemade] Margherita pizza (comment) 4. [Homemade] Sichuanese Spicy Beef Noods! (comment) 5. [I ate] Sushi platter (comment). The fifth post is highlighted with a red border around its thumbnail and title.

```
...
[7] [A] [Comments]
[8] [BUTTON] [Hot]
[9] [IMG] [description: picture of a pumpkin]
[10] [A] [kneechalice]
...
```


Multimodal LLM

Let's think step-by-step... The objective is to navigate to the find the post and navigate to the comment section for it. From the observation, I can see... To navigate to this listing, I need to click on the comment link associated with the sushi. In summary, the next action I will perform is `click [34]`

Action a_t : `click [34]`

VLM + SoM: Simplified representation with [Set-of-Marks \(SoM\)](#) prompting over interactable elements.

Baseline Agents




Baseline Agents: Text-based LLMs

Model Type	LLM Backbone	Visual Backbone	Inputs	Success Rate (↑)
Text-only	LLaMA-2-70B	-	Access bility Tree	1.10%
	Mixtral-8x7B			1.76%
	Gemin -Pro			2.20%
	GPT-3.5			2.20%
	GPT-4			7.25%
Caption-augmented	LLaMA-2-70B	BLIP-2-T5XL	Access bility Tree + Captions	0.66%
	Mixtral-8x7B	BLIP-2-T5XL		1.87%
	GPT-3.5	LLava-7B		2.75%
	GPT-3.5	BLIP 2 T5XL		2.97%
	Gemin -Pro	BLIP-2-T5XL		3.85%
	GPT-4	BLIP-2-T5XL		12.75%

Baseline Agents: Multimodal LLMs


Model Type	Multimodal Model	Inputs	Success Rate (↑)
Multimodal	IDEFICS-80B-Instruct	Image + Captions + Accessibility Tree	0.77%
	CogVLM		0.33%
	Gemini-Pro		6.04%
	GPT-4V		15.05%
Multimodal (SoM)	IDEFICS 80B-Instruct	Image + Captions + SoM	0.99%
	CogVLM		0.33%
	Gemini-Pro		5.71%
	GPT-4V		16.37%
Human Performance	-	Webpage	88.70%



Successful execution trajectory of the GPT-4V + SoM agent on the task for blocking a user that posted a certain picture

Web Agent Architecture

- Model architecture of our interactive agent:
 - High-level Planning and Reasoning
 - Observation Parsing
 - Low-level Action Generation




Planning


High-level plans are important for long-sequence and complex objectives.

Task: Buy the highest rated product from the Beauty & Personal Care category within a budget under 20.


Step 1: Navigate to the Beauty & Personal Care Category (1 low-level action)



Step 2: Sort based on rating for that category (2 low-level actions)



Step 4: Buy the selected item (3 low-level actions)



Step 3: Select one item under 20 dollars (1 low-level action)





Measuring Productive Tasks

VisualWebArena is a step towards building general purpose agents. But:

- Tasks are not very ***consequential***: do not represent significant economic value
- Tasks are simpler, as current LLM agents do not even do well on these problems

Long term: Automate productive, economically valuable tasks



Examples from [Collabora Online](#) / LibreOffice.

Common Failure Modes

- Long horizon reasoning and planning:
 - Models oscillate between two webpages, or get stuck in a loop
 - Correctly performing tasks but undoing them
 - Agents tend to stop exploration / execution too early

What is Missing?

- We need to do a lot more to close the gap:
 - **Reasoning** and **Planning** over long horizons
 - Allow agent to **Search**, execute and coordinate multiple instances in parallel and ask for clarifications/confirmations
 - Strong vision-language-code models
 - Identifying the appropriate level of abstraction for agents (HTML/screenshots/APIs)
- **Multimodal models:** Many real-world tasks require visual grounding to effectively solve (e.g., every task involving PowerPoint, Excel, Photoshop). To develop strong general agents, we will need to train and build strong vision-language models.

Talk Outline


- VisualWebArena -- Evaluating Multimodal Agents on Realistic Visual Web Tasks (Koh et al., ACL 2024)
- Tree Search for Language Model Agents (Koh, McAleer, Fried, Salakhutdinov, arXiv 2024)
- Towards Internet-Scale Training For Agents (Trabucco, Sigurdsson, Piramuthu, Salakhutdinov, arXiv 2025)

Exponential Error Compounding in Agents

Accuracy @ k steps:				
1 (single step)	5	10	30	50
90%	59.05%	34.87%	4.24%	0.52%
95%	77.38%	59.87%	21.46%	7.69%
99%	95.10%	90.44%	73.97%	60.50%
99.9%	99.50%	99.00%	97.04%	95.12%
99.99%	99.95%	99.90%	99.70%	99.50%


Local Decisions; Global Consequences

“Add coconut milk to my cart”




Local Decisions; Global Consequences

“Add coconut milk to my cart”



Search By Repeated Sampling

1. Sample actions from the language model until [STOP].




Search By Repeated Sampling

1. Sample actions from the language model until [STOP].
2. Evaluate the resulting trajectory
3. Repeat?




Search By Repeated Sampling

1. Sample actions from the language model until [STOP].
2. Evaluate the resulting trajectory
3. Repeat?




Search By Repeated Sampling

1. Sample actions from the language model until [STOP].
2. Evaluate the resulting trajectory
3. Repeat?



Search By Repeated Sampling



Repeated sampling helps!


- But the space is exponentially large. Can we guide exploration?
- Key idea: apply value function to intermediate nodes.



Jing Yu
Koh

Our Method: Tree Search

- Best-first search algorithm
- Ingredients:
 - Baseline agent to propose actions.
 - Way to backtrack in the environment.
 - A **value function** $v_p = f_v(I, \{o_1, \dots, o_p\})$ to score and rerank candidate states.



In this work, we prompt a multimodal LLM (GPT-4o) to act as an evaluator.



Task Instruction (1) “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence

v = 1.0 State values

► Backtracking

GPT-4o Agent



GPT-4o Agent + Search




Starting State



Task Instruction (1): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence

 State values
 $v = 1.0$

► Backtracking

GPT-4o Agent



GPT-4o Agent + Search



Starting State



Task Instruction (1): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”


Legend

1 Step sequence


v = 1.0 State values

► Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (1) “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”


Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (1) “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”


Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (1): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”


Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (1) “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence

v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence

v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence

v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (!): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence


v = 1.0 State values

→ Backtracking

GPT-4o Agent



GPT-4o Agent + Search





Task Instruction (!): “Can you add this and the other canned fruit (of the same brand) that looks like this, but red instead of brown to the comparison page?”

Legend

1 Step sequence

v = 1.0 State values

→ Backtracking

GPT-4o Agent




GPT-4o Agent + Search




Results


WebArena



VisualWebArena



Ablations



Success rate on a subset of 200 VWA tasks with search budget c . $c = 0$ indicates no search is performed. Success rate generally increases as c increases.

Depth d	Branch b	SR (\uparrow)	Δ
0	1	24.5%	0%
	3	26.0%	+6%
1	5	32.0%	+31%
	3	31.5%	+29%
2	5	35.0%	+43%
	3	35.5%	+45%
3	5	37.0%	+51%
	3		

Success rate (SR) and relative change over the baseline (Δ) on a subset of 200 VWA tasks with varying search depth (d) and branching factor (b). $d = 0$ indicates no search is performed. All methods use a max search budget $c = 20$.

Ablations

- Having a good value function is essential.
- There is still a lot of headroom for improving both the base agent policy, and the value function.

Value Function	SR (\uparrow)
None (no search)	24.5%
LLaVA (w/ SC, $n = 20$)	30.0%
GPT-4o (no SC)	28.5%
GPT-4o (w/ SC, $n = 5$)	32.5%
GPT-4o (w/ SC, $n = 20$)	37.0%


Table 3: Success rate of the GPT-4o agent with different value functions.

Qualitative Results



Task Instruction (I): "I recall seeing this exact item on the site, help me find the most recent post of it. I recall seeing it in either the Collectibles or Antiques section."

GPT-4o Agent + Search



Legend:

①

Search sequence

→

Backtracking

$v = 1.0$


State values

Qualitative Results



Task Instruction (I): "I need something like this for my apartment. Can you add one to my wishlist?"

GPT-4o Agent + Search




Legend:



1 Search sequence

→ Backtracking



State values

Limitations

- Search is slow
 - We implemented backtracking in a relatively naive way (store actions in a queue, take them again to get to the original state)
- Dealing with destructive actions
 - Some things on the web are very difficult to undo, e.g., ordering an item

Current Work

- Search as a policy improvement function
- Improving Value Function by fine-tuning instead of prompting
- Explore compute tradeoff between improving baseline agent vs. doing **more search at inference time**
- What if we don't have a perfect simulator – **how can we collect data at scale?**

Talk Outline


- VisualWebArena -- Evaluating Multimodal Agents on Realistic Visual Web Tasks (Koh et al., ACL 2024)
- Tree Search for Language Model Agents (Koh, McAleer, Fried, Salakhutdinov, arXiv 2024)
- Towards Internet-Scale Training For Agents (Trabucco, Sigurdsson, Piramuthu, Salakhutdinov, arXiv 2025)

Agents Suffer From A Data Problem

- Top LLMs fall short of humans by 68.92% on Visual Web Arena
- LLMs are often **trained offline**, then **deployed zero-shot** as agents




Training Data





Test Environment

Success Rates of GPT-4 on VWA



Agents Suffer From A Data Problem

- Top LLMs fall short of humans by 68.92% on Visual Web Arena
- Can **synthetic tasks** unlock internet-scale training for agents?



Towards Internet-Scale Training For Agents (InSTA)



- Can synthetic tasks unlock internet-scale training for agents?
- **Key Idea:** use Llama to **generate and verify** synthetic agentic tasks


Stage 1: Task Generation

www.github.com

LLM

Find a codebase for generating images with Flux.1 [dev].

Stage 2: Task Evaluation



LLM

Codebase found:
Flux supported:
Task solved:

Stage 3: Data Collection

www.github.com
www.stackoverflow.com
www.uefi.org
www.jayatpoint.com
manuals.playstation.net
calculator.bcis.co.uk
research.vu.nl
...
(150k sites)

Use Llama To Generate Agentic Tasks

- Given a web domain as text (i.e. merseyferries.co.uk)
- Propose a realistic task that an average user could complete in one session.

Use Llama To Generate Agentic Tasks


- Given a web domain as text (i.e. merseyferries.co.uk)
 - Propose a realistic task that an average user could complete in one session.
-

Llama-3.1-70B-Instruct: describe the “merseyferries.co.uk” site

Mersey Ferries (merseyferries.co.uk) is the **official website for the famous Mersey Ferry service** in Liverpool, England. This website serves as a one-stop platform for users to access various services and information related to the ferry operation. Here are some things a user can do on this site:

1. **Plan a Journey:** Users can plan their journey by checking the ferry timetable, which includes departure and arrival times for both commuter and cruise services.
2. **Book Tickets:** Users can book tickets online for both commuter and cruise services, including the popular Manchester Ship Canal Cruise and the Liverpool Bay Cruise.

Use Llama To Generate Agentic Tasks



- Heavy-tailed distribution, most tasks involve information retrieval
- Crucially, **tasks do not modify the state of the internet**

Generated Tasks

- Tasks are **diverse**, and many require multiple steps of reasoning (i.e., what makes a font suitable for a children's book)

Web Domain	Generated Task
wordpress.org	Find a free and popular theme for a personal blog.
policies.google.com	Read Google's terms of service for using YouTube.
ec.europa.eu	Retrieve a report on the EU's climate change policy.
vimeo.com	Find a short film on environmental conservation.
fonts.adobe.com	Browse fonts suitable for a children's book.
apps.apple.com	Find the top-rated free productivity app for iPhone.

Generated Tasks

- Llama can **identify facts** that a site is likely to contain, such as the meaning of the Om symbol

Web Domain	Generated Task
ancient-symbols.com	Look up the meaning of the Om symbol in ancient cultures.
petsforhomes.com.au	Find a list of available dogs for adoption in New South Wales.
timorousbeasties.com	View the latest fabric designs by the Timorous Beasties studio.
shop.nikon-image.com	Compare prices of the Nikon D850 and D500 cameras.
blueridgecountry.com	Find a scenic hiking trail in the Blue Ridge Mountains.
awg-fittings.com	Find the dimensions of a 1/2\" NPT fitting.

Generated Tasks


- Llama has **broad knowledge of sites**, such as for [timorousbeasties.com](#), an independent Scottish design studio (fairly obscure)

Web Domain	Generated Task
ancient-symbols.com	Look up the meaning of the Om symbol in ancient cultures.
petsforhomes.com.au	Find a list of available dogs for adoption in New South Wales.
timorousbeasties.com	View the latest fabric designs by the Timorous Beasties studio.
shop.nikon-image.com	Compare prices of the Nikon D850 and D500 cameras.
blueridgecountry.com	Find a scenic hiking trail in the Blue Ridge Mountains.
awg-fittings.com	Find the dimensions of a 1/2\" NPT fitting.

Generated Tasks

View the latest fabric designs by the Timorous Beasties studio

- Tasks are **grounded**, even for sites in the tail of the data distribution



The Data Pipeline


- **Key Idea:** use Llama to **generate and verify** synthetic agentic tasks.

Stage 1: Task Generation

www.github.com

LLM Find a codebase for generating images with Flux.1 [dev].

Stage 2: Task Evaluation



LLM

Codebase found:

Flux supported:


Task solved:

Stage 3: Data Collection

www.github.com
www.stackoverflow.com
www.uefi.org
www.javatpoint.com
manuals.playstation.net
calculator.bcis.co.uk
research.vu.nl
...
(150k sites)

The Data Pipeline

- **Key Idea:** use Llama to **generate and verify** synthetic agentic tasks
- How do we know **when tasks are solved?** Build on Llama models



Automatic Task Verification

- How do we know when tasks are solved?
 - Observe a sequence of actions, and the last observation
 - Estimate the **probability the task is a success** at the final step

$$V_{\text{LLM}}(s_T, a_{1:T}) = P(\text{success} | s_T, a_{1:T})$$

Automatic Task Verification

- How do we know when tasks are solved?
 - Observe a sequence of actions, and the last observation
 - Estimate the **probability the task is a success** at the final step

$$V_{\text{LLM}}(s_T, a_{1:T}) = P(\text{success} | s_T, a_{1:T})$$

- Prompt Llama to rate its confidence the task is solved on a scale from **0.0 (not possible)** → **1.0 (certain)**
- Of 150,000 tasks, 14.6% are rated as a success with a **confidence of 1.0** by the Llama verifier, roughly 22,000 tasks

Exploring The Data: InvasivePlantAtlas.org

Proposed Task: find invasive plant species native to North America

Agent Response:

To find invasive plant species native to North America, I will first click on the link "All Species" to view the list of all species.

Here is the action in JSON format:

```
```json
{
 "action_key": "click",
 "action_kwargs": {},
 "target_element_id": 12
}
```

The screenshot shows the homepage of the Invasive Plant Atlas of the United States. At the top, there is a navigation bar with links for Home, Aquatics, Grasses, Herbs/Hays, Shrubs/Subshrubs, Trees, Vines, All species (which is highlighted with a red box), Images, Parks, and Sources. Below the navigation bar is a large green banner with the text "Invasive Plant Atlas of the United States". To the right of the banner, there is a sidebar with sections for "Contribute Plant Distribution Data to EDDMapS", "Bugwood.org", and "invasive species news". The news section lists several recent articles.

Invasive Plant Atlas of the United States

Home | About | ENRICHED BY Google | Page 1 of 1

Aquatics | Grasses | Herbs/Hays | Shrubs/Subshrubs | Trees | Vines | **All species** | Images | Parks | Sources

Contribute Plant Distribution Data to EDDMapS

Bugwood.org

invasive species news

- Check out our new EDDMapS maps website!
- Tallgrass Prairie increased by Hurricane
- Cooperative Extension advisor needed in California serving Monterey, San Benito, and San Luis Obispo Counties
- New Weed Rating Scale Available
- Minnesota Department of Agriculture is looking for an Entomologist!
- Wiley Holden, USDA IPM's newest hire
- Want to move to Wisconsin?
- Webinar on Invasive Species and Legal Challenges. Sponsored by Agricultural and Food Law Consortium
- Want to move to Fresh Benguet? Invasive Species
- Print Biology and management in southeastern U.S. Invasive
- More News

# Exploring The Data: InvasivePlantAtlas.org

## Agent Response:

To find invasive plant species native to North America, I will first click on the link "Home" to go back to the main page and then click on the link "Sources" to view the list of sources that provide information on invasive plant species native to North America.


However, since the link "Sources" is not on the current page, I will first click on the link "Home" to go back to the main page.

Here is the action in JSON format:

```
```json
{
    "action_key": "click",
    "action_kwargs": {},
    "target_element_id": 1
}
```

```

Misread  
Page



The screenshot shows the homepage of the Invasive Plant Atlas of the United States. At the top, there is a navigation bar with links for Home, Species, Groups, Polls/Polls, Slides/Substrates, Trees, Vines, All Species, Images, Parks, and Sources. The 'Sources' link is highlighted with a red box. Below the navigation bar, there is a search bar labeled 'ENHANCED BY Google'. The main content area features a title 'Invasive Plant Atlas of the United States' with a green leaf icon, followed by a section titled 'Plant Species Reported to be Invasive in Natural Areas'. This section contains a table with 13 rows of data, each representing a different invasive plant species. The columns in the table are 'Subject Name', 'Scientific Name', 'Num. of Counties', and 'Habit'. The data includes entries like 'monkeypod' (Albizia precatoria L.), 'hairy Indian mallow' (Abutilon grandifolium (Willd.) Sweet), and various types of acacia and wattle species.

| Subject Name            | Scientific Name                                      | Num. of Counties | Habit             |
|-------------------------|------------------------------------------------------|------------------|-------------------|
| monkeypod               | <i>Albizia precatoria</i> L.                         | 54               | Vines             |
| hairy Indian mallow     | <i>Abutilon grandifolium</i> (Willd.) Sweet          | 9                | Shrub or Subshrub |
| velvetleaf              | <i>Abrus precatorius</i> L.                          | 1340             | Forbs/Herbs       |
| earleaf acacia          | <i>Acacia auriculiformis</i> R. Cunningham ex Benth. | 23               | Shrub or Subshrub |
| invasive wattle         | <i>Acacia karrooana</i> F. Muell.                    | 14               | Hardwood Trees    |
| small Philippine acacia | <i>Acacia confusa</i> Merr.                          | 4                | Hardwood Trees    |
| cyclop acacia           | <i>Acacia cyclops</i> A. Cunn. ex G. Don             | 3                | Shrub or Subshrub |
| silver wattle           | <i>Acacia dealbata</i> Link                          | 32               | Shrub or Subshrub |
| Rivine golden wattle    | <i>Acacia ingens</i> (Astr.) Willd.                  | 16               | Hardwood Trees    |
| black wattle            | <i>Acacia melanoxylon</i> R. Br. ex Ait. f.          | 13               | Hardwood Trees    |
| black acacia            | <i>Acacia melanoxylon</i> R. Br. ex Ait. f.          | 36               | Hardwood Trees    |
| kangaroothorn           | <i>Acacia karrooana</i> DC.                          | 9                | Shrub or Subshrub |
| golden wattle           | <i>Acacia pycnantha</i> Benth.                       | 6                | Hardwood Trees    |
| everblooming wattle     | <i>Acacia retinodes</i> Schlecht.                    | 12               | Hardwood Trees    |

# Exploring The Data: InvasivePlantAtlas.org

## Agent Response:

To find invasive plant species native to North America, I will first click on the link "Sources" to view the list of sources that provide information on invasive plant species native to North America.

Here is the action in JSON format:

```
```json
{
  "action_key": "click",
  "action_kwargs": {},
  "target_element_id": 15
}
````
```



Non-native invasive species are organisms that have been introduced by humans either purposely or by accident and that have become serious environmental pests. One reason for their success as pests is that they are typically introduced without the array of associated natural controls (herbivores, parasites, pathogens, predators) that occur in their native range. In addition to the great loss of biodiversity, habitat degradation and

# Exploring The Data: InvasivePlantAtlas.org

## Agent Response:

To find invasive plant species native to North America, I will first click on the link "FONA" under the "Native Range and Taxonomic References" section, which stands for "Flora of North America". This will take me to the Flora of North America website, where I can search for invasive plant species native to North America.

Here is the action in JSON format:

```
```json
{
  "action_key": "click",
  "action_kwargs": {},
  "target_element_id": 25
}
```

```

### Georgia Exotic Pest Plant Council

Hoffman, R. & K. Kozma, Eds., 1997. Wisconsin manual of control recommendations for ecologically invasive plants. Wisconsin Dept. Natural Resources, Bureau of Endangered Resources, Madison, Wisconsin, 122pp.

JKL, Swantonian, Survey of invasive plants occurring on National Park Service lands, 2008-2015

**actual click (element 25)**

JKL Swantonian, personal communication, 2009-2017

John Randall, The Nature Conservancy, Survey of TNC Preserves, 1995.

### Kentucky Exotic Pest Plant Council

Maryland Cooperative Extension Service, 2012a. Invasive Plant Control in Maryland. Home and Garden Information Center. Home and Garden HHR88, 9 pp.

Native Plant Society of Oregon, 2008

New Hampshire Invasive Species Committee, 2005. Guide to Invasive Upland Plant Species in New Hampshire. New Hampshire Department of Agriculture, Markets and Food Plant Industry Division and New Hampshire Invasive Species Committee.

NH-Native Invader Lists of Arlington County, Virginia

NH-Native Invader Plants of the City of Alexandria, Virginia

### Ohio Invasive Species Council

Pacific Northwest Exotic Pest Plant Council, 1998

Rahard, Scott, 1994. Assessing the potential of invasiveness in woody plants introduced to North America. University of Washington Ph.D. dissertation.

Rhode Island Natural History Survey

South Carolina Exotic Pest Plant Council

Tennessee Exotic Pest Plant Council

Texas Invasive Burden

Virginia Invasive Plant Species List

Virginia Noxious Weeds

Virginia Requirements for Enforcement of Noxious Weeds Law

WeedUS - Database of weeds invading natural areas in the United States

West Virginia Native Plant Society, Flora West Virginia Project, and West Virginia Gamble Database System, September 3, 1999

## Native Range and Taxonomic References

BALI: Bailey, L.H. and E.Z. Bailey, *Floristic Third: A Concise Dictionary of Plants Cultivated in the United States and Canada*, MacMillan Publishing Co., Inc., New York, [1972]

GRIN: Agricultural Research Service, Germplasm Resources Information Network

HICK: Hickman, J.C., ed. 1993. *The Jepson manual: Higher plants of California*. Univ. California Press, Berkeley. 1438 pp.

PIAB: Dr. Millerton, *The Plant Book: A Portable Dictionary of the higher plants*, Cambridge University Press, Cambridge, MA, 1999.

PLNA: Flora of North America

REBT: Kadlec, T.T. 1998. A synopsized checklist and atlas with biological attributes for the vascular flora of the United States, Canada, and Greenland. First edition. Tu, Kadlec, T.T., and C.B. Meidow. *Synthesis of the North American Flora, Version 1.0*. North Carolina Botanical Garden, Chapel Hill, N.C.

WRAG: Hennefeld's *World Catalogue of Cultivated and Horticultural Crops*.

REHD: *Redfield's Manual of Cultivated Trees and Shrubbery Hardy in North America (Exclusive of the Subtropical and Warmer Temperate Regions)*, 2nd edition, 1821 printing, The MacMillan Co., New York [1967].

NRCS: U.S. Department of Agriculture, Natural Resources Conservation Service, Plants Database

# Exploring The Data: InvasivePlantAtlas.org


## Agent Response:

To find invasive plant species native to North America, I will first click on the link "Sort on "U.S. Nativity"" to sort the list by the nativity of the plant species in the United States.

Here is the action in JSON format:

```
```json
{
    "action_key": "click",
    "action_kwargs": {},
    "target_element_id": 20
}
```

```



The screenshot shows the homepage of the Invasive Plant Atlas of the United States. At the top right, there are links for "Home" and "About". Below that is a search bar with the placeholder "Search in Google". The main content area features the title "Invasive Plant Atlas of the United States" with a green leaf logo to its right. Below the title is a navigation menu with links: Home, Aquatics, Grasses, Herby/Herb., Shrub/Subshrub, Trees, Vines, All Species, Images, Parks, and Search. The main content area displays a table titled "Plant Species Reported to be Invasive in Natural Areas List". The table includes columns for Subject Name, Scientific Name, Family, and U.S. Nativity. The "U.S. Nativity" column is highlighted with a red border. The table lists 590 species, including hairy tick-trefoil, black nightshade, black locust, Japanese maple, Norway maple, rough mullein, delta maidenhair, jointed goatgrass, ideal, crested wheatgrass, creeping chaffweed, toxicodendron, colonial bentgrass, redtop, and creeping bentgrass.

| Subject Name       | Scientific Name                               | Family          | U.S. Nativity |
|--------------------|-----------------------------------------------|-----------------|---------------|
| hairy tick-trefoil | Abutilon theophrasti (Willd.) Sweet           | Malvaceae       | Exotic        |
| black nightshade   | Aubea gracilis de Wildemont                   | Papaveraceae    | Exotic        |
| black locust       | Acacia melanoxylon R. Br. ex Willd.           | Fabaceae        | Exotic        |
| Japanese maple     | Acer palmatum Thunb.                          | Sapindaceae     | Exotic        |
| Norway maple       | Acer platanoides L.                           | Sapindaceae     | Exotic        |
| rough mullein      | Verbascum lychnitis L.                        | Plantaginaceae  | Exotic        |
| delta maidenhair   | Azadirachta indica A. Juss.                   | Meliaceae       | Exotic        |
| jointed goatgrass  | Aegilops cylindrica Host                      | Poaceae         | Exotic        |
| ideal              | Agave sisalana Perrine                        | Asparagaceae    | Exotic        |
| crested wheatgrass | Aperstis cretaria (Bergius) King & H.E. Moore | Asteraceae      | Exotic        |
| creeping chaffweed | Arenaria riparia (L.) King & H.E. Moore       | Asteraceae      | Native        |
| toxicodendron      | Aesculus parviflora L.                        | Hippocrateaceae | Native        |
| colonial bentgrass | Agrostis capillaris L.                        | Poaceae         | Exotic        |
| redtop             | Agrostis gigantea Roth                        | Poaceae         | Exotic        |
| creeping bentgrass | Agrostis stolonifera L.                       | Poaceae         | Exotic        |

# Exploring The Data: InvasivePlantAtlas.org

## Agent Response:


To find invasive plant species native to North America, I will first scroll down the page to view the list of invasive plant species that are native to North America.

However, since the list is already sorted by "U.S. Nativity" in ascending order, I can see that the first 165 plant species are native to North America.

Here is the action in JSON format:

```
```json
{
    "action_key": "stop",
    "action_kwargs": {
        "answer": "The first 165 plant species on the
list are invasive plant species native to North
America."
    },
    "target_element_id": null
}
```

```




The screenshot shows the homepage of the Invasive Plant Atlas of the United States. At the top, there's a navigation bar with links for Home, Aquatics, Grasses, Herbs/Forsks, Shrub/Solidule, Trees, Vines, All Species, Images, Parks, and Sources. Below the navigation bar, there's a section titled "Plant Species Reported to be Invasive in Natural Areas List". It includes a source note from H. Swearingen, Survey of invasive plants occurring on National Park Service lands, 2000-2007, and a source URL: <http://www.invasiveplants.org/surveysnp.pdf>. The main content is a table titled "590 Species" with columns for Subject Name, Scientific Name, Family, and U.S. Nativity. The table lists various plant species, such as Water speedwell, Verbenaria sessilis (L.) Steyermark, in the Plantaginaceae family, which is Native. Other species listed include crownbeard, crownvetch, and various types of buckthorn, all marked as Native.

| Subject Name              | Scientific Name                                        | Family         | U.S. Nativity |
|---------------------------|--------------------------------------------------------|----------------|---------------|
| water speedwell           | Verbenaria sessilis (L.) Steyermark                    | Plantaginaceae | Native        |
| crownbeard                | Verbesina encelioides (Cav.) Benth. & Hook. f. ex Gray | Asteraceae     | Native        |
| black locust              | Robinia pseudoacacia L.                                | Fabaceae       | Native        |
| St. John's wort           | Hypericum perforatum (Walp.) Kurzze                    | Hypericaceae   | Native        |
| purple loosestrife        | Lythrum salicaria L.                                   | Lythraceae     | Native        |
| thistle                   | Sonchus asper (L.) Hill                                | Asteraceae     | Native        |
| yellow honeysuckle        | Lonicera flava L.                                      | Oleaceae       | Native        |
| American black nightshade | Solanum americanum P. Mill.                            | Solanaceae     | Native        |
| knobcone pine             | Pinus attenuata (Pursh) Reichenb.                      | Pinaceae       | Native        |
| highbush blueberry        | Rubus leucodermis Link                                 | Rosaceae       | Native        |
| anglestem buckwheat       | Rhinanthus caeruleus Ell.                              | Cyperaceae     | Native        |
| Douglas fir               | Pseudotsuga menziesii (Mirb.) Franco                   | Pinaceae       | Native        |
| black poplar              | Populus nigra L.                                       | Salicaceae     | Native        |
| cutleaf coneflower        | Platycodon grandiflorus (L.) Don                       | Asteraceae     | Native        |
| Mexican plumosa           | Platycodon grandiflorus (L.) Don                       | Asteraceae     | Native        |
| western white pine        | Pinus monticola L.                                     | Pinaceae       | Native        |
| Honeylocust               | Prosopis cineraria (L.) Jacq.                          | Mimosaceae     | Native        |
| ponderosa pine            | Pinus ponderosa (B. C. Drury)                          | Pinaceae       | Native        |
| white pine                | Pinus strobus L.                                       | Pinaceae       | Native        |

# Exploring The Data: InvasivePlantAtlas.org

**Proposed Task:** find invasive plant species native to North America

- Despite reasoning failures, the agent **self-corrected**, and found the target information
- The Llama verifier evaluates this trajectory as **successful** with confidence = 1.0



The screenshot shows the homepage of the Invasive Plant Atlas of the United States. At the top, there's a navigation bar with links for Home, About, and Searched by Google. Below the header is a green banner with category links: Home, Aquatics, Grasses, Herbs/Foliar, Shrub/Solidago, Trees, Vines, All Species, Images, Parks, and Sources. The main content area features a title "Plant Species Reported to be Invasive in Natural Areas List" and a subtitle "Sources: H. Swearingen, Survey of invasive plants occurring on National Park Service lands, 2000-2007". It also includes a "Source URL: <http://www.invasiveplants.org/surveynps.pdf>". The central part of the page is a table titled "590 Species" with columns for Subject Name, Scientific Name, Family, and U.S. Native?.


| Subject Name               | Scientific Name                                        | Family         | U.S. Native? |
|----------------------------|--------------------------------------------------------|----------------|--------------|
| water speedwell            | Veronica persicaevar. aquatica L.                      | Plantaginaceae | Native       |
| crownbeard                 | Verbesina encelioides (Cav.) Benth. & Hook. f. ex Gray | Asteraceae     | Native       |
| Scirpus heterolepis        | Triarrhena scirpoides (L.) Gray                        | Tiliaceae      | Native       |
| MS-AK-0000024992           | Sisyrinchium campestre (Walt.) Kurzpe                  | Polygonaceae   | Native       |
| Swertia crenata            | Rivularia juncifolia (L.) Willd.                       | Melastomaceae  | Native       |
| ST-MD-0755                 | Sisyrinchium idahoense (L.) Br.                        | Polygonaceae   | Native       |
| culled nightshade          | Solanum elaeagnifolium Nutt.                           | Solanaceae     | Native       |
| America's black nightshade | Solanum americanum P. Mill.                            | Solanaceae     | Native       |
| knobcone, incense          | Juniperus chinensis (Pursh) Kuntze                     | Pinaceae       | Native       |
| highbush blueberry         | Rubus leucodermis Link                                 | Rosaceae       | Native       |
| anglestem blackberry       | Rubus strigosus L.                                     | Rosaceae       | Native       |
| Douglas fir                | Pseudotsuga menziesii (Mirb.) Franco                   | Pinales        | Native       |
| blow poplar                | Populus balsamifera L.                                 | Salicaceae     | Native       |
| cutleaf alder              | Alnus incana (L.) Moench                               | Asterales      | Native       |
| Manzanita plantain         | Plantago serraria L.                                   | Plantaginaceae | Native       |
| western white pine         | Pinus monticola L.                                     | Pinaceae       | Native       |
| Hemlock pine               | Pinus contorta D. Don                                  | Pinaceae       | Native       |
| ponderosa pine             | Pinus ponderosa (B. C. Drury)                          | Pinaceae       | Native       |
| white pine                 | Pinus strobus L.                                       | Pinaceae       | Native       |

Find the opening hours  
for La Sagrada Familia.

Find information on the European Union's climate action policies.


# The Data Pipeline

- We've covered **generation and verification** of synthetic agentic tasks




# The Data Pipeline

- We've covered **generation and verification** of synthetic agentic tasks
- Now we can **scale up** data collection




# Scaling Up To 150k Live Websites

- We can use the **Common Crawl PageRank** to find important sites
  - **97% accuracy** in detecting and filtering harmful content
  - **89% success rate** in generating feasible tasks
  - **82% accuracy** in judging successful task completions




# Results: Improving Efficiency



- Training on synthetic and human demonstrations scale faster than training on human data
- Adding synthetic data improves Step Accuracy by
  - +89.5% relative to human data for Mind2Web
  - +122.1% relative to human data for WebLINX

# Results: Improving Generalization




- Training with only human demonstrations struggle with generalization
- Adding synthetic data improves generalization by
  - +149.0% for WebLINX
  - +156.3% for Mind2Web

# Next Steps

- There are 385M unique domains in the Common Crawl PageRank, suggesting another 1000x more data could be available by scaling further
- Moving towards **online RL**

# Physical Agent: Long-horizon Robotic Manipulation Task


- Model architecture of our interactive agent:
  - High-level Planning
  - Observation Parsing
  - Low-level Action Generation





# Plan-Sequence-Learn


Murtaza Dalal



Plan-Seq-Learn (PSL): Language Model Guided RL for Solving Long Horizon Robotics, M Dalal, T Chiruvolu, D Chaplot, R Salakhutdinov, ICLR 2024

# Planning Module

- Structured language plans: (object, condition)
- Prompt: Task description, conditions, objects, formatting



**Stage termination conditions:** (grasp, place).


**Task description:** The silver nut goes on the silver peg and the gold nut goes on the gold peg. Give me a simple plan to solve the task using only the stage termination conditions. Make sure the plan follows the formatting specified below and make sure to take into account object geometry.

**Formatting of output:** a list in which each element looks like: (<object/region>, <stage termination condition>). Don't output anything else.

**Output:**


[("silver nut", "grasp"), ("silver peg", "place"), ("gold nut", "grasp"), ("gold peg", "place")]

# Sequencing/Parsing Module: Grounding Language Plans in the Scene




# Learning Low-level Actions Module: Learning Local Control

- Learned RL policies for interaction
- Trained with task reward
- Single RL model instead of separate per stage
- Local instead of global observations



# Learning Low-level Actions Module: Learning Local Control


- Learned RL policies for interaction
- Trained with task reward
- Single RL model instead of separate per stage
- Local instead of global observations




# Full Pipeline Example




# Full Pipeline Example




# Full Pipeline Example



# Full Pipeline Example






PSL solves 25+ long-horizon robotics tasks across four benchmark environment suites with greater than 85% success rates

Task: put the mouse in the drawer and close it

Environment: CabinetStore, Success Rate: 90%, #Stages: 4




# Generalizes to Novel Object Geometries/Categories



Manipulate novel objects with unseen receptacles



Manipulate Deformable Objects (not observed in sim!)



# Summary


- VisualWebArena: a benchmark of realistic tasks designed to rigorously evaluate and advance the capabilities of autonomous multimodal web agents
- Inference-time search algorithm designed to enhance the capabilities of language model agents on realistic web tasks
- Data pipeline for large-scale generation and verification of synthetic web tasks, powered by Llama models

# Summary

- VisualWebArena: a benchmark of realistic tasks designed to rigorously evaluate and advance the capabilities of autonomous multimodal web agents
- Inference-time search algorithm designed to enhance the capabilities of language model agents on realistic web tasks
- Data pipeline for large-scale generation and verification of synthetic web tasks, powered by Llama models
- **AI Safety and robustness, especially in the age of autonomous systems.**

# Adversarial Attacks on Multimodal Agents

**Chen Henry Wu, Jing Yu Koh, Ruslan Salakhutdinov, Daniel Fried, Aditi Raghunathan**  
Carnegie Mellon University  
`{chenwu2,jingyuk,rsalakhu,dfried,aditirag}@cs.cmu.edu`



Even while we were recording demonstrations of computer use for today's launch, we encountered some amusing errors. In one, Claude accidentally clicked to stop a long-running screen recording, causing all footage to be lost. In another, Claude suddenly took a break from our coding demo and began to peruse photos of Yellowstone National Park.

We expect that computer use will rapidly improve to become faster, more reliable, and more useful for the tasks our users want to complete. It'll also become much easier to implement for those with less software-development experience. At every stage, our researchers will be working closely with our safety teams to ensure that Claude's new capabilities are accompanied by the appropriate safety measures.

Thank you