

Bridging the gap between Typestates and Rust in production code

José Duarte

António Ravara (Advisor)

March 2021

NOVA School of Science and Technology

2021-03-01

Bridging the gap between Typestates and Rust in production code

Bridging the gap between Typestates and Rust in production code

José Duarte
António Ravara (Advisor)
March 2021
NOVA School of Science and Technology

Hello everyone! My name is José Duarte and today I will be talking about using typestates in Rust. I'll present:

- A brief definition of typestates.
- Why they are useful.
- And finally I'll discuss their relationship with Rust and my proposal to integrate them in the ecosystem.

Outline

Introduction

State of the Art

Case Study

Plan

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└─Outline

Durante a apresentação irei introduzir o tema, rever sumariamente o estado da arte, apresentar a proposta de trabalho e por fim rever o plano de trabalho da mesma.

Outline

Introduction

State of the Art

Case Study

Plan

Outline

Introduction

Context

Problem

Objectives

State of the Art

Case Study

Plan

2021-03-01

Bridging the gap between Typestates and Rust
in production code
└ Introduction

└ Outline

Outline

Introduction
Context
Problem
Objectives

State of the Art

Case Study

Plan

Software plays a crucial role in our lives.

- From web browsers, to word processors and more!

As software becomes more important, bugs become more expensive.

- Losing work due to a bug in the save procedure is not nice.
- A bug in the firmware for a pacemaker may cost a life.

Software plays a crucial role in our lives.

- From web browsers, to word processors and more!

As software becomes more important, bugs become more expensive.

- Losing work due to a bug in the save procedure is not nice.
- A bug in the firmware for a pacemaker may cost a life.

Problem




Figure 1: Diagram of preventable bugs and prevented bugs.

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└ Introduction

└ Problem

└ Rust

Problem




Figure 1: Diagram of preventable bugs and prevented bugs.

Problem - with Rust




Figure 2: Diagram of preventable bugs and prevented bugs when considering Rust's borrow checker.

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└ Introduction

└ Problem

└ Problem - with Rust

Problem - with Rust




Figure 2: Diagram of preventable bugs and prevented bugs when considering Rust's borrow checker.

Problem - Ideal




Figure 3: The ideal diagram of preventable bugs and prevented bugs, where all bugs are prevented.

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└ Introduction

└ Problem

└ Problem - Ideal

Problem - Ideal



Figure 3: The ideal diagram of preventable bugs and prevented bugs, where all bugs are prevented.

Objectives

A library which brings *practical* typestates to Rust.

- Minimal learning overhead.
- Zero-cost abstraction.
- Scalable to large projects.

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└ Introduction

└ Objectives

└ Objectives

Objectives

A library which brings *practical* typestates to Rust.

- Minimal learning overhead.
- Zero-cost abstraction.
- Scalable to large projects.

Outline

Introduction

State of the Art

Session Types

Typestates

Case Study

Plan

2021-03-01

Bridging the gap between Typestates and Rust
in production code
└─ State of the Art

└─ Outline

Outline

Introduction

State of the Art

Session Types

Typestates

Case Study

Plan

Session Types

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└─ State of the Art

└─ Session Types

└─ Session Types

Session Types

Outline

Introduction

State of the Art

Case Study

Problem

Solution

Approach

Workflow

Plan

2021-03-01

Bridging the gap between Typestates and Rust
in production code
└─ Case Study

└─ Outline

Outline
Introduction
State of the Art
Case Study
Problem
Solution
Approach
Workflow
Plan

Problem

Error happens at runtime, possibly crashing the program.

```
1 fn main() {  
2     let protocol = Protocol::new();  
3     protocol.step1();  
4     protocol.step3(); // runtime error  
5     protocol.step2();  
6 }
```

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└ Case Study

└ Problem

└ Problem

Problem

Error happens at runtime, possibly crashing the program.

```
1 fn main() {  
2     let protocol = Protocol::new();  
3     protocol.step1();  
4     protocol.step3(); // runtime error  
5     protocol.step2();  
6 }
```

Solution

Catch the error during compile-time.

```
1 fn main() {  
2     let protocol = Protocol::new();  
3     protocol.step1();  
4     protocol.step3();  
5         ^^^^^^^  
6         | error: cannot call `step3`  
7     protocol.step2();  
8 }
```

2021-03-01

Bridging the gap between Typestates and Rust
in production code

└ Case Study

└ Solution

└ Solution

Solution

Catch the error during compile-time.

```
1 fn main() {  
2     let protocol = Protocol::new();  
3     protocol.step1();  
4     protocol.step3();  
5         ^^^^^^^  
6         | error: cannot call `step3`  
7     protocol.step2();  
8 }
```

Use macros!

- Integral part of the language, requiring no new experience.
- Able to throw errors during compile-time.
- Rewrite the annotated code, generating boilerplate for the user.

2021-03-01

Bridging the gap between Typestates and Rust in production code

└ Case Study


└ Approach

└ Approach - Overview

Use macros!

- Integral part of the language, requiring no new experience.
- Able to throw errors during compile-time.
- Rewrite the annotated code, generating boilerplate for the user.

Approach - Going deeper




2021-03-01

Bridging the gap between Typestates and Rust in production code

└ Case Study

└ Approach

Approach - Going deeper



Workflow

```
1  #[typestate] mod M {
2      struct Drone { location: Coordinates } // avail
3      #[state] struct Grounded;
4      #[state] struct Hovering;
5      #[state] struct Flying {
6          destination: Coordinates
7      }
8      #[state] enum Landed {
9          Success(Grounded), // touchdown!!
10         Error // crashed
11     }
12     fn get_location(self: &Grounded) -> &Coordinate
13     fn correct_coordinates(self: &mut Grounded);
14     fn take_off(self: Grounded) -> Hovering;
15     fn fly_to(self: Hovering, dst: Coordinates) ->
```

2021-03-01

Bridging the gap between Tpestates and Rust
in production code

└ Case Study

└ Workflow

Workflow

```
1  #[typestate] mod M {
2      struct Drone { location: Coordinates } // avail
3      #[state] struct Grounded;
4      #[state] struct Hovering;
5      #[state] struct Flying {
6          destination: Coordinates
7      }
8      #[state] enum Landed {
9          Success(Grounded), // touchdown!!
10         Error // crashed
11     }
12     fn get_location(self: &Grounded) -> &Coordinate
13     fn correct_coordinates(self: &mut Grounded);
14     fn take_off(self: Grounded) -> Hovering;
15     fn fly_to(self: Hovering, dst: Coordinates) ->
```

Outline

Introduction

State of the Art

Case Study

Plan

2021-03-01

Bridging the gap between Typestates and Rust
in production code
└─ Plan

Outline
Introduction
State of the Art
Case Study
Plan

Plan Overview




Figure 4: Work plan Gantt chart

2021-03-01

Bridging the gap between Typestates and Rust in production code

└ Plan




Figure 4: Work plan Gantt chart