Dart and null safety

Classes, null-safe types and collections

Dinu-Ștefan Rusu
FILS, Universitatea Politehnica București · Week 4

TODAY

What this lab is for

Null safety in code

Reach for `?`, `?.`, `??` and `late` deliberately instead of by trial and error

Classes and inheritance

Model a small domain with an abstract base class and two subclasses

TIME

2 hours

SUBMIT

Push to `admd-labs`, branch `lab-2`, before Lab 3

SETUP

Where your code goes

1. Open the project from Lab 1 and create a branch:

```
git checkout -b lab-2
```

2. Create `lib/models/` directory. All classes live there.
3. One class per file with `lower_snake_case` filenames: `user.dart`, `bank_account.dart`, etc.
4. Only `main.dart` holds widget code: just enough to display what your classes produce.

Hint

Dart convention: lowercase filename for lowercase class. The graders read your repository by these rules.

REFERENCE

The null-safety toolkit

Types and operators

`String?`: may be null; plain `String` never can

`?.`: read a member only if non-null

`??`: use right-hand value if left is null

`??=`: assign only if currently null

`!`: assert non-null; throws if wrong

Declarations and promotion

`late`: assigned after construction

`required`: caller must pass it

`= 0.0`: default for optional parameter

`is Book`: type test that promotes variable

`x != null`: flow analysis promotes to non-null

Use `!` last, not first. Every `!` you write is a promise the compiler can no longer check for you.

REFERENCE

Null safety in one file

```
class Room {
  final String code;            // always present
  final int? seats;             // may be unknown
  String? projector;            // may be absent
  late final DateTime opened;   // set later, read after

  Room({required this.code, this.seats, this.projector});

  String describeSeats() =>
      seats == null ? 'Unknown' : '$seats seats';
}
```

`code` never null. `seats`, `projector` may be null, so compiler forces handling. `opened` has no value yet; reading it throws `LateInitializationError`.

TASK I

Users

1. Create `User` with `String name`, `int? age`, `String? email`.
2. Make `name` required; leave `age`, `email` optional.
3. Create three `User` instances with different null combinations.
4. Display safely; show “Not provided” where value is null.
5. Implement `getDisplayAge()`: return “Age not specified” or age as string.

DONE WHEN

- [ ] Three users render, one with all optionals null
- [ ] Both branches of `getDisplayAge()` work

TASK II

Bank accounts

1. Create `BankAccount: late accountNumber`, required `holderName`, `balance = 0.0`.
2. Add optional `bankBranch`.
3. Implement `initializeAccount(String number)`.
4. Add method to check if account number is set.
5. Display accounts safely in ListView.

DONE WHEN

- [ ] All accounts render with branch or “N/A”
- [ ] Uninitialized account shows message

SCAFFOLDING

Just enough UI to see your objects

```
ListView.builder(
  itemCount: accounts.length,
  itemBuilder: (context, i) {
    final a = accounts[i];
    return ListTile(
      title: Text(a.holderName),
      subtitle: Text(a.bankBranch ?? 'Not provided'),
    );
  },
)
```

Widgets are Lecture 3 and Lab 3. Build visible rows only. `??` handles “Not provided” in widgets.

TASK III

Library: model classes

1. Abstract `LibraryItem`: `title`, `author?`, `publishDate?`.
2. `Book extends LibraryItem`: add `pageCount?`, `isbn?`.
3. `Magazine extends LibraryItem`: add `issueNumber?`, `publisher?`.
4. Pass shared fields via super constructor.
5. Add `borrower?` (reuse Task I `User`) and `dueDate?` to `LibraryItem`.

DONE WHEN

- [ ] Both subclasses compile without unset fields
- [ ] All optional fields use `?`

TASK III

Library: API and borrowing

1. `Library` holds `List<LibraryItem>`; add `addItem()` with validation.
2. Implement `searchByTitle()`, `getItemsByAuthor()`, `getRecentItems()` with null handling.
3. Add `borrowItem()` that checks if already borrowed.
4. Add `returnItem()` that clears borrower and dueDate.

DONE WHEN

- [ ] All methods handle null safely
- [ ] Borrowed items are protected
- [ ] Null queries return empty list

TROUBLESHOOTING

Errors you will hit today

`Non-nullable 'x' not assigned before use`	Give a value, use `?`, or mark `late`
`LateInitializationError on 'x'`	A `late` field read before it was set
`Can't access property on nullable receiver`	Use `?.`, `??`, or null check first
`Null check ! used on null value`	Replace with `??` or real null check
`Type 'String?' can't assign to 'String'`	Promote with `if (x != null)` or `??`

Push before you leave

Branch lab-2 · one commit per task · running app is your evidence