Lab test

Rules, format, task types

Dinu-Ștefan Rusu ADMD

Lab objectives

Prove four skills, once

Solve four tasks from a one-page spec in one hour: a screen, a Cubit, a network call, and a route.

Worth 30 points

7.5 points per task, graded at the end of the test.

Time
1 hour

Submit
To the lab instructor, when the time is up

Rules

1. You work alone. No help from anyone else, no copying a classmate’s work.
2. One hour, one sitting, starting when you receive the spec.
3. You must be able to explain any line the grader points to, in your own words.
4. Every task uses only what Labs 2 to 6 taught.

The clock does not pause, and the hour is not extended.

Test format

One page, handed at the start

Four tasks. Nothing changes once the clock starts.

One hour, then you submit

Work until time is up, then submit your answers to the lab instructor. No extensions.

Every spec has the same four kinds of task, described next.

Task types

A screen

Built from the layout widgets: Row, Column, ListView, Card. No hardcoded pixel offsets.

State in a Cubit

An Equatable state class, `emit`, and a BlocBuilder. Not a raw setState.

One network call

A single HTTP call parsed into a model class with fromJson. Not a hardcoded map.

One navigation

A go_router route that carries data and pushes to a second screen.

Lab test

Four tasks · one hour