

OBSERVATION TASK

Field	Details
Course	Full Stack Web Development
Course Code	23CM4121
Experiment No.	Task1(part B)
Student Name	R .Varshini
Roll No.	A24126552115
Date	30-08-2026

1. TITLE

Explore CSS3 Styling and HTML5 Canvas Graphics

2. AIM

To understand how CSS3 enhances the appearance of web pages and to explore HTML5 graphics using the Canvas element.

3. OBJECTIVE

The objectives of this experiment are:

- To understand the basic syntax and structure of CSS3.
- To apply CSS selectors, colors, fonts, borders, margins and padding.
- To style a webpage using backgrounds, gradients, box shadow, text shadow and rounded corners.
- To implement hover effects for navigation links and buttons.
- To draw basic shapes and text on a webpage using the HTML5 Canvas element.

4. THEORY

CSS3 (Cascading Style Sheets, Level 3) is the latest evolution of the CSS language used to control the presentation and layout of HTML documents. It introduces advanced styling features such as gradients, box shadows, text shadows, rounded corners (border-radius), and transition/hover effects, allowing developers to design visually appealing web pages without relying on images or scripts.

CSS rules follow the syntax selector { property: value; }. Selectors can target elements by tag name, class (.class), id (#id), or pseudo-classes such as :hover, which applies a style only while the mouse pointer is over an element.

HTML5 introduces the <canvas> element, a rectangular region on the page that can be used to draw graphics, shapes, and text dynamically using JavaScript. The 2D drawing context is obtained using canvas.getContext("2d"), which exposes methods such as fillRect() for rectangles, arc() for circles, moveTo()/lineTo()/stroke() for lines, and fillText() for text.

Together, CSS3 and HTML5 Canvas allow a single webpage to combine styled document content (header, navigation, cards, footer) with custom-drawn graphics, demonstrating both declarative styling and imperative, script-driven rendering.

5. ALGORITHM / PROCEDURE

- Create a new HTML file and set up the basic HTML5 document structure.
- Add a <style> block and define general/reset styles (margin, padding, box-sizing).

- Style the body with a font family and a linear gradient background.
- Create a header section and apply background color, text color and text-shadow.
- Create a navigation bar with links; style the links and add a :hover effect.
- Insert a <canvas> element inside a section and give it a border and background.
- Using JavaScript, get the 2D drawing context of the canvas.
- Draw a filled rectangle using fillRect().
- Draw a filled circle using beginPath(), arc() and fill().
- Draw a straight line using moveTo(), lineTo() and stroke().
- Display text on the canvas using fillText().
- Create three content cards with borders, border-radius, box-shadow and a button in each.
- Add a :hover effect on the buttons to change their background color.
- Create a footer with background color and centered text.
- Open the HTML file in a browser and verify the layout, styling and canvas drawing.
- Test hover effects on navigation links and buttons, and verify canvas shapes render correctly.

6. PROGRAM

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>My Styled Webpage</title>

<style>
/* General Styling */
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: Arial, sans-serif;
    background: linear-gradient(to right, #74ebd5, #ACB6E5);
}

/* Header */
header {
    background: #004080;
    color: white;
    text-align: center;
    padding: 20px;
    text-shadow: 2px 2px 5px black;
}

/* Navigation */
nav {
    background: #333;
    padding: 15px;
    text-align: center;
}

nav a {
    color: white;
    text-decoration: none;
    margin: 20px;
    font-size: 18px;

```

```

padding: 8px 15px;
}

nav a:hover {
    background: white;
    color: #333;
    border-radius: 5px;
}

/* Canvas */
.canvas-section {
    text-align: center;
    margin: 30px;
}

canvas {
    border: 3px solid black;
    background: white;
}

/* Cards */
.container {
    display: flex;
    justify-content: center;
    gap: 20px;
    margin: 30px;
}

.card {
    background: white;
    width: 280px;
    padding: 20px;
    border: 2px solid gray;
    border-radius: 15px;
    box-shadow: 5px 5px 10px gray;
    text-align: center;
}

.card h3 {
    margin-bottom: 10px;
    font-family: Georgia;
}

.card p {
    margin-bottom: 15px;
    font-size: 16px;
}

button {
    background: #007BFF;
    color: white;
    border: none;
    padding: 10px 20px;
    border-radius: 8px;
    cursor: pointer;
}

button:hover {
    background: green;
}

/* Footer */
footer {
    background: #004080;
    color: white;
    text-align: center;
    padding: 15px;
    margin-top: 20px;
}

```

```

</style>
</head>

<body>

<header>
  <h1>My Styled Webpage</h1>
</header>

<nav>
  <a href="#">Home</a>
  <a href="#">About</a>
  <a href="#">Services</a>
  <a href="#">Contact</a>
</nav>

<section class="canvas-section">
  <h2>HTML5 Canvas</h2>
  <canvas id="myCanvas" width="500" height="300"></canvas>
</section>

<section class="container">
  <div class="card">
    <h3>HTML5</h3>
    <p>HTML5 provides semantic elements and Canvas for graphics.</p>
    <button>Learn More</button>
  </div>
  <div class="card">
    <h3>CSS3</h3>
    <p>CSS3 enhances webpages with colors, gradients, shadows and animations.</p>
    <button>Learn More</button>
  </div>
  <div class="card">
    <h3>JavaScript</h3>
    <p>JavaScript makes webpages interactive and dynamic.</p>
    <button>Learn More</button>
  </div>
</section>

<footer>
  <p>&copy; 2026 My Styled Webpage | Designed by Your Name</p>
</footer>

<script>
var canvas = document.getElementById("myCanvas");
var ctx = canvas.getContext("2d");

/* Rectangle */
ctx.fillStyle = "skyblue";
ctx.fillRect(20,20,120,70);

/* Circle */
ctx.beginPath();
ctx.arc(220,60,35,0,2*Math.PI);
ctx.fillStyle = "orange";
ctx.fill();

/* Line */
ctx.beginPath();
ctx.moveTo(300,30);
ctx.lineTo(450,120);
ctx.strokeStyle = "red";
ctx.lineWidth = 3;
ctx.stroke();

/* Text */
ctx.font = "24px Arial";
ctx.fillStyle = "blue";
ctx.fillText("Your Name",140,200);

```

```
</script>
</body>
</html>
```

7. CODE EXPLANATION

Code	Explanation
linear-gradient()	Creates a smooth transition between two or more colors, used as the page background.
text-shadow	Adds a shadow behind text; used on the header title for depth.
:hover	Pseudo-class that applies styles only while the mouse pointer is over the element (nav links, buttons).
border-radius	Rounds the corners of an element, used on cards and buttons.
box-shadow	Adds a drop shadow around an element, used on the content cards.
getContext("2d")	Returns the 2D rendering context of the canvas, used to draw shapes and text.
fillRect()	Draws a filled rectangle at a given position and size on the canvas.
arc()	Draws a circular arc (used with fill() to draw a filled circle).
moveTo() / lineTo() / stroke()	Defines and draws a straight line path on the canvas.
fillText()	Renders text at a specified position on the canvas.

8. TEST CASES AND EXECUTION DATA


Each styling feature and canvas element was verified individually in the browser.

Test Case	Feature Tested	Expected Result	Actual Result	Status
TC-01	Page load	Header, nav, canvas, cards and footer render correctly	Rendered correctly	Pass
TC-02	Gradient background	Body shows a smooth color gradient	Gradient displayed correctly	Pass
TC-03	Canvas shapes	Rectangle, circle, line and text appear on canvas	All shapes and text displayed	Pass
TC-04	Nav link hover	Link background turns white with rounded corners on hover	Hover effect worked	Pass
TC-05	Button hover	Button background changes to green on hover	Hover effect worked	Pass
TC-06	Card styling	Cards show border-radius and box-shadow	Displayed correctly	Pass

9. OUTPUT

Output 1: Full Page View

The page displays a styled header with a shadowed title, a navigation bar, the HTML5 Canvas drawing (rectangle, circle, line and name text), three styled cards with buttons, and a footer, all rendered in the browser as shown below.



10. RESULT

Thus, a webpage titled "My Styled Webpage" was successfully designed using CSS3 styling techniques (gradients, shadows, borders, rounded corners and hover effects) and HTML5 Canvas graphics (rectangle, circle, line and text). All components were verified in the browser and the required visual effects were achieved as expected.