


NIM : 11S20018
Nama : Ruth Aulya Silalahi
Kelas : 13 IF1

Bagian I


Routing to String



The screenshot shows a web browser on the left with the URL `localhost/laravel-app/public/` and the text "Selamat Datang di Praktikum PABWE". On the right, a code editor shows the `web.php` file in the `routes` directory. The code defines a single route for the root path (`/`) using the `Route::get` method, returning the string "Selamat Datang di Praktikum PABWE".

```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4
5 /*
6 |-----
7 | Web Routes
8 |-----
9 |
10 | Here is where you can register web routes for your application. These
11 | routes are loaded by the RouteServiceProvider within a group which
12 | contains the "web" middleware group. Now create something great!
13 |
14 */
15
16 Route::get('/', function () {
17     return 'Selamat Datang di Praktikum PABWE';
18 });
19
```


Routing Filename to String



The screenshot shows the same web browser and code editor setup as before, but with an additional route added. The browser now displays "Selamat Datang di Praktikum PABWE dengan alamat 'modul'". The code editor shows the `web.php` file with two routes: one for the root path (`/`) and another for the path `/modul`, both returning the same string.


```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4
5 /*
6 |-----
7 | Web Routes
8 |-----
9 |
10 | Here is where you can register web routes for your application. These
11 | routes are loaded by the RouteServiceProvider within a group which
12 | contains the "web" middleware group. Now create something great!
13 |
14 */
15
16 // Routing to String
17 Route::get('/', function () {
18     return 'Selamat Datang di Praktikum PABWE';
19 });
20
21 // Routing Filename to String
22 Route::get('modul', function () {
23     return 'Selamat Datang di Praktikum PABWE dengan alamat \'modul\' ';
24 });
25
```


Routing Filename/value to String



Kesimpulan mengenai routing: semua route laravel yang didefinisikan secara otomatis dimuat oleh kerangka kerja. Route laravel yang paling dasar hanya menerima URI dan a closure.

Bagian IV





Bagian V

