

```
kali@kali: ~  
Session Actions Edit View Help  
  
(kali@kali)-[~]  
$ ip addr  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group def  
ault qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP g  
roup default qlen 1000  
    link/ether 08:00:27:5a:87:bc brd ff:ff:ff:ff:ff:ff  
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0  
        valid_lft 86269sec preferred_lft 86269sec  
    inet6 fd17:625c:f037:2:69cd:fd52:f476:7841/64 scope global dynamic nopref  
ixroute  
        valid_lft 86271sec preferred_lft 14271sec  
    inet6 fe80::48a0:212b:bcdc:a0de/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever  
  
(kali@kali)-[~]  
$ uname -a  
Linux kali 6.19.14+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.19.14-1+kali1 (2026-05-05) x86_64 GNU/Linux  
  
(kali@kali)-[~]  
$ nmap --version  
Nmap version 7.99 ( https://nmap.org )  
Platform: x86_64-pc-linux-gnu  
Compiled with: liblua-5.4.8 openssl-3.6.2 libssh2-1.11.1 libz-1.3.1 libpcr2-10.46 libpcap-1.10.6 nmap-libdnet-1.18.0 ipv6  
Compiled without:  
Available nsock engines: epoll poll select  
  
(kali@kali)-[~]  
$ wireshark --version  
Wireshark 4.6.6.  
  
Copyright 1998-2026 Gerald Combs <gerald@wireshark.org> and contributors.  
Licensed under the terms of the GNU General Public License (version 2 or later).  
This is free software; see the file named COPYING in the distribution. There is  
NO WARRANTY; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
  
Compile-time info:
```

kali@kali: ~

Session Actions Edit View Help

```
Unpacking php8.4-fpm (8.4.24-1)...
Preparing to unpack .../7-php8.4_8.4.24-1_all.deb...
Unpacking php8.4 (8.4.24-1) over (8.4.22-1)...
Selecting previously unselected package php8.4-gd.
Preparing to unpack .../8-php8.4-gd_8.4.24-1_amd64.deb...
Unpacking php8.4-gd (8.4.24-1)...
Selecting previously unselected package dvwa.
Preparing to unpack .../9-dvwa_2.5-0kali1_all.deb...
Unpacking dvwa (2.5-0kali1)...
Setting up php8.4-common (8.4.24-1)...
Setting up php8.4-gd (8.4.24-1)...
Creating config file /etc/php/8.4/mods-available/gd.ini with new version
Setting up php8.4-opcache (8.4.24-1)...
Setting up php8.4-readline (8.4.24-1)...
Setting up php8.4-mysql (8.4.24-1)...
Setting up php8.4-cli (8.4.24-1)...
Setting up libapache2-mod-php8.4 (8.4.24-1)...
libapache2-mod-php8.4: not switching MPM - already enabled
Setting up php8.4-fpm (8.4.24-1)...
Creating config file /etc/php/8.4/fpm/php.ini with new version
NOTICE: Not enabling PHP 8.4 FPM by default.
NOTICE: To enable PHP 8.4 FPM in Apache2 do:
NOTICE: a2enmod proxy_fcgi setenvif
NOTICE: a2enconf php8.4-fpm
NOTICE: You are seeing this message because you have apache2 package installed.
update-rc.d: We have no instructions for the php8.4-fpm init script.
update-rc.d: It looks like a network service, we disable it.
Setting up php8.4 (8.4.24-1)...
Setting up dvwa (2.5-0kali1)...
dvwa.service is a disabled or a static unit, not starting it.
Processing triggers for man-db (2.13.1-1)...
Processing triggers for kali-menu (2026.2.6)...
Processing triggers for php8.4-cli (8.4.24-1)...
Processing triggers for libapache2-mod-php8.4 (8.4.24-1)...
Processing triggers for php8.4-fpm (8.4.24-1)...
NOTICE: Not enabling PHP 8.4 FPM by default.
NOTICE: To enable PHP 8.4 FPM in Apache2 do:
NOTICE: a2enmod proxy_fcgi setenvif
NOTICE: a2enconf php8.4-fpm
NOTICE: You are seeing this message because you have apache2 package installed.
```

(kali@kali)-[~]

\$

```
kali@kali ~  
Session Actions Edit View Help  
(kali@kali)-[~]  
$ whoami  
kali  
(kali@kali)-[~]  
$ uname -a  
Linux kali 6.19.14+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.19.14-1+kali1 (2026-05-05) x86_64 GNU/Linux  
(kali@kali)-[~]  
$ ip addr  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:5a:87:bc brd ff:ff:ff:ff:ff:ff  
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0  
        valid_lft 85306sec preferred_lft 85306sec  
    inet6 fd17:625c:f037:2:69cd:fd52:f476:7841/64 scope global dynamic noprefixroute  
        valid_lft 85966sec preferred_lft 13966sec  
    inet6 fe80::46a0:212b:bcdc:a0de/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever  
(kali@kali)-[~]  
$ pwd  
/home/kali  
(kali@kali)-[~]  
$ ls  
Desktop Documents Downloads Music Pictures Projects Public Templates Videos  
(kali@kali)-[~]  
$ mkdir task1  
(kali@kali)-[~]  
$ cd task1  
(kali@kali)-[~/task1]  
$ touch file.txt  
(kali@kali)-[~/task1]  
$ ls -l  
total 0  
-rw-rw-r-- 1 kali kali 0 Sep 22 11:15 file.txt  
(kali@kali)-[~/task1]  
$ chmod 600 file.txt  
(kali@kali)-[~/task1]  
$ ls -l  
total 0  
-rw----- 1 kali kali 0 Sep 22 11:15 file.txt  
(kali@kali)-[~/task1]  
$ cd ..  
(kali@kali)-[~]  
$
```

```
$ cd ..
```

```
(kali@kali)-[~]
```

```
$ ip addr
```

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
   link/ether 08:00:27:5a:87:bc brd ff:ff:ff:ff:ff:ff
   inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0
       valid_lft 85102sec preferred_lft 85102sec
   inet6 fd17:625c:f037:2:69cd:fd52:f476:7041/64 scope global dynamic noprefixroute
       valid_lft 86358sec preferred_lft 14358sec
   inet6 fe80::48a0:212b:bcdc:a0de/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
```

```
(kali@kali)-[~]
```

```
$ ping -c 4 google.com
```

```
PING google.com (173.194.41.101) 56(84) bytes of data:
64 bytes from yukulwh-in-f101.1e100.net (173.194.41.101): icmp_seq=1 ttl=64 time=202 ms
64 bytes from yukulwh-in-f101.1e100.net (173.194.41.101): icmp_seq=2 ttl=64 time=279 ms
64 bytes from yukulwh-in-f101.1e100.net (173.194.41.101): icmp_seq=3 ttl=64 time=141 ms
64 bytes from yukulwh-in-f101.1e100.net (173.194.41.101): icmp_seq=4 ttl=64 time=149 ms
```

```
— google.com ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3125ms
rtt min/avg/max/mdev = 140.872/192.631/279.261/55.221 ms
```

```
(kali@kali)-[~]
```

```
$ traceroute google.com
```

```
traceroute to google.com (173.194.41.102), 30 hops max, 60 byte packets
 1 10.0.2.2 (10.0.2.2) 0.944 ms 0.826 ms 0.800 ms
 2 * * *
 3 * * *
 4 * * *
 5 * * *
 6 * * *
 7 * * *
 8 * * *
 9 * * *
10 * * *
11 * * *
12 * * *
13 * * *
14 * * *
15 * * *
16 * * *
17 * * *
18 * * *
19 * * *
20 * * *
21 * * *
22 * * *
23 * * *
24 * * *
25 * * *
26 * * *
27 * * *
```

```
kali@kali ~  
Session Actions Edit View Help  
(kali@kali)-[~]  
$ nmap --version  
Nmap version 7.99 ( https://nmap.org )  
Platform: x86_64-pc-linux-gnu  
Compiled with: liblua-5.4.8 openssl-3.6.2 libssh2-1.11.1 libz-1.3.1 libpcap-1.10.6 nmap-libdnet-1.18.0 ipv6  
Compiled without:  
Available nsock engines: epoll poll select  
  
(kali@kali)-[~]  
$ wireshark --version  
Wireshark 4.6.6.  
  
Copyright 1998-2026 Gerald Combs <gerald@wireshark.org> and contributors.  
Licensed under the terms of the GNU General Public License (version 2 or later).  
This is free software; see the file named COPYING in the distribution. There is  
NO WARRANTY; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
  
Compile-time info:  
Bit width: 64-bit  
Compiler: GCC 15.2.0  
Glib: 2.88.1  
With:  
+brotli  
+Gcrypt 1.12.2  
+GnuTLS 3.8.13 and PKCS#11  
+Kerberos (MIT)  
+libnl 3  
+libpcap  
+libsmi 0.4.8  
+libxml2 2.15.2  
+Lua 5.4.8  
+LZ4 1.10.0  
+MaxMind  
+Minizip 1.3.2  
+nghttp2 1.69.0  
+nghttp3 1.15.0  
+PCRE2 10.46 2025-08-27  
+POSIX capabilities (Linux)  
+Qt 6.10.2  
+QtDBus  
+QtMultimedia  
+Snappy 1.2.2  
+xxhash 0.8.3  
+zlib 1.3.2  
+Zstandard 1.5.7  
Without:  
-automatic updates -zlib-ng  
  
Runtime info:  
OS: Linux 6.19.14+kali-amd64  
CPU: 11th Gen Intel(R) Core(TM) i5-1135G7 @ 2.40GHz (with SSE4.2)  
Memory: 1969 MB of physical memory  
Glib: 2.88.1  
Locale: LC_TYPE=en_US.UTF-8  
Plugins: supported, 0 loaded  
With:  
+brotli 1.2.0  
+c-ares 1.34.6  
+Gcrypt 1.12.2  
+GnuTLS 3.8.13  
+libpcap 1.10.6 (64-bit time_t, with TPACKET_V3)  
+libsmi 0.4.8  
+LZ4 1.10.0  
+nghttp2 1.69.0  
+nghttp3 1.15.0  
+PCRE2 10.46 2025-08-27  
+Qt 6.10.2  
+xxhash 803  
+zlib 1.3.2  
+Zstandard 1.5.7  
  
(kali@kali)-[~]
```



```
Session Actions Edit View Help
└─$ burpsuite --version
[warning] /usr/bin/burpsuite: No JAVA_CMD set for run_java, falling back to JAVA_CMD = java
2026.3.2-46522 Burp Suite Community Edition

(kali@kali)-[~]
└─$ echo "Task 1" > hash_test.txt

(kali@kali)-[~]
└─$ md5sum hash_test.txt
ab47ce051ba9eb3c0dd6c15f85d80575  hash_test.txt

(kali@kali)-[~]
└─$ sha256sum hash_test.txt
350e32195a350215ead7d801b7268238ff9f7b53c7082f045c465a905e4c0f80  hash_test.txt

(kali@kali)-[~]
└─$ echo "This is secret message" > secret.txt

(kali@kali)-[~]
└─$ openssl enc -aes-256-cbc -salt -pbkdf2 -in secret.txt
enter AES-256-CBC encryption password:
Verifying - enter AES-256-CBC encryption password:
*~#***** **P*+*
*0***x***

(kali@kali)-[~]
└─$ openssl enc -d -aes-256-cbc -pbkdf2 -in secret.enc -out decrypted.txt
Can't open "secret.enc" for reading, No such file or directory
40872C624A7F0000:error:80000002:system library:BIO_new_file:No such file or directory:../crypto/bio/bss_file.c:67:calling fopen(secret.enc, rb)
40872C624A7F0000:error:10000080:BIO routines:BIO_new_file:no such file:../crypto/bio/bss_file.c:75:

(kali@kali)-[~]
└─$ ls -l
total 48
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Desktop
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Documents
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Downloads
-rw-rw-r-- 1 kali kali 7 Sep 22 11:22 hash_test.txt
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Music
drwxr-xr-x 2 kali kali 4096 Sep 22 11:22 Pictures
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Projects
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Public
-rw-rw-r-- 1 kali kali 23 Sep 22 11:24 secret.txt
drwxrwxr-x 2 kali kali 4096 Sep 22 11:15 task1
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Templates
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Videos

(kali@kali)-[~]
└─$ openssl enc -aes-256-cbc -salt -pbkdf2 -in secret.txt
enter AES-256-CBC encryption password:
Verifying - enter AES-256-CBC encryption password:
Salted_A*~*****g- ****:(*(%ht**!_9

(kali@kali)-[~]
└─$ ls -l
total 48
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Desktop
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Documents
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Downloads
-rw-rw-r-- 1 kali kali 7 Sep 22 11:22 hash_test.txt
drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Music
```

\$ openssl enc -aes-256-cbc -salt -pbkdf2 -in secret.txt

enter AES-256-CBC encryption password:

Verifying - enter AES-256-CBC encryption password:

Salted__A*K[+]***x6*****g- ****:(+[%t+!_9

(kali@kali)-[~]

\$ ls -l

total 48

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Desktop

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Documents

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Downloads

-rw-rw-r-- 1 kali kali 7 Sep 22 11:22 hash_test.txt

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Music

drwxr-xr-x 2 kali kali 4096 Sep 22 11:22 Pictures

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Projects

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Public

-rw-rw-r-- 1 kali kali 23 Sep 22 11:24 secret.txt

drwxrwxr-x 2 kali kali 4096 Sep 22 11:15 task1

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Templates

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Videos

(kali@kali)-[~]

\$ ls

Desktop Documents Downloads hash_test.txt Music Pictures Projects Public secret.txt task1 Templates Videos

(kali@kali)-[~]

\$ openssl enc -aes-256-cbc -salt -pbkdf2 -in secret.txt -out secret.enc

enter AES-256-CBC encryption password:

Verifying - enter AES-256-CBC encryption password:

(kali@kali)-[~]

\$ openssl enc -d -aes-256-cbc -pbkdf2 -in secret.enc -out decrypted.txt

enter AES-256-CBC decryption password:

(kali@kali)-[~]

\$ ls -l

total 56

-rw-rw-r-- 1 kali kali 23 Sep 22 11:30 decrypted.txt

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Desktop

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Documents

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Downloads

-rw-rw-r-- 1 kali kali 7 Sep 22 11:22 hash_test.txt

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Music

drwxr-xr-x 2 kali kali 4096 Sep 22 11:22 Pictures

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Projects

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Public

-rw-rw-r-- 1 kali kali 48 Sep 22 11:30 secret.enc

-rw-rw-r-- 1 kali kali 23 Sep 22 11:24 secret.txt

drwxrwxr-x 2 kali kali 4096 Sep 22 11:15 task1

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Templates

drwxr-xr-x 2 kali kali 4096 Sep 22 10:56 Videos

(kali@kali)-[~]

\$ cat decrypted.txt

This is secret message

(kali@kali)-[~]

\$

Screenshot taken

View image

KALI