

CLOUD NATIVE

```

PS C:\Users\ruthi\kitchen-app> docker compose up --build -d
[+] Building 48.6s (26/26) FINISHED
=> [internal] load local bake definitions 0.0s
=> => reading from stdin 693B 0.0s
=> [api internal] load build definition from Dockerfile 0.6s
=> => transferring dockerfile: 702B 0.1s
=> [web-ui internal] load build definition from Dockerfile 0.5s
=> => transferring dockerfile: 119B 0.1s
=> [web-ui internal] load metadata for docker.io/library/nginx:alpine 0.3s
=> [api internal] load metadata for docker.io/library/node:20-alpine 2.7s
=> [web-ui internal] load .dockerignore 0.1s
=> => transferring context: 2B 0.0s
=> [web-ui internal] load build context 0.1s
=> => transferring context: 31B 0.0s
=> [web-ui 1/2] FROM docker.io/library/nginx:alpine@sha256:f46cb72c7df02710e693e863a983ac42f6a9579058a59a35f 0.2s
=> => resolve docker.io/library/nginx:alpine@sha256:f46cb72c7df02710e693e863a983ac42f6a9579058a59a35f1ae36c9 0.2s
=> CACHED [web-ui 2/2] COPY index.html /usr/share/nginx/html/index.html 0.0s
=> [web-ui] exporting to image 0.8s
=> => exporting layers 0.0s
=> => exporting manifest sha256:c241f6f26c2f181a42e0d0256f9b6434ef257b9b35ea54e12faf563df16625cf 0.1s
=> => exporting config sha256:5c7d98be00f435b1e74c07dba46da09b12ccd02612a2baf8236dbd5808408469 0.0s
=> => exporting attestation manifest sha256:4d37f19e28e4c66f20e70fe7b40215efec6d8d6e2ca53de6bd6a7143b0aaa9b9 0.2s
=> => exporting manifest list sha256:c30a6c8b0c2cb9bd39fd8914f0eb9df32b6ea519883c982640166f5e53168d09 0.1s
=> => naming to docker.io/library/kitchen-web:local 0.1s
=> => unpacking to docker.io/library/kitchen-web:local 0.1s
=> [auth] library/node:pull token for registry-1.docker.io 0.0s
=> [web-ui] resolving provenance for metadata file 0.1s
=> [api internal] load .dockerignore 0.1s
=> => transferring context: 2B 0.0s
=> [api builder 1/6] FROM docker.io/library/node:20-alpine@sha256:b88333c42c23fbd91596ebd7fd10de239cedab9617 0.1s
=> => resolve docker.io/library/node:20-alpine@sha256:b88333c42c23fbd91596ebd7fd10de239cedab9617de04142dde73 0.1s
=> [api internal] load build context 2.3s
=> => transferring context: 1.03MB 2.0s
=> CACHED [api builder 2/6] WORKDIR /build 0.0s
=> [api builder 3/6] COPY package*.json ./ 0.2s
=> [api builder 4/6] RUN npm install && npm cache clean --force 26.1s

[+] Running 6/6
✔ api Built 0.0s
✔ web-ui Built 0.0s
✔ Network kitchen-app_default Created 0.2s
✔ Container kitchen-db Healthy 14.0s
✔ Container kitchen-app-api-1 Healthy 20.2s
✔ Container kitchen-app-web-ui-1 Started 20.5s

PS C:\Users\ruthi\kitchen-app> docker compose ps

```

NAME	IMAGE	COMMAND	SERVICE	CREATED	STATUS
kitchen-app-api-1	kitchen-api:local	"docker-entrypoint.s...	api	30 seconds ago	Up 15 seconds (health y)
kitchen-app-web-ui-1	kitchen-web:local	"/docker-entrypoint..."	web-ui	30 seconds ago	Up 9 seconds
kitchen-db	mongo:7.0	"docker-entrypoint.s..."	db	30 seconds ago	Up 28 seconds (health y)

```

PS C:\Users\ruthi\kitchen-app>

```

CLOUD NATIVE

```
PS C:\Users\ruthi\kitchen-app> Invoke-RestMethod -Method Get -Uri "http://localhost:3000/health"

status db
-----
ok      connected

PS C:\Users\ruthi\kitchen-app> Invoke-RestMethod -Method Post -Uri "http://localhost:3000/orders" -ContentType "application/json" -Body (@{ dish = "Paneer Tikka" } | ConvertTo-Json)

_id           : 69c02125ede404ee5308afa5
dish          : Paneer Tikka
status        : pending
createdAt     : 2026-03-22T17:04:37.359Z
statusUpdatedAt : 2026-03-22T17:04:37.359Z
nextStatus    : preparing
nextStatusAt  : 2026-03-22T17:04:42.359Z

PS C:\Users\ruthi\kitchen-app> Invoke-RestMethod -Method Get -Uri "http://localhost:3000/orders"

_id           : 69c02125ede404ee5308afa5
dish          : Paneer Tikka
status        : pending
createdAt     : 2026-03-22T17:04:37.359Z
statusUpdatedAt : 2026-03-22T17:04:37.359Z
nextStatus    : preparing
nextStatusAt  : 2026-03-22T17:04:42.359Z

PS C:\Users\ruthi\kitchen-app> Invoke-WebRequest -Uri "http://localhost:8081" | Select-Object StatusCode

Security Warning: Script Execution Risk
Invoke-WebRequest parses the content of the web page. Script code in the web page might be run when the page is
parsed.
RECOMMENDED ACTION:
Use the -UseBasicParsing switch to avoid script code execution.

Do you want to continue?



[Y] Yes  [A] Yes to All  [N] No  [L] No to All  [S] Suspend  [?] Help (default is "N"): Y

StatusCode
-----
200
```

← ↻ ⓘ localhost:8081

Kitchen Web UI Running

CLOUD NATIVE



CLOUD NATIVE

← ↻ localhost:8081/orders

Kitchen Orders

Create orders and watch status update every few seconds: pending -> preparing -> ready -> served.

API status: ok (db connected)

Dish name (e.g. Masala Dosa)

Create order

Created: Chicken 65 (pending)

Orders: 3 Refresh

Dish	Status	Created	ID
Chicken 65	pending	3/22/2026, 10:47:04 PM	69c8041002c52784e338731d
Masala Dosa	served	3/22/2026, 10:46:38 PM	69c8023f682c52784e338731c
Status Check Dish	served	3/22/2026, 10:45:59 PM	69c8023cf82c52784e338731b

Auto-refresh is every 3 seconds.

← ↻ localhost:8081/orders

Kitchen Orders

Create orders and watch status update every few seconds: pending -> preparing -> ready -> served.

API status: ok (db connected)

Dish name (e.g. Masala Dosa)

Create order

Created: Chicken 65 (pending)

Orders: 3 Refresh

Dish	Status	Created	ID
Chicken 65	preparing	3/22/2026, 10:47:04 PM	69c8041002c52784e338731d
Masala Dosa	served	3/22/2026, 10:46:38 PM	69c8023f682c52784e338731c
Status Check Dish	served	3/22/2026, 10:45:59 PM	69c8023cf82c52784e338731b

Auto-refresh is every 3 seconds.

CLOUD NATIVE

The screenshot shows a web application interface for managing kitchen orders. The browser address bar indicates the URL is `localhost:8081/orders`. The page title is "Kitchen Orders". Below the title, a subtitle reads: "Create orders and watch status update every few seconds: pending -> preparing -> ready -> served."

On the left side, there is a form to create a new order. It includes a text input field for "Dish name (e.g. Masala Dosa)", a "Create order" button, and a status indicator "API status: ok (db connected)". Below the form, it shows "Created: Chicken 65 (pending)".

On the right side, there is a table displaying the list of orders. The table has columns for "Dish", "Status", "Created", and "ID". There are 3 orders listed. Each order has a "served" button next to its status. A "Refresh" button is located at the top right of the table. At the bottom of the table, it states "Auto-refresh is every 3 seconds."

Dish	Status	Created	ID
Chicken 65	served	3/22/2026, 10:47:04 PM	69c8241882c52794e338731d
Masala Dosa	served	3/22/2026, 10:46:38 PM	69c823f082c52794e338731c
Status Check Dish	served	3/22/2026, 10:45:59 PM	69c823cf82c52794e338731b