

Variance in Leg vs Nest Size Instar As Number

Ruth Sharpe

Run on 23 September, 2016

AIC Values of all possible models with instar included and sample size as weight

Rows removed with 2 or fewer data points

[1] "Using a standardized sample size as weight in model"


AIC_Diff	AIC	model	num.predictors
0	-119.6	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + (1 NestID)	8
0	-119.6	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	8
0.08	-119.5	relativeVar ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + (1 NestID)	6
0.13	-119.5	relativeVar ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	8
0.14	-119.5	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	8
0.15	-119.5	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + (1 NestID)	7
0.18	-119.5	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	8
0.19	-119.4	relativeVar ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	7
0.29	-119.3	relativeVar ~ logCtFm + InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	8
1.17	-118.5	relativeVar ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	7
1.22	-118.4	relativeVar ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	7
1.88	-117.8	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + (1 NestID)	6
1.88	-117.8	relativeVar ~ logCtFm + logCtFm:InstarNumber + (1 NestID)	5
2	-117.6	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	9
2	-117.6	relativeVar ~ logCtFm + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	9
2	-117.6	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	9
2	-117.6	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	9
2.06	-117.6	relativeVar ~ logCtFm + InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9
2.06	-117.6	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9
2.06	-117.6	relativeVar ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9

AIC_Diff	AIC	model	num.predictors
2.09	-117.5	relativeVar ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9
2.1	-117.5	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9
2.13	-117.5	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9
2.14	-117.5	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	9
2.16	-117.5	relativeVar ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	8
2.41	-117.2	relativeVar ~ logCtFm + InstarNumber + I(InstarNumber^2) + (1 NestID)	6
2.47	-117.2	relativeVar ~ logCtFm + InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	7
2.48	-117.2	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	7
3.17	-116.5	relativeVar ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	8
3.34	-116.3	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + (1 NestID)	7
3.37	-116.3	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + (1 NestID)	7
3.43	-116.2	relativeVar ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + (1 NestID)	6
3.98	-115.7	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	10
3.98	-115.7	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	10
4	-115.6	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	10
4.03	-115.6	relativeVar ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	10
4.05	-115.6	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	10
4.05	-115.6	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	10
4.11	-115.5	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	10
4.24	-115.4	relativeVar ~ logCtFm + InstarNumber + (1 NestID)	5
4.45	-115.2	relativeVar ~ logCtFm + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	7
4.47	-115.2	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	8
4.51	-115.1	relativeVar ~ logCtFm + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	6
5.03	-114.6	relativeVar ~ logCtFm + I(InstarNumber^2) + (1 NestID)	5

AIC_Diff	AIC	model	num.predictors
5.34	-114.3	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + (1 NestID)	8
5.82	-113.8	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + (1 NestID)	6
5.94	-113.7	relativeVar ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	11
5.97	-113.7	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	11
5.98	-113.7	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	11
6.11	-113.5	relativeVar ~ logCtFm + InstarNumber + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	7
6.4	-113.2	relativeVar ~ logCtFm + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	8
6.69	-112.9	relativeVar ~ logCtFm + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	6
7.59	-112	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	12
8.08	-111.5	relativeVar ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2):InstarSex:logCtFm + (1 NestID)	8

Checking full model fit

`relativeVar = logCtFm + InstarAge + InstarAge:InstarSex + logCtFm:InstarAge + sqr(InstarAge) + (1|Nest)`




Graphs


Leg Variance against nest size

note: blue line just lm model

Note: If line on graph is blue R could not plot the lmer, plotting a simple lm instead



Graph of leg variance against instar



Statistics using model with the almost lowest AIC as full model

Full Model: $\text{relativeVar} \sim \log\text{CtFm} + \text{InstarNumber} + \text{InstarNumber}:\text{InstarSex} + \log\text{CtFm}:\text{InstarNumber} + \text{I}(\text{InstarNumber}^2) + (1 | \text{NestID})$

Table 2: Anova of full model alone

	Sum Sq	Mean Sq	NumDF	DenDF	F.value	Pr(>F)
logCtFm	0.0003	0.0003	1	83.496	2.774	0.100
InstarNumber	0.0003	0.0003	1	71.335	3.152	0.080
I(InstarNumber^2)	0.001	0.001	1	71.252	5.531	0.021
InstarNumber:InstarSex	0.0002	0.0002	1	67.506	2.175	0.145
logCtFm:InstarNumber	0.0005	0.0005	1	74.651	4.661	0.034

Testing Individual Variables by performing an Anova of full vs reduced model

Table 3: Testing NestSize against full model. - p < 0.05 SIGNIFICANT *

	Df	AIC	BIC	logLik	deviance	Chisq	Chi Df	Pr(>Chisq)
..1	6	-116.838	-102.182	64.419	-128.838			
object	8	-119.633	-100.092	67.817	-135.633	6.796	2	0.033

Reduced Model: $\text{relativeVar} = \text{InstarAge} + \text{sqr}(\text{InstarAge}) + (1|\text{Nest}) + \text{InstarAge}:\text{InstarSex}$

Table 4: Testing Instar age against full model. - p < 0.01 SIGNIFICANT **

	Df	AIC	BIC	logLik	deviance	Chisq	Chi Df	Pr(>Chisq)
..1	4	-111.393	-101.622	59.696	-119.393			
object	8	-119.633	-100.092	67.817	-135.633	16.241	4	0.003

Reduced Model: $\text{relativeVar} = \log\text{CtFm} + (1|\text{Nest})$

Testing individual instar numbers

Table: Adult - age 7

Table: Sub2 and Adult Males - age 6

Table: Sub1 and sub males- age 5

Table: Juv4 - age 4