Variance in Condition vs Nest Size Instar As Number

Ruth Sharpe

Run on 14 October, 2016

AIC Values of all possible models with instar included and sample size as weight

Rows removed with 2 or fewer data points

[1] "Using a standardized sample size as weight in model"

Warning in optwrap(optimizer, devfun, getStart(start, rho\$lower, rho\$pp), : convergence code 3 from bobyqa: bobyqa -- a trust region step failed to reduce q

AIC_Diff	AIC	model	num.predictors
)	1097	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	9
0.08	1097	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	9
0.46	1097	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	8
1.41	1098	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	10
1.49	1098	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	10
1.92	1099	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	10
2.04	1099	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	8
2.44	1099	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	10
2.97	1100	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	9
3	1100	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	11
3.08	1100	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	11
3.21	1100	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	9
3.39	1100	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	8


AIC_Diff	AIC	model	num.predictors
.53	1100	$ myIndex \sim logCtFm + InstarNumber + InstarNumber:InstarSex + \\ logCtFm:InstarNumber + I(InstarNumber^2) + (1 NestID) $	8
.63	1101	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID)	8
.67	1101	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	7
.96	1101	myIndex ~ logCtFm + InstarNumber + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	8
.02	1101	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	8
.13	1101	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	11
.13	1101	myIndex ~ logCtFm + InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	8
.14	1101	myIndex ~ logCtFm + InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	7
.22	1101		6
.22	1101	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + (1 NestID)	7
.22	1101	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	11
.34	1101		7
.52	1101	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	12
76	1102	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	7
.95	1102	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	9
.96	1102	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	10
.08	1102	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID)	9
2	1102	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	10
.21	1102	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	7
35	1102	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID)	9
.39	1102	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + (1 NestID)	9


AIC_Diff	AIC	model	num.predictors
.51	1102	$ \begin{array}{l} {\rm myIndex} \sim {\rm logCtFm} + {\rm InstarNumber} + {\rm logCtFm:InstarNumber} + \\ {\rm I(InstarNumber^2)} + {\rm logCtFm:I(InstarNumber^2)} + \\ {\rm logCtFm:I(InstarNumber^2):InstarSex} + (1 {\rm NestID}) \end{array} $	9
.59	1103	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	9
7	1103	$ myIndex \sim logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:I(InstarNumber^2) + (1 NestID) $	8
79	1103	$ \begin{array}{l} {\rm myIndex} \sim {\rm logCtFm} + {\rm logCtFm:InstarNumber} + \\ {\rm logCtFm:I(InstarNumber^2)} + (1 {\rm NestID}) \end{array} $	6
83	1103	$ \begin{array}{l} {\rm myIndex} \sim {\rm logCtFm} + {\rm InstarNumber} + {\rm logCtFm:InstarNumber} + \\ {\rm I(InstarNumber^2)} + {\rm I(InstarNumber^2):InstarSex} + \\ {\rm logCtFm:I(InstarNumber^2)} + (1 {\rm NestID}) \end{array} $	9
88	1103	$ \begin{array}{l} myIndex \sim logCtFm + InstarNumber + logCtFm:InstarNumber + \\ logCtFm:InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + \\ (1 NestID) \end{array} $	8
95	1103	$ \begin{array}{l} myIndex \sim logCtFm + InstarNumber + logCtFm:InstarNumber + \\ I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID) \end{array} $	8
95	1103	myIndex ~ logCtFm + InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	9
1	1103	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID)	8
28	1103	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	10
35	1103	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	8
.45	1103	myIndex ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	8
56	1103	$ \begin{array}{l} myIndex \sim logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + \\ logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + \\ (1 NestID) \end{array} $	8
.97	1104		7
05	1104	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID)	10
.19	1104	$ myIndex \sim logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + (1 NestID) $	7
35	1104	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	10
42	1104	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	10
43	1104	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	9
7	1105	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	9
.04	1105	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	9

AIC_Diff	AIC	model	num.predictors
I(În log		myIndex ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	9
17.85	1115	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	7
18.67	1116	myIndex ~ logCtFm + InstarNumber + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	7
19.76	1117	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	8
20	1117	myIndex ~ logCtFm + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	6
20.57	1118		6
20.77	1118		6
21.13	1118		6
21.58	1119	myIndex ~ logCtFm + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + (1 NestID)	7
21.67	1119	myIndex ~ logCtFm + I(InstarNumber^2) + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	7
21.94	1119	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + (1 NestID)	7
22.12	1119	myIndex ~ logCtFm + InstarNumber + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + (1 NestID)	7
22.2	1119	$ \begin{array}{l} \text{myIndex} \sim \log \text{CtFm} + \log \text{CtFm:InstarNumber} + \\ \log \text{CtFm:InstarNumber:InstarSex} + I(\text{InstarNumber}^2) + (1 \text{NestID}) \end{array} $	7
22.75	1120	myIndex ~ logCtFm + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	7
23.5	1120		6
23.53	1120	myIndex ~ logCtFm + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + logCtFm:I(InstarNumber^2) + logCtFm:I(InstarNumber^2):InstarSex + (1 NestID)	8
23.9	1121	myIndex ~ logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + (1 NestID)	8
24.18	1121	myIndex ~ logCtFm + logCtFm:InstarNumber + logCtFm:InstarNumber:InstarSex + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 NestID)	8
25.27	1122	$myIndex \sim logCtFm + logCtFm:I(InstarNumber^2) + (1 NestID)$	5
25.92	1123	$myIndex \sim logCtFm + I(InstarNumber^2) + (1 NestID)$	5
26.51	1123	$myIndex \sim logCtFm + logCtFm:InstarNumber + (1 NestID)$	5
27.03	1124		6
27.05	1124	$myIndex \sim logCtFm + InstarNumber + (1 NestID)$	5
27.72	1125		6
28.17	1125		6

Checking full model fit

myIndex = logCtFm + InstarAge + InstarAge:InstarSex + logCtFm:InstarAge + sqr(InstarAge) + sqr(InstarAge):Instar






Graph

note: blue line just lm model

Note: If line on graph is blue R could not plot the lmer, plotting a simple lm instead

Warning: Removed 1 rows containing missing values (geom_path).



Statistics using model with the almost lowest AIC as full model

 $Full\ Model:\ myIndex \sim logCtFm + InstarNumber + InstarNumber:InstarSex + logCtFm:InstarNumber + I(InstarNumber^2) + I(InstarNumber^2):InstarSex + (1 \mid NestID)$

Testing Individual Variables by preforming an Anova of full vs reduced model

Table 2: Anova of full model alone

	Sum Sq	Mean Sq	NumDF	DenDF	F.value	Pr(>F)
$\log \mathrm{CtFm}$	239.519	239.519	1	82.545	1.328	0.252
InstarNumber	5,613.209	5,613.209	1	72.726	31.121	0.00000
$I(InstarNumber^2)$	5,383.264	5,383.264	1	72.076	29.846	0.00000
InstarNumber:InstarSex	1,132.415	1,132.415	1	68.373	6.278	0.015
logCtFm:InstarNumber	450.581	450.581	1	74.234	2.498	0.118
I(InstarNumber^2):InstarSex	1,035.961	1,035.961	1	68.407	5.744	0.019

Table 3: Testing NestSize against full model. - NOT significant

	Df	AIC	BIC	logLik	deviance	Chisq	Chi Df	Pr(>Chisq)
1	7	1,097.144	1,114.160	-541.572	1,083.144			
$\overline{\text{object}}$	9	1,096.929	1,118.806	-539.464	1,078.929	4.215	2	0.122

 $Reduced\ Model:\ myIndex = InstarAge + sqr(InstarAge) + (1|Nest) + InstarAge:InstarSex + InstarSex:sqr(InstarAge) + (1|Nest) + InstarAge:InstarAge + InstarAge:InstarAge + InstarAge:InstarAge + InstarAge + Ins$

Table 4: Testing Instar age against full model. - p < 0.001 SIGNIFICANT ***

	Df	AIC	BIC	logLik	deviance	Chisq	Chi Df	Pr(>Chisq)
1	6	1,117.698	1,132.283	-552.849	1,105.698			
object	9	1,096.929	1,118.806	-539.464	1,078.929	26.769	3	0.00001

Reduced Model: myIndex = logCtFm + (1|Nest) + InstarSex:sqr(InstarAge)

Graph of condition variance against instar

