URBAN REDEVELOPMENT AUTHORITY OF PITTSBURGH

LandCare Assurance

Owner Guide

Prepared for the incoming owner, ura-gis/land-care-assurance

04 August 2026

Contents

1 What you own

LandCare Assurance answers one question for URA supervisors: for this service period, which assigned parcels were actually serviced, by whom, and with what evidence. It is a map-first web application published from this repository, reading live ArcGIS layers, backed by a nightly job on the GIS VM.

Before it existed, contractor compliance was judged from a reported completion figure that blended Active and Request Only parcels against a parcel universe with no ownership check. The application replaces that single percentage with a map, a stated denominator, and a photo per parcel.

1.1 Live routes

All under `https://ura-gis.github.io/land-care-assurance/`.

Route	Audience	Purpose
`/monitoring/`	Supervisors	Parcel map, evidence, field notes, filters
`/kpi/`	Leadership	Completion trend, budget, contractor exposure
`/contractor/`	Contractors	Progress view and prefilled service submission
`/survey-submission/`	Legacy links	Redirect to `/contractor/`
`/design-system/example.html`	Developers	Portable BI kit reference page

1.2 Service period convention

A LandCare period runs the 15th of one month through the 14th of the next, stored as the 15th of the start month. `2026-06-15` means the June to July period. Every count in the product is scoped to a period. When a number looks wrong, check the selected period first.

2 System architecture and data flow

Three layers with three different owners.

Layer	Where it runs	Owner
Ingestion	GIS VM Task Scheduler, repo `URA-GIS-User/URA-Data-Repository`	GIS and data operations
Store	PostgreSQL `gisdb` and ArcGIS Online (`urap.maps.arcgis.com`)	GIS and data operations
Publish and application	This repository, GitHub Pages	Web and dashboard owner
Finance actuals	NetSuite saved search, exported by hand into the VM refresh	Finance, with GIS operations running the import

2.1 The rule that explains most confusion

Live ArcGIS is authoritative at page load. The JSON and GeoJSON committed under `docs/landcare/data/` is a fallback cache plus the finance contract. A number on the map can change during the day with no commit, because the browser queried ArcGIS directly. Do not treat the committed files as truth.



Nightly ingestion publishes to PostgreSQL and ArcGIS Online. The 7:00 AM refresh commits the published data contract and deploys Pages. The browser queries ArcGIS directly at page load, which is why counts move between publishes.

2.2 Daily schedule, Eastern time

Time	Task	Output
4:00 AM	`regrid_survey_daily_pipeline.py` upstream	Regrid CSV into `gis.regrid_survey_submissions`, then the ArcGIS survey layer
4:15 AM on the 15th	`regrid_survey_monthly_export.py`	G-drive CSV archive only, not a dashboard source
7:00 AM	`refresh_landcare_dashboard.ps1` in this repo	`docs/landcare/data/*` committed and pushed when changed
On demand	`ingest_landcare_netsuite_checks.py`	NetSuite check-request actuals folded into `finance_summary.json`

The 7:00 AM job runs three hours after ingestion so the Postgres export reflects the latest state. Because the browser also queries ArcGIS at page load, completion counts can rise between publishes.

The NetSuite step is not automatic. The refresh script runs it only when the environment variable `LANDCARE_NETSUITE_CHECKS_CSV` points at an exported CSV. With that variable unset, the daily job skips it and the last published actuals stay in place. See section 4.

2.3 Live ArcGIS sources

All on `services1.arcgis.com/0DMNBNaacQNEfN4H`.

Layer	Item ID	Used for
`gisdb_gis_regrid_surveys`	`7a2e1d9bacba461296c54a63f104cf51`	Evidence, photos, comments, service dates
`..._bundle_assignments_current_period`	`0b4733cb5d204da6ab936c9f6d49e401`	Current assignment reference
`..._bundle_assignments_history`	`df7d77eb57f14c68b717c2cf3cdaada4`	Monthly assignment denominator
`gisdb_gis_epp_parcels_full`	live layer	Current URA-owned parcel universe
`CouncilDistricts2022`	reference	District highlight and filter
`LandCare_Survey123_Evidence_Parcels`	published layer	Approved evidence, not yet operational

2.4 The adapter boundary

docs/landcare/survey-layer.js and docs/landcare/assignment-layer.js are the only places that talk to ArcGIS. Every source field rename gets absorbed there and nowhere else. That is why additional_comments, additional_notes, additional_note, and notes all normalise to one property, and why service_date, date_of_services, and date_services collapse to one field.

Keep it that way. An ArcGIS URL appearing in monitoring.js or kpi.js is a defect.

2.5 Where to make a change

To change	Open
How survey evidence is read, normalised, matched	docs/landcare/survey-layer.js
How assignments are read and normalised	docs/landcare/assignment-layer.js
Supervisor map behaviour	docs/landcare/monitoring.js
KPI cards, trends, charts	docs/landcare/kpi.js
Contractor progress and submission	docs/landcare/contractor-overview.js
Survey123 URL, prefill names, evidence layer URL	docs/landcare/survey-submission-config.js
Product styling	docs/landcare/app.css
Nightly VM job and its QA gate	scripts/refresh_landcare_dashboard.ps1, scripts/validate_landcare_daily_refresh.py
Published data build	scripts/build_landcare_web_data.py, scripts/build_landcare_finance_data.py
NetSuite actuals import and vendor aliases	scripts/ingest_landcare_netsuite_checks.py

3 Metrics and the denominator rule

This section is the one to read before changing any number on screen. The full glossary is docs/landcare-metrics-context.md.

3.1 Completion

The numerator is the raw count of survey records whose normalised parcel number matches an assignment in the active filter. The denominator is Active assigned. Request Only parcels are excluded from the Active denominator.

Repeated records are kept on purpose, so this is **not** a unique-parcel count. Unique completed parcels exist as a diagnostic only. Map Monitor and the KPI dashboard use the same raw matched numerator, which is why their figures agree.

3.2 Definitions in use

Metric	Definition
Current URA-owned LandCare parcels	Live ArcGIS EPP records tagged LandCare with inventory_type = 'URA Owned'
Active assigned	Active assignment records in the selected period and filter

Metric	Definition
Request Only	Assignment rows at Request Only maintenance level; assigned inventory, not failure
Complete survey records	Raw survey records matched to an assignment parcel in the filter
Unique completed parcels	Distinct assignment parcel keys with at least one match; diagnostic only
Open active	Active assignment parcel keys with no matched evidence; the follow-up queue
Active completion %	Complete survey records over Active assigned; the primary operational KPI
Blended completion %	Complete survey records over assigned total, Request Only included; secondary context
All ArcGIS survey records	Raw survey features for the selected period, including unmatched rows

3.3 Reconciliation rules

Do not compare all ArcGIS survey records directly to complete survey records; the first includes survey-only rows, the second is filtered to assignment matches. Do not compare the current parcel universe to a monthly assignment period; the first is live inventory, the second is a historical export. Treat Request Only as inventory context.

Contract expectations come from the LandCare budgeting workbook, not from ArcGIS. The contract parcel count is contract scope and is a different population from either the EPP universe or a monthly assignment slice. Do not mix them in one ratio.

3.4 Finance actuals

Since 4 August 2026 the KPI dashboard shows actual spend alongside the workbook forecast. The two are different things and the dashboard labels them separately.

Term	What it is
Expected	Workbook contract forecast: term, parcels, monthly and annual amounts
Check requests	Actual check requests posted to the LandCare lawn-maintenance account in NetSuite
Other program actuals	Amounts on the same account that do not map to a current contractor

A check request is not a cleared payment. It records that payment was requested, not that money moved. Do not describe it as paid, and do not treat a contractor showing zero in a period as proof that no work happened or that no liability exists; it means no matching check request was found in that period.

Quarterly comparisons use only records posted in the selected quarter. Annual actuals include current-cycle contractor check requests for the selected year. Other program actuals are published in the data contract but excluded from contractor-to-contract variance, because they are not attributable to a contractor.

4 Daily operations

4.1 The three-minute morning check

1. Confirm the 4:00 AM upstream pipeline ran and ArcGIS layer freshness moved.
2. Confirm the 7:00 AM task and read `C:\srv\logs\land-care-assurance\daily-refresh-status.json`.
3. Confirm the Pages workflow is green.

If the status JSON is not `success`, read `failed_stage` and fix only that stage. The full triage tree is in `docs/task-scheduler-vm-operations.md`.

4.2 Logs and gates

Artifact	Path	Purpose
Daily log	`C:\srv\logs\land-care-assurance\daily-refresh-YYYY-MM-DD.log`	Human troubleshooting
Status JSON	`C:\srv\logs\land-care-assurance\daily-refresh-status.json`	Success or failure artifact
QA validator	`scripts/validate_landcare_daily_refresh.py`	Blocks publish on regression or stale manifest
Pages validation	`.github/workflows/pages.yml`	Data contract check on merge

The Pages workflow does more than deploy. It checks that all routes exist, that the summary JSON, GeoJSON, and refresh manifest agree on counts, and that ownership values stay within URA and Pittsburgh Land Bank. Treat a red Pages workflow as a data contract failure, not a deployment failure.

4.3 Morning executive brief

`.github/workflows/landcare-morning-brief.yml` runs at 9:00 AM Eastern, handling daylight saving by firing at both candidate UTC hours and publishing only in the real window. It sends HTML email through Microsoft 365 Graph when the secrets are present, and otherwise creates an assigned GitHub Issue labelled `landcare-brief`.

After the transfer, set the repository variables `LANDCARE_EMAIL_RECIPIENTS` and `LANDCARE_ISSUE_ASSIGNEE`, then test with the `dry-run` delivery mode before going live.

5 NetSuite finance actuals

Deployed 4 August 2026. This is the newest part of the system and the part most likely to go stale, because refreshing it is a manual task rather than a scheduled one.

5.1 What it is

NetSuite supplies actual LandCare check-request amounts to the KPI dashboard. It complements the budgeting workbook rather than replacing it: the workbook still defines contract expectations, term, parcels, and forecast; ArcGIS still owns assignments, evidence, and completion.

Item	Value
Saved search	`All URA LandCare Check Requests`, ID 1618
Transaction type	Check Request
Account	`66220 Property Management : Lawn Maintenance`
Supporting report	`All URA LandCare Check Requests`, report ID 697
Funding reference	`All URA LandCare Funding Requests`, report ID 704, reconciliation only

5.2 Reading as published on 4 August 2026

Figure	Value
Saved-search records	628
Saved-search total	$4,538,233.89
Current cycle records, from 1 November 2025	85
Current cycle total	$618,513.87
Mapped to current contractors	$592,179.76
Retained as other LandCare program expense	$26,334.11
Latest transaction date	4 August 2026

These live in `finance_summary.json` under `actual_invoice_source`, which is where you check freshness. If `refreshed_at` is old, the dashboard is showing stale actuals.

5.3 What is published and what is not

`actual_invoices` holds one aggregate row per posting month and current-cycle contractor. `other_program_actuals` holds monthly amounts on the LandCare account with no current contractor. `actual_invoice_source` records report identity, freshness, row counts, and reconciliation totals.

Document numbers, memos, and transaction-level vendor records are deliberately not published. GitHub Pages serves this file to anyone, so transaction detail must never enter it.

5.4 Refreshing it

1. Open saved search `1618` in NetSuite. Do not edit or resave the search.
2. Export CSV to the secured GIS VM or approved finance share. Never into this repository.
3. Rebuild the workbook portion of `finance_summary.json` if contract terms changed.
4. Run the importer:

```
python scripts\ingest_landcare_netsuite_checks.py `
  --source C:\secure\exports\landcare-checks.csv
```

5. Check source count, source total, current-cycle total, contractor total, other-program total, and latest date against NetSuite.
6. Run the tests and Pages validation before publishing.

Setting `LANDCARE_NETSUITE_CHECKS_CSV` on the VM makes the 7:00 AM refresh run step 4 automatically. The export in step 2 is still manual, so a stale CSV produces stale actuals without any error.

5.5 Vendor aliases

NetSuite vendor names do not match contractor names in the assignment layer, so `scripts/ingest_landcare_netsuite_checks.py` holds an alias table. One contractor can appear under several NetSuite names, for example `K.R.J. Enterprises Inc` and `K.R.J. Enterprises Inc. - Eltridra` both map to KRJ Enterprises.

An unrecognised vendor is not dropped. It stays in `other_program_actuals`, which is why that bucket exists. **Add an alias only after Finance or the LandCare program owner confirms the relationship.** Guessing moves money onto the wrong contractor's variance line.

5.6 The reconciliation gate

`scripts/validate_landcare_daily_refresh.py` fails the publish if the published contractor aggregates do not sum to `current_cycle_contractor_total` in the source metadata. It also rejects malformed periods and aggregate rows missing an organisation or amount. If that check fails, the import and the metadata disagree; re-run the import rather than editing the JSON.

5.7 Access

Use a named NetSuite account with read-only report access. Never store passwords, session cookies, browser profiles, raw exports, document numbers, or memos in GitHub. Inspection and export must not submit forms, edit records, customise searches, schedule reports, or change NetSuite settings.

Full detail in `docs/netsuite-landcare-finance-source.md`.

6 Replacing Regrid with a URA front end

6.1 Scope it honestly

Regrid provides one thing URA does not yet own: the contractor capture form and its daily export, which lands in `gis.regrid_survey_submissions` and publishes to `gisdb_gis_regrid_surveys`. Assignments, parcel geometry, ownership, the dashboard, and the contractor portal are already URA property.

You are replacing an intake form and an export, not a platform. ArcGIS stays.

6.2 Most of it is already written

Piece	Where	State
Contractor portal, map and list parcel selection	`docs/contractor/`, `contractor-overview.js`	Live
Survey123 intake and prefill contract	`survey-submission-config.js`	Live
Webhook receiver	`landcare_survey123_webhook.py`	Written, not deployed
Evidence validation and sync	`survey123_evidence_sync.py`	Written, not deployed
Evidence layer publisher, REST, no ArcGIS Pro licence	`publish_landcare_survey_evidence_parcels.py`	Written, not deployed

Piece	Where	State
Database migration	`sql/20260728_landcare_survey123_evidence_parcels.sql`	Not applied

6.3 What is left

Apply the migration. Set the VM environment variables listed in `docs/survey123-landcare-network-setup.md`. Run the receiver behind the approved URA HTTPS host. Register the Survey123 webhook for new records and edits with the `X-LandCare-Webhook-Token` header. Bootstrap the evidence hosted layer once in the `LandCare - Published Layers` folder and record its item ID. Then run in parallel with Regrid.

6.4 Three gates

Stage	Outcome	Done when
1. Intake	Contractor picks a parcel on the URA map or list, Survey123 opens prefilled with organisation, parcel, address, and period	Map tap and dropdown produce the same prefill for the same `OBJECTID`; an anonymous browser loads the form without sign-in
2. Review and evidence	URA approves or rejects in a restricted view; only approved records reach the public evidence layer	One approved submission creates exactly one database row and one evidence feature, even after a webhook retry; pending and rejected records appear nowhere public
3. Cutover	Map Monitor and KPI read the URA evidence source instead of Regrid	Two full service periods of parallel running with matching counts, parcel matches, contractors, dates, comments, and photos

6.5 Guardrails, not preferences

Never publish the raw Survey123 point layer or the review QA view on a public map. No publisher token, password, or portal credential goes into GitHub Pages, because Pages content is public. Public views are add-only for submission and query-only for reference. Only approved evidence becomes visible.

6.6 After sign-off

Repoint Map Monitor and KPI, update `docs/landcare-metrics-context.md` and the tests in the same pull request, then retire the Regrid scheduled task and its credential. Retiring Regrid also removes the browser-automation download step, which is the most fragile part of the current pipeline.

If Survey123 later constrains the contractor experience, replace only the form. Build a custom LandCare form that posts to a protected URA API which validates and writes to PostgreSQL or a secured feature service. Keep the browser adapter contract unchanged: parcel number, period, contractor, service date, image URL, and canonical `additional_notes`. The application does not need to know which form produced the record.

7 Working with AI agents

This repository was built with agent-assisted development and is set up to keep working that way. The detailed prompt library is `handover/02-agent-playbook.md`. This section is the summary.

`AGENTS.md` at the repository root is read automatically by Codex and by Claude Code. It carries the source-of-truth rules, the change rules, and the verification requirement. Keep it current. It is the cheapest way to stop an agent from doing the wrong thing.

Every prompt should carry four blocks: the files to read first, the contract (goal, source, metric rule), the commands the agent must actually run, and a task-specific snippet.

7.1 Four failure modes specific to this repository

1. **Denominator drift.** An agent will switch the numerator to unique parcels because it looks more correct. It is not the agreed metric and it changes every published number.
2. **Stale cache-busting.** Modules import each other with `?v=` strings, for example `survey-layer.js?v=20260803-raw-completion-v2`. Change a shared adapter and every importer's version must move together, or browsers serve a mixed bundle.
3. **Hardcoded endpoints.** ArcGIS URLs belong in the two adapter files and in `survey-submission-config.js`, nowhere else.
4. **Hand-editing generated data.** Files under `docs/landcare/data/` come from the VM refresh, so hand edits are silently reverted by the next run.

7.2 Verification before any push

```
python -m unittest discover -s tests
node --test tests/survey-layer.test.mjs
```

`tests/test_handover_contract.py` guards the handover file set and the portability of the design system CSS. Then open the four routes and confirm counts, comments, photos, field notes, filters, and the selected period.

8 Design system

There are three style sources and they are not interchangeable. Knowing which is which saves a great deal of confusion.

Source	What it is	Use it for
`docs/landcare/app.css`	About 2,800 lines, the live product style, coupled to the ArcGIS JS API 4.30 theme	Changing an existing page
`.claude/skills/ura-landcare-design/`	The formalised design system extracted from `app.css`: tokens, 8 components, guidelines, 3 screen templates	Designing anything new, with or without an agent

Source	What it is	Use it for
`docs/design-system/executive-bi.css`	156 portable lines with its own scoped `--bi-*` tokens, same palette, different naming	A standalone BI dashboard outside LandCare

The skill's `tokens/colors.css` is an exact extraction of the `:root` block in `app.css`, so the product and the design system cannot drift apart silently. `github.md` inside the skill carries a screen map from each design artifact back to its repo source.

The export was taken before the NetSuite deployment, so its KPI template and some copy examples still show the pre-NetSuite wording such as "NetSuite feed required". Tokens, components, and visual rules are unaffected. See `.claude/skills/ura-landcare-design/SYNC-NOTES.md`.

8.1 Invoking it

The design system is installed as a Claude Code skill. Any agent opening this repository discovers it automatically and can be asked to use it by name:

```
/ura-landcare-design
```

It also works as plain reference material. Open `readme.md` inside the skill folder for the full content and visual rules.

8.2 The rules that get checked in review

One brand blue family carries almost everything. Orange means risk or action needed, exclusively. Green means success, target, or complete, exclusively. Gold is a rare tertiary accent. Never more than these four hues plus ink, muted, and line neutrals on a page.

Manrope only, weights 400 to 800, no serif or mono in the UI. Headings are heavy with tight negative letter-spacing; body copy is never bold. A small uppercase kicker precedes every heading.

Flat backgrounds, no photography, no texture, and exactly one gradient reserved for the single featured metric card per band. Hairline 1px borders, two shadow tokens, corner radii of 12, 18, 22, and full pill. Animation limited to short colour transitions on hover.

Never use colour alone; pair every status colour with a text label. Every important number shows its source, period, denominator, and freshness. Normal text contrast at least 4.5:1. Tabs and actions are real buttons or links with `aria-selected`. Tables keep `table`, `th`, and `td`. Layout stacks at 760px and below. Loading, empty, stale, and error states are explicit, because live ArcGIS queries fail in ways static pages do not.

Copy is operational and procedural, never marketing-toned. Sentence case throughout. No emoji, no exclamation points, no filler adjectives. State unavailable data directly rather than showing a vague empty state.

One caution: `tokens/typography.css` imports Manrope from Google Fonts, so the skill's templates need network access. This does not affect `executive-bi.css`, which is deliberately import-free and is asserted so by `tests/test_handover_contract.py`.

9 Ownership, risks, and open decisions

Five areas have distinct owners: source freshness, VM refresh, application code, contractor follow-up, and finance. The escalation table lives in `HANDOVER.md`.

9.1 Open items to decide, not defects

Item	What it means for you
Survey123 evidence path is code-complete but not deployed	Approved photos cannot appear and Regrid stays the only evidence source. The single blocker on the replacement
NetSuite actuals refresh by hand, not on a schedule	A stale CSV publishes stale money figures with no error. Decide who owns the export and how often
One check request, $26,334.11, sits in other program actuals	It is on the LandCare account with no current contractor. Ask Finance whether it should be aliased to a contractor or stay separate
Survey123 submissions do not change official completion in v1	Whether they should is a governance decision, not a code change
Committed snapshot is dated 2026-07-07 while live ArcGIS moves daily	Static and live numbers differ. Decide whether the fallback stays once the live path is trusted
Morning brief falls back to a GitHub Issue without Microsoft 365 secrets	Set the two repository variables and test with `dry-run` first
GitHub redirects the old repository path, Pages URLs do not	Every ArcGIS embed, bookmark, and operational link moves to the `ura-gis` Pages URL by hand

9.2 First week

1. Confirm you can clone, push, and run the tests.
2. Watch two unattended refresh cycles complete with `status: success`.
3. Run the morning brief manually in `dry-run` mode and read the artifact.
4. Open all four routes and reconcile one contractor's numbers by hand against the map.
5. Refresh the NetSuite actuals once end to end, so you have done it before it is urgent.
6. Make one harmless documentation change through an agent, end to end, including tests.
7. Decide whether to deploy the Survey123 evidence path this quarter.

10 Appendix

10.1 Repository map

```
land-care-assurance/
  handover/               <- this folder: start here
  AGENTS.md               <- agent start rules, read automatically
  HANDOVER.md             <- cutover checklist
  .claude/skills/ura-landcare-design/   <- design system skill
  docs/
    monitoring/ kpi/ contractor/        <- the three app routes
    landcare/             <- app JS, CSS, assets, and published data contract
    design-system/        <- portable Executive BI kit
    *.md                  <- architecture, metrics, runbooks
```

```
scripts/              <- VM daily refresh, data build, brief generation
sql/                  <- Survey123 evidence migration
tests/                <- Python and Node tests
.github/workflows/    <- Pages deploy and morning brief
```

10.2 Published data contract

Generated daily by the VM refresh into `docs/landcare/data/`.

File	Contents
`all_months.geojson`	URA-owned assignment rows with geometry
`latest_month.geojson`, `latest_month_summary.json`	Latest month slice
`monthly_metrics.json`	Completion rates by month
`contractor_monthly.json`	Contractor completion by month
`kpi_summary.json`	Summary metadata and latest metrics
`finance_summary.json`	Workbook expectations plus NetSuite aggregates
`refresh_manifest.json`	Freshness, counts, survey metadata

10.3 Environment variable names

Names only. Values are VM-local or repository secrets and are never committed.

VM `.env`: `PG_HOST`, `PG_PORT`, `PG_DB`, `PG_USER`, `PG_PWD`.

Survey123 evidence path: `LANDCARE_PG_DSN`, `LANDCARE_SURVEY_WEBHOOK_TOKEN`, `SURVEY123_FEATURE_LAYER_URL`, `SURVEY123_ARCGIS_TOKEN`, `SURVEY123_PUBLIC_ATTACHMENT_LAYER_URL`, `LANDCARE_ASSIGNMENT_HISTORY_LAYER_URL`, `LANDCARE_SURVEY_EVIDENCE_ENABLED`, `LANDCARE_SURVEY_EVIDENCE_AGOL_ITEM_ID`, `LANDCARE_SURVEY_EVIDENCE_LAYER_URL`, `LANDCARE_SURVEY_EVIDENCE_ARCGIS_TOKEN`.

NetSuite actuals: `LANDCARE_NETSUITE_CHECKS_CSV`, the path to the exported CSV on the VM. Unset means the daily refresh skips the import and keeps the last published actuals.

GitHub Actions secrets: `M365_TENANT_ID`, `M365_CLIENT_ID`, `M365_CLIENT_SECRET`, `M365_SENDER_UPN`. Repository variables: `LANDCARE_EMAIL_RECIPIENTS`, `LANDCARE_ISSUE_ASSIGNEE`.

10.4 Command reference

```
python -m unittest discover -s tests           # Python tests
node --test tests/survey-layer.test.mjs        # survey adapter tests
python handover/build/build_report.py          # rebuild this PDF
```

On the VM:

```
.\scripts\refresh_landcare_dashboard.ps1 `
  -RepoRoot C:\srv\GISWebApp\land-care-assurance
.\.venv\Scripts\python.exe scripts\validate_landcare_daily_refresh.py
```

10.5 Further reading

- `docs/landcare-architecture.md` for source and runtime architecture
- `docs/landcare-metrics-context.md` for the full metric glossary
- `docs/netsuite-landcare-finance-source.md` for the NetSuite saved search and refresh procedure
- `docs/landcare-submission-and-evidence-flow.md` for the contractor intake contract
- `docs/survey123-landcare-network-setup.md` for Survey123 and webhook configuration
- `docs/task-scheduler-vm-operations.md` for the VM runbook and failure triage
- `docs/github-handover-runbook.md` for the repository and Pages cutover