

#----- WARNING -----

The data you have obtained from this automated Natural Resources Conservation Service
database are subject to revision regardless of indicated Quality Assurance level.
Data are released on condition that neither the NRCS nor the United States Government
may be held liable for any damages resulting from its use.

SNOTEL air temperature data contains a known bias. This bias is rooted in the sensor
conversion equation and varies through the output range. Solutions are in development.
For more information go to Air Temperature Bias Correction.

Help and Tutorials: <https://www.nrcs.usda.gov/sites/default/files/2023-03/Report%20Generator%20Help%20Guide.pdf>
Air Temperature Bias Correction:
<https://www.nrcs.usda.gov/wps/portal/wcc/home/snowClimateMonitoring/temperature/temperatureBiasCorrection/>

Support Contact: usdafpacbc@servicenowservices.com
#-----

Reporting Frequency: Daily
Date Range: Period of Record
Report Instantaneous Data As: Start of Day

Data for the following site(s) are contained in this file:

SNOTEL 1323: Elk Ridge, UT

Data items provided in this file:

Element Name Value Type Function Type Function Duration Base
Data Measurement Units Sensor Depth Element Code Description
Snow Water Equivalent Value None Instantaneous - Start of Day N/A
Inches N/A WTEQ Depth of water that would theoretically
result if the entire snowpack were melted instantaneously
Snow Depth Value None Instantaneous - Start of Day N/A
Inches N/A SNWD Total snow depth
Precipitation Accumulation Value None Instantaneous - Start of Day N/A
Inches N/A PREC Water year accumulated precipitation

Quality Control flags included:

Flag Name Description
V Valid Validated Data
N No Profile No profile for automated validation
E Edit Edit, minor adjustment for sensor noise
K Estimate Estimate
C Correction A different equation has been applied to the original sensor
voltage
B Back Estimate Regression-based estimate for homogenizing collocated Snow
Course and Snow Pillow data sets
X External Estimate External estimate
S Suspect Suspect data
M Missing Value is missing

Quality Assurance flags included:

Flag Name Description
U Unknown Unknown
R Raw No Human Review
P Provisional Preliminary Human Review

A Approved Processing and Final Review Completed

#

#-----

#

Elk Ridge (1323)

Utah SNOTEL Site - 8540 ft

Reporting Frequency: Daily; Date Range: Period of Record

#

As of: Feb 2, 2026, 7:50:51 AM GMT-08:00

#

Date,Elk Ridge (1323) Snow Water Equivalent (in) Start of Day Values,Elk Ridge (1323) Snow
Depth (in) Start of Day Values,Elk Ridge (1323) Precipitation Accumulation (in) Start of Day
Values

2024-10-01,0.0,0,0.00

2024-10-02,0.0,0,0.00

2024-10-03,0.0,0,0.00

2024-10-04,0.0,0,0.00

2024-10-05,0.0,0,0.00

2024-10-06,0.0,0,0.00

2024-10-07,0.0,0,0.00

2024-10-08,0.0,0,0.00

2024-10-09,0.0,0,0.00

2024-10-10,0.0,0,0.00

2024-10-11,0.0,0,0.00

2024-10-12,0.0,0,0.00

2024-10-13,0.0,0,0.00

2024-10-14,0.0,0,0.00

2024-10-15,0.0,0,0.00

2024-10-16,0.0,0,0.20

2024-10-17,0.0,0,0.20

2024-10-18,0.0,0,0.20

2024-10-19,1.3,6,2.10

2024-10-20,0.9,3,2.30

2024-10-21,0.5,2,2.40

2024-10-22,0.0,0,2.40

2024-10-23,0.0,0,2.40

2024-10-24,0.0,0,2.40

2024-10-25,0.0,0,2.40

2024-10-26,0.0,0,2.50

2024-10-27,0.0,0,2.50

2024-10-28,0.0,0,2.50

2024-10-29,0.0,0,2.50

2024-10-30,0.0,0,2.80

2024-10-31,0.0,0,2.90

2024-11-01,0.0,0,2.90

2024-11-02,0.0,0,2.90

2024-11-03,0.1,1,3.00

2024-11-04,0.4,4,3.60

2024-11-05,0.2,2,3.60

2024-11-06,0.5,5,3.80

2024-11-07,0.8,9,4.20

2024-11-08,0.8,8,4.20

2024-11-09,0.8,7,4.20

2024-11-10,0.9,5,4.30

2024-11-11,0.9,5,4.30

2024-11-12,0.9,4,4.30

2024-11-13,0.9,4,4.30

2024-11-14,0.9,4,4.30

2024-11-15,0.9,4,4.30

2024-11-16,0.9,4,4.30

2024-11-17,0.9,4,4.30

2024-11-18,0.9,4,4.30

2024-11-19,0.9,4,4.30

2024-11-20,0.9,4,4.30

2024-11-21,0.9,4,4.30
2024-11-22,1.0,4,4.40
2024-11-23,1.0,4,4.40
2024-11-24,1.0,4,4.40
2024-11-25,1.0,4,4.40
2024-11-26,1.0,4,4.50
2024-11-27,1.6,6,5.30
2024-11-28,1.7,8,5.50
2024-11-29,1.7,8,5.50
2024-11-30,1.7,8,5.50
2024-12-01,1.8,7,5.60
2024-12-02,1.8,7,5.60
2024-12-03,1.8,7,5.60
2024-12-04,1.8,7,5.60
2024-12-05,1.8,7,5.60
2024-12-06,1.8,7,5.60
2024-12-07,1.8,7,5.60
2024-12-08,1.8,6,5.60
2024-12-09,1.8,6,5.60
2024-12-10,2.0,8,5.80
2024-12-11,2.0,8,5.80
2024-12-12,2.0,8,5.80
2024-12-13,2.0,8,5.80
2024-12-14,2.0,8,5.80
2024-12-15,2.0,8,5.80
2024-12-16,2.0,7,5.80
2024-12-17,2.0,7,5.80
2024-12-18,2.0,7,5.80
2024-12-19,2.0,7,5.80
2024-12-20,2.0,7,5.80
2024-12-21,2.0,7,5.80
2024-12-22,2.0,7,5.80
2024-12-23,2.0,7,5.80
2024-12-24,2.0,7,5.80
2024-12-25,2.0,7,5.80
2024-12-26,2.0,7,5.80
2024-12-27,2.0,7,5.80
2024-12-28,2.4,10,6.00
2024-12-29,2.4,9,6.00
2024-12-30,2.4,8,6.00
2024-12-31,2.4,8,6.00
2025-01-01,2.4,8,6.00
2025-01-02,2.4,8,6.00
2025-01-03,2.4,8,6.00
2025-01-04,2.4,8,6.00
2025-01-05,2.4,8,6.00
2025-01-06,2.4,8,6.00
2025-01-07,2.4,8,6.00
2025-01-08,2.4,8,6.00
2025-01-09,2.4,8,6.00
2025-01-10,2.4,8,6.00
2025-01-11,2.4,8,6.00
2025-01-12,2.4,8,6.00
2025-01-13,2.4,8,6.00
2025-01-14,2.4,8,6.00
2025-01-15,2.4,8,6.00
2025-01-16,2.4,8,6.00
2025-01-17,2.4,8,6.00
2025-01-18,2.4,8,6.00
2025-01-19,2.4,8,6.00
2025-01-20,2.4,8,6.00
2025-01-21,2.4,8,6.00
2025-01-22,2.4,8,6.00
2025-01-23,2.4,8,6.00
2025-01-24,2.4,8,6.00

2025-01-25,2.4,8,6.00
2025-01-26,2.4,8,6.00
2025-01-27,2.4,8,6.00
2025-01-28,2.4,8,6.00
2025-01-29,2.5,9,6.20
2025-01-30,2.6,10,6.30
2025-01-31,2.6,9,6.30
2025-02-01,2.6,8,6.30
2025-02-02,2.6,8,6.30
2025-02-03,2.4,7,6.30
2025-02-04,2.4,6,6.30
2025-02-05,2.4,6,6.30
2025-02-06,2.4,6,6.30
2025-02-07,2.4,6,6.30
2025-02-08,2.4,5,6.30
2025-02-09,2.4,5,6.30
2025-02-10,2.4,5,6.30
2025-02-11,2.4,5,6.30
2025-02-12,2.5,6,6.40
2025-02-13,2.5,6,6.40
2025-02-14,2.6,10,7.00
2025-02-15,3.1,16,7.80
2025-02-16,3.1,14,7.80
2025-02-17,3.1,14,7.80
2025-02-18,3.2,13,7.90
2025-02-19,3.2,12,7.90
2025-02-20,3.2,12,7.90
2025-02-21,3.2,11,7.90
2025-02-22,3.2,11,7.90
2025-02-23,3.2,10,7.90
2025-02-24,3.2,9,7.90
2025-02-25,3.2,8,7.90
2025-02-26,2.9,7,7.90
2025-02-27,2.9,7,7.90
2025-02-28,2.7,6,7.90
2025-03-01,2.5,6,7.90
2025-03-02,2.4,5,7.90
2025-03-03,2.2,5,7.90
2025-03-04,2.8,13,8.50
2025-03-05,2.8,9,8.50
2025-03-06,2.8,7,8.50
2025-03-07,3.2,11,8.80
2025-03-08,3.2,9,8.80
2025-03-09,3.2,8,8.80
2025-03-10,3.0,7,8.80
2025-03-11,2.8,6,8.80
2025-03-12,2.4,5,8.80
2025-03-13,1.6,4,8.80
2025-03-14,2.0,7,9.20
2025-03-15,2.0,6,9.20
2025-03-16,2.1,6,9.30
2025-03-17,2.0,5,9.40
2025-03-18,1.8,4,9.40
2025-03-19,2.1,7,9.60
2025-03-20,2.1,6,9.60
2025-03-21,2.1,5,9.60
2025-03-22,1.8,5,9.60
2025-03-23,1.0,2,9.70
2025-03-24,0.0,0,9.70
2025-03-25,0.0,0,9.70
2025-03-26,0.0,0,9.70
2025-03-27,0.0,0,9.70
2025-03-28,0.0,0,9.70
2025-03-29,0.0,0,9.70
2025-03-30,0.0,0,9.70

2025-03-31,0.0,0,9.70
2025-04-01,0.0,0,9.70
2025-04-02,0.2,3,10.00
2025-04-03,0.6,5,10.60
2025-04-04,1.3,12,11.40
2025-04-05,1.7,14,11.70
2025-04-06,1.7,10,11.70
2025-04-07,1.7,8,11.70
2025-04-08,1.6,5,11.80
2025-04-09,1.5,3,11.80
2025-04-10,0.5,1,11.80
2025-04-11,0.0,0,11.80
2025-04-12,0.0,0,11.80
2025-04-13,0.0,0,11.80
2025-04-14,0.0,0,11.80
2025-04-15,0.0,0,11.80
2025-04-16,0.0,0,11.80
2025-04-17,0.0,0,11.80
2025-04-18,0.1,2,11.90
2025-04-19,0.2,2,12.20
2025-04-20,0.0,0,12.20
2025-04-21,0.0,0,12.20
2025-04-22,0.0,0,12.20
2025-04-23,0.0,0,12.20
2025-04-24,0.0,0,12.20
2025-04-25,0.0,0,12.20
2025-04-26,0.0,0,12.20
2025-04-27,0.0,0,12.20
2025-04-28,0.0,0,12.20
2025-04-29,0.0,0,12.20
2025-04-30,0.0,0,12.20
2025-05-01,0.0,0,12.20
2025-05-02,0.0,0,12.20
2025-05-03,0.0,0,12.20
2025-05-04,0.0,0,12.20
2025-05-05,0.0,0,12.60
2025-05-06,0.0,0,12.80
2025-05-07,0.0,0,12.90
2025-05-08,0.0,0,13.10
2025-05-09,0.0,0,13.10
2025-05-10,0.0,0,13.10
2025-05-11,0.0,0,13.10
2025-05-12,0.0,0,13.10
2025-05-13,0.0,0,13.10
2025-05-14,0.0,0,13.10
2025-05-15,0.0,0,13.10
2025-05-16,0.0,0,13.10
2025-05-17,0.0,0,13.10
2025-05-18,0.0,0,13.10
2025-05-19,0.0,0,13.60
2025-05-20,0.0,0,13.60
2025-05-21,0.0,0,13.60
2025-05-22,0.0,0,13.60
2025-05-23,0.0,0,13.60
2025-05-24,0.0,0,13.60
2025-05-25,0.0,0,13.60
2025-05-26,0.0,0,13.60
2025-05-27,0.0,0,13.60
2025-05-28,0.0,0,13.60
2025-05-29,0.0,0,13.60
2025-05-30,0.0,0,13.60
2025-05-31,0.0,0,13.60
2025-06-01,0.0,0,13.60
2025-06-02,0.0,0,13.60
2025-06-03,0.0,0,13.80

2025-06-04,0.0,0,13.80
2025-06-05,0.0,0,14.10
2025-06-06,0.0,0,14.40
2025-06-07,0.0,0,14.40
2025-06-08,0.0,0,14.40
2025-06-09,0.0,0,14.40
2025-06-10,0.0,0,14.40
2025-06-11,0.0,0,14.40
2025-06-12,0.0,0,14.40
2025-06-13,0.0,0,14.40
2025-06-14,0.0,0,14.40
2025-06-15,0.0,0,14.40
2025-06-16,0.0,0,14.40
2025-06-17,0.0,0,14.40
2025-06-18,0.0,0,14.40
2025-06-19,0.0,0,14.40
2025-06-20,0.0,0,14.40
2025-06-21,0.0,0,14.40
2025-06-22,0.0,0,14.40
2025-06-23,0.0,0,14.40
2025-06-24,0.0,0,14.40
2025-06-25,0.0,0,14.40
2025-06-26,0.0,0,14.40
2025-06-27,0.0,0,14.40
2025-06-28,0.0,0,14.40
2025-06-29,0.0,0,14.40
2025-06-30,0.0,0,14.40
2025-07-01,0.0,0,14.40
2025-07-02,0.0,0,14.40
2025-07-03,0.0,0,14.40
2025-07-04,0.0,0,14.60
2025-07-05,0.0,0,14.60
2025-07-06,0.0,0,14.60
2025-07-07,0.0,0,14.60
2025-07-08,0.0,0,14.60
2025-07-09,0.0,0,14.60
2025-07-10,0.0,0,14.60
2025-07-11,0.0,0,14.60
2025-07-12,0.0,0,14.60
2025-07-13,0.0,0,14.60
2025-07-14,0.0,0,14.60
2025-07-15,0.0,0,14.60
2025-07-16,0.0,0,14.60
2025-07-17,0.0,0,15.00
2025-07-18,0.0,0,15.10
2025-07-19,0.0,0,15.10
2025-07-20,0.0,0,15.10
2025-07-21,0.0,0,15.10
2025-07-22,0.0,0,15.20
2025-07-23,0.0,0,15.20
2025-07-24,0.0,0,15.20
2025-07-25,0.0,0,15.20
2025-07-26,0.0,0,15.20
2025-07-27,0.0,0,15.20
2025-07-28,0.0,0,15.20
2025-07-29,0.0,0,15.20
2025-07-30,0.0,0,15.20
2025-07-31,0.0,0,15.20
2025-08-01,0.0,0,15.20
2025-08-02,0.0,0,15.20
2025-08-03,0.0,0,15.20
2025-08-04,0.0,0,15.20
2025-08-05,0.0,0,15.20
2025-08-06,0.0,0,15.20
2025-08-07,0.0,0,15.20

2025-08-08,0.0,0,15.20
2025-08-09,0.0,0,15.20
2025-08-10,0.0,0,15.20
2025-08-11,0.0,0,15.20
2025-08-12,0.0,0,15.20
2025-08-13,0.0,0,15.20
2025-08-14,0.0,0,15.20
2025-08-15,0.0,0,15.30
2025-08-16,0.0,0,15.50
2025-08-17,0.0,0,15.50
2025-08-18,0.0,0,15.50
2025-08-19,0.0,0,15.50
2025-08-20,0.0,0,15.50
2025-08-21,0.0,0,15.50
2025-08-22,0.0,0,15.50
2025-08-23,0.0,0,15.50
2025-08-24,0.0,0,15.50
2025-08-25,0.0,0,15.60
2025-08-26,0.0,0,15.70
2025-08-27,0.0,0,16.10
2025-08-28,0.0,0,16.20
2025-08-29,0.0,0,16.20
2025-08-30,0.0,0,16.40
2025-08-31,0.0,0,16.40
2025-09-01,0.0,0,16.40
2025-09-02,0.0,0,16.50
2025-09-03,0.0,0,16.50
2025-09-04,0.0,0,16.50
2025-09-05,0.0,0,16.90
2025-09-06,0.0,0,17.10
2025-09-07,0.0,0,17.20
2025-09-08,0.0,0,17.20
2025-09-09,0.0,0,17.20
2025-09-10,0.0,0,17.20
2025-09-11,0.0,0,17.20
2025-09-12,0.0,0,17.20
2025-09-13,0.0,0,17.40
2025-09-14,0.0,0,17.50
2025-09-15,0.0,0,17.50
2025-09-16,0.0,0,17.50
2025-09-17,0.0,0,17.50
2025-09-18,0.0,0,17.50
2025-09-19,0.0,0,17.50
2025-09-20,0.0,0,17.50
2025-09-21,0.0,0,17.50
2025-09-22,0.0,0,17.50
2025-09-23,0.0,0,17.50
2025-09-24,0.0,0,17.50
2025-09-25,0.0,0,17.50
2025-09-26,0.0,0,17.50
2025-09-27,0.0,0,17.60
2025-09-28,0.0,0,17.60
2025-09-29,0.0,0,17.80
2025-09-30,0.0,0,17.80
2025-10-01,0.0,0,0.00
2025-10-02,0.0,0,0.00
2025-10-03,0.0,0,0.00
2025-10-04,0.0,0,0.00
2025-10-05,0.0,0,0.00
2025-10-06,0.0,0,0.00
2025-10-07,0.0,0,0.00
2025-10-08,0.0,0,0.00
2025-10-09,0.0,0,0.10
2025-10-10,0.0,0,0.40
2025-10-11,0.0,0,1.00

2025-10-12,0.0,0,2.10
2025-10-13,0.0,0,2.20
2025-10-14,0.0,0,2.70
2025-10-15,0.0,0,3.60
2025-10-16,0.0,0,3.60
2025-10-17,0.0,0,3.60
2025-10-18,0.0,0,3.60
2025-10-19,0.0,0,3.60
2025-10-20,0.0,0,3.60
2025-10-21,0.0,0,3.60
2025-10-22,0.0,0,3.60
2025-10-23,0.0,0,4.00
2025-10-24,0.0,0,4.20
2025-10-25,0.0,0,4.20
2025-10-26,0.0,0,4.20
2025-10-27,0.0,0,4.20
2025-10-28,0.0,0,4.20
2025-10-29,0.0,0,4.20
2025-10-30,0.0,0,4.20
2025-10-31,0.0,0,4.20
2025-11-01,0.0,0,4.20
2025-11-02,0.0,0,4.20
2025-11-03,0.0,0,4.20
2025-11-04,0.0,0,4.20
2025-11-05,0.0,0,4.20
2025-11-06,0.0,0,4.20
2025-11-07,0.0,0,4.20
2025-11-08,0.0,0,4.20
2025-11-09,0.0,0,4.20
2025-11-10,0.0,0,4.20
2025-11-11,0.0,0,4.20
2025-11-12,0.0,0,4.20
2025-11-13,0.0,0,4.20
2025-11-14,0.0,0,4.20
2025-11-15,0.0,0,4.30
2025-11-16,0.0,0,4.30
2025-11-17,0.5,2,4.90
2025-11-18,0.4,1,5.00
2025-11-19,0.4,1,5.10
2025-11-20,0.6,3,5.50
2025-11-21,0.7,2,5.70
2025-11-22,0.5,2,5.70
2025-11-23,0.5,2,5.70
2025-11-24,0.8,3,6.00
2025-11-25,0.7,3,6.00
2025-11-26,0.6,2,6.00
2025-11-27,0.6,2,6.00
2025-11-28,0.6,2,6.00
2025-11-29,0.5,2,6.00
2025-11-30,0.5,2,6.00
2025-12-01,1.0,6,6.50
2025-12-02,0.7,4,6.50
2025-12-03,0.9,5,6.60
2025-12-04,0.9,4,6.60
2025-12-05,0.9,4,6.60
2025-12-06,0.9,3,6.60
2025-12-07,1.1,4,6.70
2025-12-08,1.1,4,6.70
2025-12-09,1.1,3,6.70
2025-12-10,1.1,3,6.70
2025-12-11,1.1,3,6.70
2025-12-12,1.1,2,6.70
2025-12-13,1.0,2,6.70
2025-12-14,0.8,2,6.70
2025-12-15,0.8,2,6.70

2025-12-16,0.8,2,6.70
2025-12-17,0.8,2,6.70
2025-12-18,0.8,2,6.70
2025-12-19,0.8,2,6.70
2025-12-20,0.5,1,6.70
2025-12-21,0.5,1,6.70
2025-12-22,0.5,1,6.70
2025-12-23,0.5,1,6.70
2025-12-24,0.5,1,6.70
2025-12-25,0.5,1,6.70
2025-12-26,0.5,1,7.20
2025-12-27,0.5,1,7.20
2025-12-28,0.5,1,7.20
2025-12-29,0.5,1,7.20
2025-12-30,0.5,1,7.30
2025-12-31,0.5,1,7.30
2026-01-01,0.7,2,7.40
2026-01-02,0.7,2,7.70
2026-01-03,0.7,2,7.80
2026-01-04,0.8,2,7.90
2026-01-05,0.8,2,7.90
2026-01-06,0.8,2,7.90
2026-01-07,0.7,2,7.90
2026-01-08,0.5,1,7.90
2026-01-09,0.8,4,8.30
2026-01-10,0.7,3,8.30
2026-01-11,0.7,2,8.30
2026-01-12,0.7,2,8.30
2026-01-13,0.5,1,8.30
2026-01-14,0.5,1,8.30
2026-01-15,0.4,1,8.30
2026-01-16,0.4,1,8.30
2026-01-17,0.4,1,8.30
2026-01-18,0.3,1,8.30
2026-01-19,0.3,1,8.30
2026-01-20,0.3,1,8.30
2026-01-21,0.3,1,8.30
2026-01-22,0.3,1,8.30
2026-01-23,0.3,1,8.30
2026-01-24,0.7,4,8.70
2026-01-25,0.7,4,8.70
2026-01-26,0.7,3,8.70
2026-01-27,0.7,3,8.70
2026-01-28,0.7,3,8.70
2026-01-29,0.7,3,8.70
2026-01-30,0.7,3,8.70
2026-01-31,0.7,2,8.70
2026-02-01,0.4,1,8.70
2026-02-02,0.4,1,8.70