NAME: RUTUJA WANWE

ROLL NO: 668

BATCH: F4

ASSIGNMENT 2A

```
#create a dictionary to store employee record
D = \{ 'name' : 'Bob', \}
     'age': 25,
     'job': 'Dev',
     'city': 'New york',
     'email': 'bb@web.com'}
#create a dictionary with a list of two-item tuples
L = [('name', 'Bob'),
     ('age', 25),
     ('job','Dev')]
D = dict(L)
print(D)
# Prints {'name':'Bob','age': 25,'job':'Dev'}
#create a dictionary with a tuple of two-item lists
T=(['name','Bob'],
   ['age', 25],
   ['job','dev'])
D=dict(T)
print(D)
#create dictionary with list of zipped keys/values
keys = ['name','age','job']
values = ['Bob', 25, 'Dev']
D = dict(zip(keys, values))
print(D)
# Prints{'name':Bob','age':25,'job':'Dev'}
#Initialize dictionary with default value '0' for each key
```

```
keys = ['a','b','c']
defaultvalue = 0
D = dict.fromkeys(keys, defaultvalue)
print(D)
D={ 'name': 'Bob',
   'age': 25,
   'name':'Jane'}
print(D)
#Immutable type
D = \{(2,2): 25,
    True: 'a',
     'name': 'Bob'}
#values of different datatypes
D = \{ 'a' : [1,2,3], 
     'b':[1,2,3]}
#duplicate values
D = \{ 'a' : [1,2], \}
     'b':[1,2],
     'c':[1,2]}
#Add or update dictionary items
D = { 'name': 'Bob',
     'age':25,
     'job':'Dev'}
D['name']='Sam'
print(D)
#merge 2 dictionaries
D1 = {'name':' Bob',
      'age':25,
      'job':'Dev'}
D2 = {'age':30,}
      'city': 'New york',
      'email':'bob@web.com'}
D1.update(D2)
print(D1)
```

```
#Remove dictionary items
D = \{ 'name': 'Bob', 
     'age': 25,
     'job':'Dev'}
x = D.pop('age')
print(D)
#remove all items
D = { 'name': 'Bob',
     'age': 25,
     'job':'Dev'}
D.clear()
print(D)
D = { 'name': 'Bob',
     'age': 25,
     'job':'Dev'}
#get all keys
print(list(D.keys()))
#get all values
print(list(D.values()))
#get all pairs
print(list(D.items()))
```

OUTPUT:

```
{'name': 'Bob', 'age': 25, 'job': 'Dev'}
{'name': 'Bob', 'age': 25, 'job': 'dev'}
{'name': 'Bob', 'age': 25, 'job': 'Dev'}
{'a': 0, 'b': 0, 'c': 0}
{'name': 'Jane', 'age': 25}
{'name': 'Sam', 'age': 25, 'job': 'Dev'}
{'name': 'Bob', 'age': 30, 'job': 'Dev', 'city': 'New york', 'email': 'bob@web.com'}
{'name': 'Bob', 'job': 'Dev'}
{}
{'name', 'age', 'job']
['Bob', 25, 'Dev']
[('name', 'Bob'), ('age', 25), ('job', 'Dev')]
```

ASSIGNMENT 2B

```
Product details=[]
Supplier details=dict()
Customer details=[] #tuple()
gender={}
fp1=open("/content/sample data/Sales1.csv","r")
data=fp1.readline()
while(True):
  data=fp1.readline()
  if not data:
    break;
  #print(data)
   data=data.replace("\n","")
   temp=data.split(",")
  Product details.append(temp[1])
   Customer details.append(temp[3])
   Supplier details.update({temp[0]:temp[2]})
   gender.update({temp[3]:temp[4]})
fp1.close()
#print(type(Customer details))
Customer details=tuple(Customer details)
print(type(Customer details))
print("\nProduct details\n", Product details, end="")
print("\n\nCustomer details\n", Customer details, end="")
print("\n\nSupplier details\n", Supplier details, end="")
print("\n\nGender details\n", gender, end="")
#3 find most popular product for sales
frequency = {}#{Lenovo Laptop:3}
# iterating over the list
for item in Product details:
 #checking the element in dictionary
 if item in frequency:
    # incrementing the counter
  frequency[item] += 1
```

```
else:
    #initializing the count
    frequency[item] = 1
#printing the frequncy
print(frequency)
marklist = sorted(frequency.items(), key=lambda x:x[1], reverse=True)
sortdict = dict(marklist)
print(sortdict)
print("The most popular for
sales", list(sortdict.keys())[0], "sold", list(sortdict.values())[0], "times")
#or
from collections import Counter
counter = dict(Counter(list(Supplier details.values())))
sorted counter = sorted(counter.items(), key=lambda x:x[1], reverse=True)
sorted counter=dict(sorted counter)
print("The most popular Supplier for
sales", list(sorted counter.keys())[0], "sold", list(sorted counter.values())
[0], "Items")
#4 find the customer who buys most of the products
frequency = {}
#iterating over the list
for item in Customer details:
  #checking the element in dictionary
  if item in frequency:
    #incrementing the counter
    frequency[item] += 1
  else:
    #initializing the count
    frequency[item] = 1
# printing the frequency
print("Frequency is as below:\n", frequency)
marklist = sorted(frequency.items(), key=lambda x:x[1], reverse=True)
sortdict = dict(marklist)
print("\nSorted dict is as below:\n", sortdict)
print("\n\nThe customer who buys most of the
products", list(sortdict.keys())[0], "buy", list(sortdict.values())[0], "Items
")
#5 find the no. of customer who are female
```

```
#Identify Unique Customer
from collections import Counter
counter = dict(Counter(Customer_details))
names=list(counter.keys())
print(names)
male=0
female=0

for name in names:
    if gender[name] == "Male":
        male = male + 1
    if gender[name] == "Female":
        female = female + 1
print("Total no of Male = ", male)
print("Total no of Female = ", female)
```

OUTPUT:

```
<class 'tuple'>
Product details
['Lenovo Laptop', 'Samsung M31', 'Realmi 10pro', 'Oppo F21', 'Lenovo
Laptop', 'Samsung M31', '"LG TV 32""", 'Oppo F21', 'Lenovo Laptop',
'Samsung M31', '"LG TV 32""", 'Lenovo Laptop', 'Samsung M31', 'Realmi
10pro', 'Lenovo Laptop', 'Oppo F21', '"LG TV 32"""', 'Lenovo Laptop',
'Samsung M31', '"LG TV 32"""']
Customer details
('Kaustubh Mahajan', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Yash Mali',
'Yash Bagul', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Kaustubh Mahajan',
'Yash Mali', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Kaustubh Mahajan',
'Yash Mali', 'Siddhi Kiwale', 'Tanuja Mali', 'Kaustubh Mahajan', 'Sanket Kandalkar', 'Siddhi Kiwale', 'Kaustubh Mahajan', 'Yash Mali')
Supplier details
{'P00001': 'Raka Ele.', 'P00002': 'Vijay Sales', 'P00003': 'Gada Ele.',
'P00004': 'Surya Ele.', 'P00005': 'Raka Ele.', 'P00006': 'Gada Ele.',
'P00007': 'Vijay Sales', 'P00008': 'Surya Ele.', 'P00009': 'Raka Ele.',
'P00010': 'Gada Ele.', 'P00011': 'Surya Ele.', 'P00012': 'Raka Ele.',
'P00013': 'Surya Ele.', 'P00014': 'Raka Ele.', 'P00015': 'Gada Ele.',
'P00016': 'Vijay Sales', 'P00017': 'Deshmukh sales', 'P00018': 'Raka
Ele.', 'P00019': 'Deshmukh sales', 'P00020': 'Gada Ele.'}
Gender details
{'Kaustubh Mahajan': 'Male', 'Siddhi Kiwale': 'Female', 'Sanket
Kandalkar': 'Male', 'Yash Mali': 'Male', 'Yash Bagul': 'Male', 'Tanuja
```

```
Mali': 'Female'}{'Lenovo Laptop': 6, 'Samsung M31': 5, 'Realmi 10pro': 2,
'Oppo F21': 3, '"LG TV 32""": 4}
{'Lenovo Laptop': 6, 'Samsung M31': 5, '"LG TV 32""": 4, 'Oppo F21': 3,
'Realmi 10pro': 2}
The most popular for sales Lenovo Laptop sold 6 times
The most popular Supplier for sales Raka Ele. sold 6 Items
Frequency is as below:
{'Kaustubh Mahajan': 5, 'Siddhi Kiwale': 5, 'Sanket Kandalkar': 4, 'Yash
Mali': 4, 'Yash Bagul': 1, 'Tanuja Mali': 1}
Sorted dict is as below:
{'Kaustubh Mahajan': 5, 'Siddhi Kiwale': 5, 'Sanket Kandalkar': 4, 'Yash
Mali': 4, 'Yash Bagul': 1, 'Tanuja Mali': 1}
The customer who buys most of the products Kaustubh Mahajan buy 5 Items
['Kaustubh Mahajan', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Yash Mali',
'Yash Bagul', 'Tanuja Mali']
Total no of Male= 4
```

Total no of Female= 2