Introduction to

Information Retrieval

Term Vocabulary and Postings Lists

Recall the basic indexing pipeline



Parsing a document

- What format is it in?
  - pdf/word/excel/html?
- What language is it in?
- What character set is in use?
  - (CP1252, UTF-8, …)

Each of these is a classification problem, which we will study later in the course.

But these tasks are often done heuristically …

Complications: Format/language

- Documents being indexed can include docs from many different languages
  - A single index may contain terms from many languages.
- Sometimes a document or its components can contain multiple languages/formats
  - French email with a German pdf attachment.
  - French email quote clauses from an English-language contract
- There are commercial and open source libraries that can handle a lot of this stuff

Complications: What is a document?

We return from our query "documents" but there are often interesting questions of grain size:

What is a unit document?

- A file?
- An email? (Perhaps one of many in a single mbox file)
  - What about an email with 5 attachments?
- A group of files (e.g., PPT or LaTeX split over HTML pages)

Introduction to

Information Retrieval

Tokens

Tokenization

- Input: "***Friends, Romans and Countrymen***"
- Output: Tokens
  - ***Friends***
  - ***Romans***
  - ***Countrymen***
- A token is an instance of a sequence of characters
- Each such token is now a candidate for an index entry, after further processing
  - Described below
- But what are valid tokens to emit?

Tokenization

- Issues in tokenization:
  - ***Finland's capital*** →
    Finland AND ***s***? ***Finlands***? ***Finland's***?
  - ***Hewlett-Packard*** → ***Hewlett*** and ***Packard*** as two tokens?
    - ***state-of-the-art***: break up hyphenated sequence.
    - ***co-education***
    - ***lowercase***, ***lower-case***, ***lower case*** ?
    - It can be effective to get the user to put in possible hyphens
  - ***San Francisco***: one token or two?
    - How do you decide it is one token?

Numbers

- ***3/20/91*** ***Mar. 12, 1991*** ***20/3/91***
- ***55 B.C.***
- ***B-52***
- ***My PGP key is 324a3df234cb23e***
- ***(800) 234-2333***
  - Often have embedded spaces
  - Older IR systems may not index numbers
    - But often very useful: think about things like looking up error codes/stacktraces on the web
    - (One answer is using n-grams: IIR ch. 3)
  - Will often index "meta-data" separately
    - Creation date, format, etc.

Tokenization: language issues

- French
  - ***L'ensemble*** → one token or two?
    - ***L*** ? ***L'*** ? ***Le*** ?
    - Want ***l'ensemble*** to match with ***un ensemble***
      - Until at least 2003, it didn't on Google
        - Internationalization!
- German noun compounds are not segmented
  - ***Lebensversicherungsgesellschaftsangestellter***
  - 'life insurance company employee'
  - German retrieval systems benefit greatly from a **compound splitter** module
    - Can give a 15% performance boost for German

Tokenization: language issues

- Chinese and Japanese have no spaces between words:
  - 莎拉波娃现在居住在美国东南部的佛罗里达。
  - Not always guaranteed a unique tokenization
- Further complicated in Japanese, with multiple alphabets intermingled
  - Dates/amounts in multiple formats

フォーチュン500社は情報不足のため時間あた$500K(約6,000万円)

Katakana Hiragana Kanji Romaji

End-user can express query entirely in hiragana!

Tokenization: language issues

- Arabic (or Hebrew) is basically written right to left, but with certain items like numbers written left to right
- Words are separated, but letter forms within a word form complex ligatures

استقلت الجزائر في سنة 1962 بعد 132 عاما من الاحتلال الفرنسي.

← → ← → ← start

- 'Algeria achieved its independence in 1962 after 132 years of French occupation.'
- With Unicode, the surface presentation is complex, but the stored form is straightforward

Introduction to

Information Retrieval

Terms

The things indexed in an IR system

Stop words

- With a stop list, you exclude from the dictionary entirely the commonest words. Intuition:
  - They have little semantic content: *the, a, and, to, be*
  - There are a lot of them: ~30% of postings for top 30 words
- But the trend is away from doing this:
  - Good compression techniques (IIR 5) means the space for including stop words in a system is very small
  - Good query optimization techniques (IIR 7) mean you pay little at query time for including stop words.
  - You need them for:
    - Phrase queries: "King of Denmark"
    - Various song titles, etc.: "Let it be", "To be or not to be"
    - "Relational" queries: "flights to London"

Normalization to terms

- We may need to "normalize" words in indexed text as well as query words into the same form
  - We want to match ***U.S.A.*** and ***USA***
- Result is terms: a term is a (normalized) word type, which is an entry in our IR system dictionary
- We most commonly implicitly define equivalence classes of terms by, e.g.,
  - deleting periods to form a term
    - ***U.S.A., USA*** → ***USA***
  - deleting hyphens to form a term
    - ***anti-discriminatory, antidiscriminatory*** → ***antidiscriminatory***

Normalization: other languages

- Accents: e.g., French ***résumé*** vs. ***resume***.
- Umlauts: e.g., German: ***Tuebingen*** vs. ***Tübingen***
  - Should be equivalent
- Most important criterion:
  - How are your users like to write their queries for these words?
- Even in languages that standardly have accents, users often may not type them
  - Often best to normalize to a de-accented term
    - ***Tuebingen, Tübingen, Tubingen*** → ***Tubingen***

Normalization: other languages

- Normalization of things like date forms
  - ***7月30日 vs. 7/30***
  - ***Japanese use of kana vs. Chinese characters***
- Tokenization and normalization may depend on the language and so is intertwined with language detection

Morgen will ich in MIT … Is this German "mit"?

- Crucial: Need to "normalize" indexed text as well as query terms identically

Case folding

- Reduce all letters to lower case
  - exception: upper case in mid-sentence?
    - e.g., General Motors
    - Fed vs. fed
    - SAIL vs. sail
  - Often best to lower case everything, since users will use lowercase regardless of 'correct' capitalization…
- Longstanding Google example: [fixed in 2011…]
  - Query C.A.T.
  - #1 result is for "cats" (well, Lolcats) not Caterpillar Inc.

Normalization to terms

- An alternative to equivalence classing is to do asymmetric expansion
- An example of where this may be useful
  - Enter: ***window*** Search: ***window, windows***
  - Enter: ***windows*** Search: ***Windows, windows, window***
  - Enter: ***Windows*** Search: ***Windows***
- Potentially more powerful, but less efficient

Thesauri and soundex

- Do we handle synonyms and homonyms?
  - E.g., by hand-constructed equivalence classes
    - ***car*** = ***automobile*** ***color*** = ***colour***
  - We can rewrite to form equivalence-class terms
    - When the document contains ***automobile***, index it under ***car-automobile*** (and vice-versa)
  - Or we can expand a query
    - When the query contains ***automobile***, look under ***car*** as well
- What about spelling mistakes?
  - One approach is Soundex, which forms equivalence classes of words based on phonetic heuristics
- More in IIR 3 and IIR 9

Introduction to

Information Retrieval

Stemming and Lemmatization

Lemmatization

- Reduce inflectional/variant forms to base form
- E.g.,
  - *am, are, is → be*
  - *car, cars, car's, cars' → car*
- *the boy's cars are different colors → the boy car be different color*
- Lemmatization implies doing "proper" reduction to dictionary headword form

Stemming

- Reduce terms to their "roots" before indexing
- "Stemming" suggests crude affix chopping
  - language dependent
  - e.g., ***automate(s), automatic, automation*** all reduced to ***automat***.

for example compressed and compression are both accepted as equivalent to compress. ⇨ for exampl compress and compress ar both accept as equival to compress

Porter's algorithm

- Commonest algorithm for stemming English
  - Results suggest it's at least as good as other stemming options
- Conventions + 5 phases of reductions
  - phases applied sequentially
  - each phase consists of a set of commands
  - sample convention: *Of the rules in a compound command, select the one that applies to the longest suffix.*

Typical rules in Porter

- *sses* → *ss*
- *ies* → *i*
- *ational* → *ate*
- *tional* → *tion*

- Weight of word sensitive rules
- *(m>1) EMENT* →
  - *replacement* → *replac*
  - *cement* → *cement*

Other stemmers

- Other stemmers exist:
  - Lovins stemmer
    - http://www.comp.lancs.ac.uk/computing/research/stemming/general/lovins.htm
    - Single-pass, longest suffix removal (about 250 rules)
  - Paice/Husk stemmer
  - Snowball
- Full morphological analysis (lemmatization)
  - At most modest benefits for retrieval

Language-specificity

- The above methods embody transformations that are
  - Language-specific, and often
  - Application-specific
- These are "plug-in" addenda to the indexing process
- Both open source and commercial plug-ins are available for handling these

Does stemming help?

- English: very mixed results. Helps recall for some queries but harms precision on others
  - E.g., Marker (pen) ⇒ mark
- Definitely useful for Spanish, German, Finnish, …
  - 30% performance gains for Finnish!

Introduction to

Information Retrieval

Faster postings merges:
Skip pointers/Skip lists

Recall basic merge

- Walk through the two postings simultaneously, in time linear in the total number of postings entries



If the list lengths are *m* and *n*, the merge takes O(*m*+*n*) operations.

Can we do better?
Yes (if the index isn't changing too fast).

Augment postings with skip pointers (at indexing time)



- Why?
- To skip postings that will not figure in the search results.
- How?
- Where do we place skip pointers?

Query processing with skip pointers



Suppose we've stepped through the lists until we process **8** on each list. We match it and advance.

We then have **41** and **11** on the lower. **11** is smaller.

But the skip successor of **11** on the lower list is **31**, so we can skip ahead past the intervening postings.

Where do we place skips?

- Tradeoff:
  - More skips → shorter skip spans ⇒ more likely to skip. But lots of comparisons to skip pointers.
  - Fewer skips → few pointer comparison, but then long skip spans ⇒ few successful skips.



Placing skips

- Simple heuristic: for postings of length L, use $\sqrt{L}$ evenly-spaced skip pointers [Moffat and Zobel 1996]
- This ignores the distribution of query terms.
- Easy if the index is relatively static; harder if L keeps changing because of updates.
- This definitely used to help; with modern hardware it may not unless you're memory-based [Bahle et al. 2002]
  - The I/O cost of loading a bigger postings list can outweigh the gains from quicker in memory merging!