

EventGuard Insurance API

API documentation for Event Insurance Management System

AUTHORIZATION Bearer Token

Token {{bearerToken}}

underwriter

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

reject

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

PUT reject Subscription



http://localhost:8080/underwriter/subscriptions/:id/reject

AUTHORIZATION Bearer Token



This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

id	7129
----	------

Body raw (json)

```
json
{
  "reason": "string"
}
```

approve

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

PUT approve Subscription



http://localhost:8080/underwriter/subscriptions/:id/approve

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

id 7129

Body raw (json)

json

```
{
  "premiumOverrideAmount": 6003.3939626548745,
  "overrideReason": "string"
}
```

GET get Subscription Details



http://localhost:8080/underwriter/subscriptions/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept application/json

PATH VARIABLES

id 7129

assigned

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Assigned Subscriptions



http://localhost:8080/underwriter/subscriptions/assigned

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

GET get All Subscriptions

http://localhost:8080/underwriter/subscriptions

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

notifications

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

read

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

PUT mark As Read

http://localhost:8080/notifications/:id/read

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

read-all

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

PUT mark All As Read



http://localhost:8080/notifications/read-all

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

unread-count

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

GET get Unread Count



http://localhost:8080/notifications/unread-count

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept	application/json
--------	------------------

GET get My Notifications



http://localhost:8080/notifications

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept	application/json
--------	------------------

claims

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

collect

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

PUT collect Claim



http://localhost:8080/claims/:id/collect

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

GET get Customer Claims



http://localhost:8080/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

POST file Claim



http://localhost:8080/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

json

```
{
  "claimAmount": 4849.290284102603,
  "description": "stringstring",
  "incidentDate": "2005-03-30",
  "subscriptionId": 3790,
  "evidenceDocPath": "string",
  "filedAt": "1997-09-29T17:08:41.911Z"
}
```

claims-officer

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

claims

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

reject

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

PUT reject Claim



http://localhost:8080/claims-officer/claims/:id/reject

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

id	7129
----	------

Body raw (json)

```
json
{
  "reason": "string"
}
```

approve

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

PUT approve Claim



http://localhost:8080/claims-officer/claims/:id/approve

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

PATH VARIABLES

id 7129

Body raw (json)

```
json
{
  "approvedAmount": 873.06564150611
}
```

GET get Claim Details



http://localhost:8080/claims-officer/claims/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept

application/json

PATH VARIABLES

id

7129

assigned

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GETget Assigned Claims



http://localhost:8080/claims-officer/claims/assigned

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept

application/json

GETget All Claims



http://localhost:8080/claims-officer/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept

application/json

admin

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

users

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

PUT update User



http://localhost:8080/admin/users/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

PATH VARIABLES

id 7129

Body raw (json)

json

```
{
  "fullName": "string",
  "email": "string",
```

```
"password": "string",
```

```
"phone": "string"
```

```
}
```

GET get All Users



http://localhost:8080/admin/users

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

activate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

PATCH activate Policy



http://localhost:8080/admin/policies/:id/activate

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

GET get Policy By Id



http://localhost:8080/admin/policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

PUT update Policy



http://localhost:8080/admin/policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Content-Type application/json

Accept application/json

PATH VARIABLES

id 7129

Body raw (json)

json

```
{
  "policyName": "string",
  "description": "string",
  "domain": "OUTDOOR_MUSIC_CONCERT",
  "baseRate": 7431.367098218444,
  "maxCoverageAmount": 6139.691417189783,
  "coversTheft": true,
  "coversWeather": true,
  "coversFire": true,
  "coversCancelation": false
}
```

DELETE deactivate Policy



http://localhost:8080/admin/policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

active

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

GET get Active Policies 1



http://localhost:8080/admin/policies/active

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

GET get All Policies



http://localhost:8080/admin/policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

POST create Policy



http://localhost:8080/admin/policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type	application/json
--------------	------------------

Accept	application/json
--------	------------------

Body raw (json)

json

```
{
  "policyName": "string",
  "description": "string",
  "domain": "OUTDOOR_MUSIC_CONCERT",
  "baseRate": 7431.367098218444,
  "maxCoverageAmount": 6139.691417189783,
  "coversTheft": true,
  "coversWeather": true,
  "coversFire": true,
  "coversCancelation": false
}
```

subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

assign

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{underwriterId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST assign Underwriter



<http://localhost:8080/admin/subscriptions/:id/assign/:underwriterId>

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	7129
underwriterId	7129

GET get All Subscriptions 1



<http://localhost:8080/admin/subscriptions>

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

create-underwriter

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST create Underwriter



<http://localhost:8080/admin/create-underwriter>

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

json

```
{
  "fullName": "string",
  "email": "string",
  "password": "string",
  "phone": "string"
}
```

create-claims-officer

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST create Claims Officer



http://localhost:8080/admin/create-claims-officer

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

json

```
{
  "fullName": "string",
  "email": "string"
```

```
email: string,  
"password": "string",  
  
"phone": "string"  
}
```

claims

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

assign

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{officerId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST assign Claims Officer



<http://localhost:8080/admin/claims/:id/assign/:officerId>

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept

application/json

PATH VARIABLES

id	7129
officerId	7129

GET get All Claims 1



http://localhost:8080/admin/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

underwriters

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Underwriters



http://localhost:8080/admin/underwriters

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

events

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get All Events



http://localhost:8080/admin/events

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

dashboard

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

underwriters

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Underwriters 1



http://localhost:8080/admin/dashboard/underwriters

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

stats

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Dashboard Stats



<http://localhost:8080/admin/dashboard/stats>

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

claims-officers

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Claims Officers



<http://localhost:8080/admin/dashboard/claims-officers>

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

claims-officers

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Claims Officers 1



http://localhost:8080/admin/claims-officers

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept application/json

subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

pay-premium

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST pay Premium



http://localhost:8080/subscriptions/:subscriptionId/pay-premium

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept application/json

PATH VARIABLES

subscriptionId 7129

quote

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST calculate Quote



http://localhost:8080/subscriptions/quote

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

```
json

{
  "eventId": 4032,
  "policyId": 5671
}
```

my

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get My Subscriptions



http://localhost:8080/subscriptions/my

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

GET get Customer Subscriptions



http://localhost:8080/subscriptions

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

POST create Subscription



http://localhost:8080/subscriptions

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type	application/json
--------------	------------------

Accept	application/json
--------	------------------

Body raw (json)

json

```
{
  "eventId": 4032,
  "policyId": 5671
}
```

register

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST register



http://localhost:8080/register

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

json

```
{
  "companyName": "string",
  "email": "string",
  "name": "string",
  "password": "string",
  "phone": "6705157960"
}
```

login

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST login



http://localhost:8080/login

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

json

```
{
  "email": "string",
  "password": "string"
}
```

events

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

music

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST create Music Event



http://localhost:8080/events/music

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type application/json

Accept application/json

Body raw (json)

json

```
{
  "budget": 5327.95948322971,
  "durationInDays": 9986,
  "eventDate": "2017-03-14",
  "eventName": "string",
  "location": "string",
  "numberOfAttendees": 3157,
  "isOutdoor": true,
  "alcoholAllowed": false,
  "temporaryStructure": true,
  "temporaryStage": true,
  "fireworksUsed": false,
  "celebrityInvolved": true,
  "hasProfessionalSecurity": false,
  "hasCCTV": false,
  "hasMetalDetectors": true,
  "hasFireNOC": true,
  "hasOnSiteFireSafety": false,
  "safetyComplianceDocPath": "string"
}
```

corporate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

POST create Corporate Event



http://localhost:8080/events/corporate

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

json

```
{
  "budget": 8056.966199288523,
  "durationInDays": 7754,
  "eventDate": "1965-01-26",
  "eventName": "string",
  "location": "string",
  "numberOfAttendees": 8989,
  "venueType": "INDOOR",
  "temporaryBooths": true,
  "highValueEquipment": false,
  "emergencyPreparednessLevel": "string",
  "hasProfessionalSecurity": true,
  "hasCCTV": false,
  "hasMetalDetectors": true,
  "hasFireNOC": false,
  "hasOnSiteFireSafety": true,
  "safetyComplianceDocPath": "string"
}
```

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

GET get Event By Id



http://localhost:8080/events/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

DELETE delete Event



http://localhost:8080/events/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

PATH VARIABLES

id 7129

my

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

GET get My Events Alternative



http://localhost:8080/events/my

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

HEADERS

Accept application/json

GET get My Events



http://localhost:8080/events

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

api

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

files

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

upload

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection **EventGuard Insurance API**

POST upload File



http://localhost:8080/api/files/upload

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json
{
  "file": "string"
}
```

policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Policy By Id 1



http://localhost:8080/policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	7129
----	------

domain

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

{domain}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Policies By Domain



http://localhost:8080/policies/domain/:domain

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection [EventGuard Insurance API](#)

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

domain	OUTDOOR_MUSIC_CONCERT
--------	-----------------------

active

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection [EventGuard Insurance API](#)

GET get Active Policies



GET get Active Policies



http://localhost:8080/policies/active

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json

GET get All Policies 1



http://localhost:8080/policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection **EventGuard Insurance API**

HEADERS

Accept application/json