

Deck of Lies - Complete Architecture Summary

Overview

A Twin Peaks-inspired occult detective mystery game combining board game movement, card battles, deckbuilding, resource management, and character progression. Players investigate supernatural mysteries in a small town, collect allies, upgrade abilities, and face otherworldly threats through turn-based card combat.

Genre: Mystery Adventure / Deckbuilding / Turn-Based Combat

Style: Retro 80s Anime / NES-era pixel art aesthetic

Inspiration: Twin Peaks × Captain Tsubasa 2 × Dragon Quest

Core Game Loop

1. **Main Menu** → Start new game or continue
2. **Opening Cutscene** → Narrative introduction
3. **Board Game Phase:**
 - Roll dice, move clockwise around 24-hour cycle
 - Land on events (encounters, resources, battles)
 - Collect character cards through dialogue
 - Gather resources (Money, Insight, Time)
4. **Midnight (Hour 00):**
 - Day changes
 - **Level-Up Screen** appears
 - Spend points on Invocation (stats) or Evocation (case/bonds)
 - Events reshuffle
5. **Battle Phase** (triggered by battle events):
 - First-person card combat
 - Play cards from hand to damage enemies
 - Turn-based with deck management
6. **Progression:**
 - Build character deck (unique characters + repeatable items/actions)
 - Increase stats through leveling
 - Discover case clues
 - Strengthen character bonds
7. **Win Condition:** (Not yet implemented - solve the mystery before time runs out)

File Structure

Main Entry Point

`Main.tscn` / `Main.gd`

- **Purpose:** Game state manager and scene coordinator
 - **Responsibilities:**
 - Shows main menu on start
 - Handles scene transitions (Menu → Cutscene → Board → Battle)
 - Manages current scene lifecycle
 - **Key Methods:**
 - `_show_main_menu()` - Display menu
 - `_start_new_game()` - Begin new game (shows cutscene)
 - `_start_board_game()` - Load board scene
 - `_clear_scene()` - Clean up current scene
-

Autoload Singletons (Global Systems)

`GameState.gd`

- **Variables:** `current_day: int`
- **Methods:** `increment_day()`
- **Signals:** `day_changed(new_day: int)`
- **Purpose:** Track global game progression

`SignalBus.gd`

- **Purpose:** Centralized event communication
- **Key Signals:**
 - `player_landed_on_tile(tile_index, hour)`
 - `day_changed(new_day)`
 - `midnight_crossed`
 - `popup_requested(event: Event)`
 - `popup_closed`
 - `dialogue_requested(card: Card)`

- `dialogue_finished(card: Card)`
- `board_refresh_requested`

`TileEventManager.gd`

- **Purpose:** Event placement, recurrence tracking, event pools
- **Variables:**
 - `tile_events: Dictionary` - hour → Event
 - `multi_tile_event_map: Dictionary` - hour → start_hour
 - `locked_tiles: Dictionary` - Permanent events
 - `event_occurrence_count` - Tracks uses
 - `event_last_triggered_day` - Cooldown tracking
 - `events_used_today` - Daily limit
 - Event pools: `standard_event_pool`, `character_encounter_pool`, `curse_pool`, `blessing_pool`
- **Key Methods:**
 - `setup_events()` - Place events for day
 - `lock_tile(hour, event)` / `unlock_tile(hour)` - Permanent tiles
 - `can_event_occur(event)` - Check recurrence rules
 - `get_event_hours()` - Get starting hours
 - `get_all_event_tile_hours()` - All hours (multi-tile)

`CharacterDatabase.gd`

- **Variables:** `characters: Dictionary`
- **Methods:**
 - `setup_characters()` - Create all character resources
 - `get_character(id)` / `get_random_character()`

`ResourceManager.gd`

- **Variables:** `money: int`, `insight: int`, `time: int`
- **Signals:** `resource_changed(type, new_amount)`
- **Methods:**
 - `add_resource(pickup: ResourcePickup)` - Add/subtract resources (supports negative)
 - `get_random_resource()` - Random pickup

`DeckManager.gd`

- **Variables:**
 - `deck: Array[Card]` - Player's collection
 - `card_pool: Array[Card]` - All available cards
 - `acquired_card_ids: Array[String]` - Prevent duplicate characters
- **Signals:** `card_added`, `card_removed`, `deck_updated`
- **Methods:**
 - `add_card(card)` - Add to deck (prevents duplicate characters)
 - `get_random_card()` - Random card (respects character uniqueness)
 - `get_cards_by_type(type)` - Filter by type
 - `get_deck_stats()` - Count by type

`CharacterProgression.gd`

- **Purpose:** Player stats and progression tracking
- **Variables:**
 - Stats: `investigation`, `intuition`, `influence`, `occult` (all start at 1)
 - `clues_discovered: Array[String]`
 - `character_bonds: Dictionary` - `character_id` → `bond_level`
 - `available_invocation_points`, `available_evocation_points`
- **Signals:** `stat_increased`, `case_progress_updated`, `bond_strengthened`
- **Methods:**
 - `upgrade_stat(stat_name)` - Spend invocation point
 - `add_clue(clue)` - Spend evocation point
 - `strengthen_bond(character_id)` - Spend evocation point
- **Notes:** Gains 1 of each point type per day

`BattleEnemyDatabase.gd`

- **Variables:** `enemies: Dictionary` - `enemy_id` → `BattleEnemy`
 - **Methods:**
 - `setup_enemies()` - Create all enemies
 - `get_enemy(id)` - Returns duplicate for battles
-

Resource Classes

Card.gd

- **Enum:** `CardType` - CHARACTER, ITEM, ACTION, RITUAL
- **Properties:**
 - `card_id`, `card_name`, `card_type`, `description`
 - `portrait: Texture2D`
 - `uses_remaining: int` - -1 = infinite, >0 = limited (items)
 - `dialogue_lines: Array[String]` - For character encounters
- **Methods:**
 - `get_type_name()` - Human-readable
 - `is_permanent()` - Check if infinite uses
 - `use_item()` - Consume one use

Event.gd

- **Enum:** `RecurrenceType` - UNIQUE, LIMITED, UNLIMITED
- **Properties:**
 - `event_id`, `title`, `description`, `image`
 - `event_type: String` - standard, character_encounter, resource, curse, blessing, battle
 - `duration_hours: int` - 1-5+ tiles
 - `recurrence`, `max_occurrences`, `cooldown_days`
 - `time_windows: Array[Dictionary]` - Multiple valid time ranges
 - `resource_pickup: ResourcePickup` - Reward/penalty
- **Methods:**
 - `can_occur_at_hour(hour)` - Check time restrictions
 - `add_time_window(start, end)` - Add valid range
 - `is_curse/blessing/permanent()`

ResourcePickup.gd

- **Enum:** `ResourceType` - MONEY, INSIGHT, TIME, ALL
- **Properties:** `resource_type`, `display_name`, `amount`, `description`
- **Notes:** Amount can be negative (for curses)

Character.gd

- **Properties:**

- `character_name`, `title`, `description`
- `portrait: Texture2D`
- `rarity: String`
- `insight: int`, `connection: int` - Stats

`BattleEnemy.gd`

- **Properties:**

- `enemy_id`, `enemy_name`, `description`
- `portrait: Texture2D`
- `max_health`, `current_health`, `threat_level`
- `attack_pattern: Array[String]`
- `weakness: String` - Stat type (investigation/intuition/influence/occult)

- **Methods:**

- `take_damage(amount)` - Reduce health
 - `is_defeated()` - Check if dead
 - `get_health_percent()` - For UI
-

Main Scenes

`MainMenu.tscn` / `MainMenu.gd`

- **Purpose:** Game entry point
- **UI:** Title, New Game, Continue (disabled), Settings, Quit, Credits
- **Signals:** `start_new_game`, `continue_game`, `open_settings`

`OpeningCutscene.tscn` / `OpeningCutscene.gd`

- **Purpose:** Narrative introduction
- **Features:**
 - Typewriter text effect
 - Skip button
 - Array of story lines
- **Signals:** `cutscene_finished`

`Board.tscn` / `Board.gd`

- **Purpose:** Main game coordinator
- **Components:**
 - `visuals: BoardVisuals` - Rendering
 - `movement: PlayerMovement` - Movement logic
 - `event_display: EventDisplay` - UI coordination
- **Responsibilities:**
 - Setup board and components
 - Connect signals
 - Handle button presses (roll, deck view)
 - Coordinate midnight/battle/dialogue flows
- **Key Methods:**
 - `initialize_components()` - Create subsystems
 - `create_board()` - Instantiate tiles and player
 - `setup_ui()` - Create all UI elements
 - `on_movement_finished()` - Handle landing
 - `on_reached_midnight()` - Trigger level-up

`BoardVisuals.gd` (Component, class_name)

- **Purpose:** All visual rendering for board
- **Responsibilities:**
 - Create tiles with wedge shapes
 - Apply day/night gradient
 - Highlight event tiles with colors
 - Draw event dividers
 - Handle tile hover effects
- **Key Methods:**
 - `create_tiles(scene)` - Instantiate 24 tiles
 - `highlight_event_tiles(tiles)` - Color and border events
 - `clear_highlights(tiles)` - Reset colors
 - `refresh_highlights()` - Re-apply after changes
- **Constants:** All color values for events, resources, curses, blessings

`PlayerMovement.gd` (Component, class_name)

- **Purpose:** Movement system and animations

- **Responsibilities:**
 - Calculate paths (always clockwise)
 - Animate tile-by-tile movement
 - Handle midnight crossing (split paths)
 - Multi-tile event end movement
- **Signals:** `movement_finished`, `reached_midnight`
- **Key Methods:**
 - `initialize(player, tiles, count)` - Setup
 - `move_by_steps(steps)` - Dice roll movement
 - `move_to_tile(index)` - Direct movement (clicks)
 - `move_to_event_end()` - Post-event animation
- **Variables:** `is_moving`, `current_tile_index`, `landed_event_hour`

`EventDisplay.gd` (Component, class_name)

- **Purpose:** Coordinate event UI (popups, dialogue, roll)
- **Responsibilities:**
 - Manage EventPopup, DialogueOverlay, RollOverlay
 - Show appropriate UI for events
- **Signals:** `dialogue_finished(card)`
- **Methods:**
 - `setup_ui(parent)` - Instantiate overlays
 - `show_roll(number, callback)` - Display dice result
 - `show_dialogue(card)` - Character encounter

`BoardTile.tscn` / `BoardTile.gd`

- **Script:** Simple Area2D with `hour_value: int`
- **Method:** `set_hour(hour)` - Assign time
- **Children (runtime):** Polygon2D, CollisionPolygon2D, Line2D border

`EventPopup.tscn` / `EventPopup.gd`

- **Purpose:** Display event details
- **Features:**
 - Title, description, optional image
 - Close button

- Handles resource collection
- Triggers character dialogue
- Detects battle events
- **UI:** CanvasLayer → ColorRect → Panel with VBox

DialogueOverlay.tscn / **DialogueOverlay.gd**

- **Purpose:** Character encounter dialogue
- **Features:**
 - Character portrait (left)
 - Name label
 - Dialogue text (typewriter potential)
 - Next button (changes to "Add to Deck" on last line)
- **Signals:** `dialogue_finished(card)`
- **Flow:** Show lines → player clicks through → card added to deck

RollOverlay.tscn / **RollOverlay.gd**

- **Purpose:** Dice roll animation placeholder
- **Features:**
 - Large number display
 - Scale pop-in animation
 - Fade out
- **Signals:** `roll_display_finished`

PlayerStatsUI.tscn / **PlayerStatsUI.gd**

- **Purpose:** Display resources and day
- **Features:**
 - Money, Insight, Time counters
 - Day counter
 - Animated value changes (pulse + color flash)
- **Updates:** Listens to `ResourceManager.resource_changed` and `SignalBus.day_changed`

DeckView.tscn / **DeckView.gd**

- **Purpose:** Full-screen deck overlay
- **Features:**

- Left panel: Stats (total, by type), Synergies placeholder
- Right panel: Scrollable card list grouped by type
- Hover glow on cards
- Return to board button
- **UI:** Cards show name, type, description, uses (if item)

LevelUpScreen.tscn / **LevelUpScreen.gd**

- **Purpose:** Midnight progression screen
- **Features:**
 - Shows available Invocation/Evocation points
 - Two tabs: Invocation (stats) vs Evocation (case/bonds)
 - **Invocation Module:**
 - Upgrade Investigation, Intuition, Influence, Occult
 - Shows current values
 - • buttons to upgrade
 - **Evocation Module:**
 - Tab 1: Discover case clues
 - Tab 2: Strengthen character bonds
 - Continue to Day button
- **Notes:** Currently has initialization issues (WIP)

CardBattle.tscn / **CardBattle.gd**

- **Purpose:** Turn-based card combat
- **Layout:**
 - Top 70%: Enemy portrait, name, health bar, description
 - Bottom 30%: Deck info, hand of cards, end turn button
- **Features:**
 - Draw cards (3 per turn, max hand 7)
 - Play cards to damage enemy
 - Damage calculation based on stats
 - Weakness system (bonus damage)
 - Enemy turn (damages Insight resource)
 - Win condition: Enemy health to 0
 - Reshuffle discard when deck empty

- **Signals:** `battle_won`, `battle_fled`, `battle_lost`
 - **Flow:** Event triggers battle → popup closes → battle starts → victory → return to board
-

Board System Deep Dive

Tile Structure

- **24 tiles** in circle
- Each tile has `hour_value` (0-23)
- **Midnight (00)** at bottom, **Noon (12)** at top
- Player starts at **hour 06** (morning)
- Tiles have gradient colors (currently mostly uniform with midnight purple)

Coordinate Systems

- **Tile Index:** Physical position (0-23, clockwise from top)
- **Hour Value:** Time displayed (0-23)
- **Conversion:**
$$\text{hour} = (\text{tile_index} + \text{FIRST_TILE_HOUR}) \% 24$$
- **First tile hour:** Currently 0 (midnight at index 0)

Movement

1. Roll dice (1-6) or click tile
2. Calculate clockwise path
3. Check if crossing midnight (hour 0)
4. If yes: animate to midnight → pause → midnight popup → continue
5. Animate tile-by-tile (0.4s per tile)
6. Land on destination → check for event
7. If multi-tile event: show popup → auto-move to end tile

Day/Night Cycle

- Currently simplified (mostly flat colors)
- Midnight hour (00) has distinct purple color
- Future: Full gradient dawn/day/dusk/night

Event System

Event Types:

- **Standard** (gold borders) - Narrative events
- **Character Encounter** (gold borders) - Adds card via dialogue
- **Resource** (orange borders) - Gain/lose resources
- **Curse** (red borders) - Permanent negative tile
- **Blessing** (green borders) - Permanent positive tile
- **Battle** (triggers combat) - NEW

Event Features:

- **Duration:** 1-5+ hours (multi-tile span)
- **Recurrence:**
 - UNIQUE - Once per game
 - LIMITED - X times total
 - UNLIMITED - Repeatable
- **Cooldown:** Days between repeats
- **Time Windows:** Events only occur during specific hours (supports split ranges like 19-23 OR 1-5)
- **Daily Limit:** Can't repeat same day
- **Locked Tiles:** Curses/blessings persist across days

Visual Indicators:

- Event tiles glow with type-specific colors
- Divider lines mark event boundaries (both start and end)
- Multi-tile events share unified color

Event Placement Algorithm (Each Day):

1. Clear non-locked events
 2. Place locked tiles
 3. Place lunch at 12 (if unlocked)
 4. Random standard events (2-4)
 5. Random resources (3-5)
 6. All respect: time windows, cooldowns, recurrence, no overlap, avoid midnight
-

Card System

Card Types

- **CHARACTER** - Unique people (only one copy per deck)
- **ITEM** - Tools with limited/unlimited uses
- **ACTION** - Activities (permanent)
- **RITUAL** - Complex actions (permanent, requires resources/items - not yet implemented)

Card Acquisition

- Character encounters add random cards
- `get_random_card()` filters out already-acquired characters
- Items/Actions/Rituals can have duplicates
- Cards added automatically (no choice system yet)

Card Data

Each card has:

- ID, name, type, description
- Portrait (optional)
- Uses remaining (items only)
- Dialogue lines (characters only)

In Battle

- Deck built from CHARACTER and ACTION cards only
 - Hand size max 7
 - Draw 3 cards per turn
 - Playing cards costs no resources (simplified)
 - Damage calculated from card + stats + weakness bonus
 - Discard when deck empty → reshuffle
-

Combat System

Battle Flow

1. Event with `event_type = "battle"` triggers

2. Popup shows event description
3. Close popup → Battle scene loads
4. Enemy appears (first-person view)
5. Draw starting hand (3 cards)
6. Player turn:
 - Play cards to damage enemy
 - Draw cards (up to hand limit)
 - End turn
7. Enemy turn:
 - Deals damage to player (reduces Insight)
 - Auto-ends after 1 second
8. Repeat until enemy defeated
9. Victory → +2 Insight reward → return to board

Damage Calculation

Base damage = 5 (or card-specific)
+ Stat bonus (Investigation/Intuition/Influence/Occult)
× 1.5 if exploits enemy weakness

Enemy Weaknesses

- Each enemy weak to one stat type
- Cards map to stat types:
 - Investigation: Cooper, Investigate action
 - Intuition: Log Lady
 - Influence: Sheriff, Intimidate action
 - Occult: (none yet implemented)

Enemy AI

- Simple: Attack for $(5 + \text{threat_level} \times 2)$ damage
 - Damages player's Insight resource
 - 1 second delay between turns
-

Progression System

Invocation (Character Stats)

Spend points to increase:

- **Investigation** - Find clues, examine evidence
- **Intuition** - Understand occult, hidden meanings
- **Influence** - Persuade, manipulate
- **Occult** - Perform rituals, invoke powers

Starting value: 1 for all stats

Evocation (External Progress)

Spend points on:

- **The Case** - Discover clues (red room, owls, lodge, etc.)
- **Social Bonds** - Strengthen relationships with deck characters

Point Economy

- Gain 1 Invocation + 1 Evocation point per day
- Spend immediately at midnight screen
- Points persist if not spent (can save up)

Usage in Game

- **Stats:** Used in damage calculations, future skill checks
 - **Clues:** Track case progress (future: unlock endings)
 - **Bonds:** Future: unlock abilities, dialogue options, synergies
-

Visual Style & Theme

Color Palette

Core Colors:

- Void:  #0A0A12 (background)
- Deep Night:  #12111A (panels)
- Shadow:  #1E1C28 (borders)
- Parchment:  #E8E0D4 (primary text)

- Gold:  #D4A84B (accents, titles)

Event Colors:

- Standard Events: Teal  #3ECDA0
- Resources: Salmon  #E88A6D
- Curses: Crimson  #C44D7B
- Blessings: Moonlight  #4A8DBE
- Rituals: Occult Purple  #6B4DAB

Day Cycle: (Simplified currently)

- Midnight special purple, rest mostly neutral

Aesthetic Direction

- Retro 80s anime / NES pixel art
 - Inspired by Captain Tsubasa 2 + Dragon Quest
 - Dark, moody with vibrant pops of color
 - First-person enemy view in battles
 - Circular time-based board
-

Signal Flow Examples

Dice Roll

```
Board: Roll button clicked
→ EventDisplay: show_roll(number)
→ RollOverlay: animate number
→ Signal: roll_display_finished
→ Movement: move_by_steps(number)
→ Animate path
→ Signal: movement_finished
→ Board: Check for events
→ If event: SignalBus.popup_requested
```

Midnight Crossing

```
Movement: Detects midnight in path
→ Split path at midnight
```


- Animate to midnight
- Signal: reached_midnight
 - Board: Increment day
 - TileEventManager: setup_events()
 - BoardVisuals: refresh_highlights()
 - LevelUpScreen: show_level_up()
 - User spends points
 - Clicks Continue
 - SignalBus.popup_closed
- Movement: Animate remaining path
- Signal: movement_finished

Character Encounter

Player lands on character_encounter event

- SignalBus.popup_requested
 - EventPopup: show_event()
 - Determines random character card
 - Stores as pending_character
 - User clicks Close
- SignalBus.dialogue_requested(card)
 - DialogueOverlay: show_dialogue(card)
 - Display portrait + lines
 - User clicks through dialogue
 - Signal: dialogue_finished(card)
- DeckManager: add_card(card)
- SignalBus.popup_closed

Battle Encounter

Player lands on battle event

- SignalBus.popup_requested
 - EventPopup: show_event(battle_event)
 - User clicks Fight
 - SignalBus.popup_closed
- Board: Detects battle type
 - CardBattle: start_battle(enemy)
 - Build battle deck
 - Draw starting hand
 - Player plays cards
 - Enemy defeated
 - Signal: battle_won
- Board: Grant rewards
- SignalBus.popup_closed

Known Issues / WIP

Current Bugs

- **LevelUpScreen** - @onready variables null, scene structure mismatch
- **Tile clicks** - May not work if overlays are visible (check z-index/input)
- **Curse/Blessing resources** - May not trigger properly

Not Yet Implemented

- **Win Condition** - Solve mystery before time runs out
- **Save/Load System** - Continue button disabled
- **Settings Menu** - Placeholder
- **Ritual Cards** - Type exists but no implementation
- **Card Synergies** - Tracked but no effects
- **Item Usage** - Limited-use items don't actually get used
- **Complex AI** - Enemies have simple attack only
- **Sound/Music** - No audio
- **Character Portraits** - Placeholders only
- **Full Day/Night Gradient** - Simplified currently
- **Quest System** - Not started
- **Multiple Endings** - Not designed

Future Features

- Card selection (choose which to add vs auto-add)
 - Ritual requirements (need specific cards + resources)
 - Bond-based abilities and dialogue
 - Case clues unlock story branches
 - Permanent consequences from choices
 - More complex battle mechanics (status effects, multi-turn strategies)
 - Hand management (discard, shuffle abilities)
 - Deck customization (remove cards, build strategy)
-

Technical Notes

Performance

- 24 tiles created at startup
- Events refresh only on day change
- Card list rebuilt on deck changes
- Single tween per movement animation

Godot 4 Specific

- Typed GDScript with class_name
- Resource-based data (Event, Card, Character, BattleEnemy, ResourcePickup)
- Signal-based architecture (SignalBus pattern)
- Component pattern (BoardVisuals, PlayerMovement, EventDisplay as separate classes)
- CanvasLayer for UI overlays

Code Organization

- **Main coordinator:** Board.gd delegates to components
- **Components:** Separate concerns (visuals, movement, events)
- **Autoloads:** Global state and databases
- **Resources:** Pure data with helper methods
- **Scenes:** Self-contained UI with scripts

Common Patterns

gdscript

```
// Component initialization
var component = ComponentClass.new()
add_child(component)
component.signal_name.connect(_on_handler)

// Event-driven flow
SignalBus.event_name.emit(data)

// Resource duplication
var copy = original.duplicate(true)

// Safe resource access
if ResourceManager.can_afford(cost):
    ResourceManager.spend(cost)
```

Project File Structure

```
res://
├── Main.tscn / Main.gd
├── Scenes/
│   ├── Board/
│   │   ├── Board.tscn / Board.gd
│   │   ├── Board_tile.tscn / BoardTile.gd
│   │   ├── Player.tscn
│   │   └── UI/
│   │       ├── EventPopup.tscn / EventPopup.gd
│   │       ├── DialogueOverlay.tscn / DialogueOverlay.gd
│   │       ├── RollOverlay.tscn / RollOverlay.gd
│   │       └── PlayerStatsUI.tscn / PlayerStatsUI.gd
│   ├── Card/
│   │   ├── CharacterCard.tscn / CharacterCard.gd
│   │   └── Deck/
│   │       └── DeckView.tscn / DeckView.gd
│   ├── Battle/
│   │   └── CardBattle.tscn / CardBattle.gd
│   └── UI/
│       ├── MainMenu.tscn / MainMenu.gd
│       ├── OpeningCutscene.tscn / OpeningCutscene.gd
│       └── LevelUpScreen.tscn / LevelUpScreen.gd
├── Scripts/
│   ├── Autoloads/
│   │   ├── GameState.gd
│   │   └── SignalBus.gd
```

Development Roadmap

Phase 1: Core Loop (COMPLETE)

- ☒ Board movement system
- ☒ Event system with recurrence
- ☒ Resource management
- ☒ Card deck basics
- ☒ Day/night cycle

Phase 2: Combat & Progression (COMPLETE)

-  Card battle system
-  Character progression (stats)
-  Level-up screen
-  Battle enemy database

Phase 3: Polish & Content (IN PROGRESS)

-  Main menu and cutscene

- 🚨 Level-up screen fixes
- ☐ More enemies and encounters
- ☐ Character portraits
- ☐ Sound and music
- ☐ Visual effects and polish

Phase 4: Systems & Depth (PLANNED)

- ☐ Ritual card implementation
- ☐ Card synergies
- ☐ Save/load system
- ☐ Item usage mechanics
- ☐ Bond-based abilities

Phase 5: Narrative & Endgame (PLANNED)

- ☐ Case clue system integration
- ☐ Story branching
- ☐ Multiple endings
- ☐ Win/lose conditions
- ☐ Final mystery reveal

This architecture supports a rich, expandable mystery detective game with strategic depth and narrative choices. The modular design allows easy addition of new cards, enemies, events, and mechanics without refactoring core systems.