

Higher-Ranked Exception Types

(Extended abstract of work-in-progress)

Ruud Koot *

Department of Computing and Information Sciences
Utrecht University
r.koot@uu.nl

1. Motivation

2. Related Work

3. Approach

4. Results

References

- V. Breazu-Tannen. Combining algebra and higher-order types. In *Logic in Computer Science, 1988. LICS '88., Proceedings of the Third Annual Symposium on*, pages 82–90, 1988. doi: 10.1109/LICS.1988.5103.
- S. Holdermans and J. Hage. Polyvariant flow analysis with higher-ranked polymorphic types and higher-order effect operators. In *Proceedings of the 15th ACM SIGPLAN International Conference on Functional Programming, ICFP '10*, pages 63–74, New York, NY, USA, 2010. ACM. ISBN 978-1-60558-794-3. doi: 10.1145/1863543.1863554. URL <http://doi.acm.org/10.1145/1863543.1863554>.
- A. J. Kennedy. Type inference and equational theories. Technical Report LIX-RR-96-09, Laboratoire D'Informatique, École Polytechnique, 1996.
- D. A. Wright. A new technique for strictness analysis. In S. Abramsky and T. Maibaum, editors, *TAPSOFT '91*, volume 494 of *Lecture Notes in Computer Science*, pages 235–258. Springer Berlin Heidelberg, 1991. ISBN 978-3-540-53981-0.

*This material is based upon work supported by the Netherlands Organisation for Scientific Research (NWO).