# Type inference for PHP

## Using annotations to provide more precise results

## Ruud van der Weijde

July 30, 2014, 27 pages

Supervisor: Jurgen Vinju

Host organisation: Werkspot, http://werkspot.nl

# Contents

Abstract 2		
Preface		3
1	Introduction	4
	1.1 PHP	. 4
	1.2 Position	. 4
	1.3 Contribution	. 5
	1.4 Plan	. 5
2	Background and context	6
	2.1 PHP Language Constructs	. 6
	2.1.1 Scoping	. 6
	2.1.2 Includes	. 6
	2.1.3 Conditional functions and classes	
	2.1.4 Dynamic features	
	2.1.5 Late static binding	
	2.1.6 Magic methods	
	2.1.7 Dynamic class properties	
	2.1.8 Annotations	
	2.3 M3	
	2.4 Type inference	. 8
3	Research Method	9
	3.1 Introduction	. 9
	3.2 Types	. 9
	3.2.1 PHP types	. 9
	3.2.2 Subtypes	
	3.3 Fact extraction	
	3.3.1 Type extraction	
	3.3.2 Constraint extraction	
	3.4 Annotations	
	3.5 Constraint solving	
	3.6 Case Study	. 21
4	Results	23
	4.1 Annotations	. 24
5	Conclusion	25
~	5.1 Future work	
Gl	lossary	27

## Abstract

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# Preface

In this section I will thank everyone who has helped me. Maybe also introduce some anecdote on how this research came to be.

# Chapter 1

# Introduction

## 1.1 PHP

PHP¹ is a server-side scripting language created by Rasmus Lerdorf in 1995. The original name Personal Home Page changed to PHP: Hypertext Preprocessor in 1998. PHP source files are executed using the PHP Interpreter. The language is dynamically typed, which means that the behaviour of the source code will be examined during run-time. Statically typed languages would apply these modification during compile type. PHP supports duck-typing, which means that the type of an expression can be transformed to another type at a certain point.

The programming language PHP evolved after its creation in 1995. In the year 2000 Object-Oriented (OO) language structures were added to the langue with the release of PHP 4.0. The 5th version of PHP was release in 2004 including improved the OO support. To be able to resolve conflicts between library and create better readable class names, namespaces were added to the release of PHP 5.3 in 2009. Namespaces are comparable to packages in JAVA. The most recent stable version is 5.5 in which the OPcache extension is added. OPcache speeds up the performance of including files on run-time by storing precompiled script bytecode in shared memory.

According to the Tiobe Index<sup>2</sup> of july 2014, PHP is the 7th most popular programming language. The language has been in the top 10 since its introduction in the Tiobe index in 2001. More than 80 procent of the websites have a php backend<sup>3</sup>. The majority of these websites use PHP version 5, rather than version 4 or version 3. It is therefor useful to focus on PHP version from 5 and disgard the older unsupported versions.

Although the popularity for more than a decade, there is still a lack of good PHP code analysis tools. These tools can help to reveal security vulnerabilities or bugs in source code. The tools can also provide code completions to developers or make automatic transformations on the code possible, for example to execute refactoring patterns. Other dynamic languages suffer the same difficulties

## 1.2 Position

As far as we know, there is no constraint based type inference research like this one performed for PHP. That makes this research unique. There have been similar analysis for other dynamic languages, like smalltalk, ruby and javascript.

<sup>1</sup> http://php.net

<sup>&</sup>lt;sup>2</sup>http://www.tiobe.com/index.php/content/paperinfo/tpci/index.html, July 2014

 $<sup>^3 \</sup>rm http://w3 techs.com/technologies/details/pl-php/all/all, July 2014$ 

## 1.3 Contribution

TODO Review this part when the result of the analysis are performed. Some idea's are that this analysis can help IDE tools to perform transformations on the source code. (But the performance may not be sufficient.)

The creation of the M3 model can help to compare researchers compare PHP programs with other programming languages. For now only Java is implemented, but more can follow (unchecked statement).

## 1.4 Plan

The rest of the thesis is as follows: chapter 2 contains background and context information about related work. Here we will explain the php language and explain similar research. In the next chapter 3 the research method is explained, which will explain the steps taken in this the research.

# Chapter 2

# Background and context

## 2.1 PHP Language Constructs

In this section important (for this research important!) language constructs are presented. Explanations of these constructs should help to understand the performed analysis. Including some concepts like scope, includes, dynamic variables, dynamic class instantiation, dynamic function call, dynamic dispatch, runtime environment variables and constants, late static binding (static keyword), magic methods.

## 2.1.1 Scoping

PHP has a few scopes. "Define what scope is". Global, namespace, class, method, function. The global scope is contained in every file which is not inside a function or class. The global scope can contain namespaces. Namespaces are comparable to packages in Java. When namespaces are used, classes and functions will be scoped to the namespace. You can access them by providing the namespace name. Todo: say something about the global statement and \$GLOBALS. (it is resolved in the M3 relation @uses). Refer to this link<sup>1</sup>.

#### 2.1.2 Includes

Note to myself: how will I deal with this concept in my analysis (totally ignore it??? when maybe not add it to this background information. In our research we will assume that all files are included.). The problem of including files can be reduced using namespaces and autoloading. When a class which is not loaded in memory is instantiated, the autoloading will try to include a file and load the class. For this analysis we will include all files

\* Refer to the analysis of mark hills, that most files can be resolved, but not all. We consider the use of including scripts for logic as bad practice. Every file should contain a class, and in this case, it is for our analysis not very interesting to resolve the includes.

#### 2.1.3 Conditional functions and classes

Explain the code below.

```
if (!class_exists("Foo"))
class Foo { /* ... */ }

if (!function_exists("bar"))
function bar() { /* ... */ }
```

Listing 2.1: Conditional class and function definitions

Explain the code below.

<sup>&</sup>lt;sup>1</sup>http://php.net/manual/en/language.variables.scope.php, July 2014

```
function f() {
  function g() {
    class C {}
}

g(); f(); // will fail because 'g(); ' is not declared yet

f(); g(); // will work because 'g(); ' is declared when calling 'f(); '

f(); new C(); // will fail because 'g(); ' needs to be called first

f(); g(); new C(); // will work because 'g(); ' is called and has declared 'f(); '
```

Listing 2.2: Conditional function declaration

## 2.1.4 Dynamic features

These include dynamic variables, dynamic class instantiations, dynamic function calls.

## 2.1.5 Late static binding

Late static binding<sup>2</sup> is implemented in PHP since version 5.3 by adding the keyword 'static' to the language. It has the same function as 'parent' and 'self', because they both point to a class. The main difference is that 'parent' and 'self' can be resolved statically. 'static' can only be resolved on runtime and represents the exact class that is instantiated.

## 2.1.6 Magic methods

In PHP it is allowed to call methods or use properties that do not exists. Normally this would result in a fatal error, but not with the use of magic methods. One of the magic methods is het constructor method 'construct'.

### 2.1.7 Dynamic class properties

Although it is a good practice to define your class properties, it is not required. On runtime it is possible to add properties to classes, even without the implementation of magic methods.

```
class C {}

p = (new C())->nonExistingProperty;

var_dump($p); // NULL

$c = new C();

$p = $c->nonExistingProperty = "property now exists";

var_dump($p); // string(19) "property now exists"
```

Listing 2.3: Dynamic class property

#### 2.1.8 Annotations

Explain here how annotations work in php. (in the next section I will explain something about parsing/reading annotations for the analysis)

#### 2.1.9 Other concepts

- We assume that register globals is off! (maybe add some other runtime environments)
- Ingore warnings (because most production code has them off)

 $<sup>^2</sup> http://php.net/manual/en/language.oop5.late-static-bindings.php,\ July\ 2014$ 

## 2.2 Rascal

Rascal

## 2.3 M3

The M3-model is a generic model which can be used to analyse software programs. Our goals is to provide the results in an M3 model. Future research can use this to compare different programming languages.

## 2.4 Type inference

Describe different methods of type inferences and why I chose for this one.

# Chapter 3

# Research Method

## 3.1 Introduction

<< Todo: properly introduction of this chapter >> The analysis will be performed in this order:

- Resolve types
- Resolve sub type relations
- Extract facts from the source code
- Extract constraints from source code
- Solve the constraints

## 3.2 Types

```
Explain here what I mean with a type...
```

module lang::php::m3::TypeSymbol

## 3.2.1 PHP types

PHP has a similar class inheritance structure and interface implementation as Java. The main difference is that in PHP all class are public and that inner classes are not allowed in PHP.

The basis types in PHP are integers, floats (similar to doubles and reals), booleans, strings, arrays,

resources and null. When variables are initialised without a values, they are null. The recourse type is a special one which is not important for this research.

### 3.2.2 Subtypes

Explain something about subtypes here.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.




Figure 3.1: Subtype hierarchy

The subtype relation of class inheritance is a reflexive transitive closure relation. A class extension of class A on class C will define class A as a subtype of class C in our analysis, as you can see in figure 3.2. If a class does not extend another class, it will implicitly extend the stdClass class. You can see that this happens with class D in the example. The stdClass is represented as the type object() in our analysis.

The basic PHP types also contain a subtype relation. Integers are subtypes of floats.




Figure 3.2: Relation of subtypes among classes

## 3.3 Fact extraction

We can extract fact about classes, class-constants/fields/methods, functions, parameters. For these facts, we can use a relation, so we have a many-to-many relation. On the left size we will have the class, function or method. On the right side we have their attribute.

A list of properties: (todo: rewrite this list into a 'normal' section.)

- <loc classDecl, className(str name)>
- <loc classDecl, classMethod(str name, set[Modifier] modifiers)>
- <loc classDecl, classProperty(str name, set[Modifier] modifiers)>
- <loc classDecl, classConstant(str name, set[Modifier] modifiers)>
- <loc classDecl, classConstructorParameters(list[PhpParam] params)>
- <loc methodDecl, methodName(str name)>
- <loc methodDecl, methodParameters(list[PhpParam] params)>
- <loc functionDecl, functionName(str name)>
- <loc functionDecl, functionParameters(list[PhpParam] params)>

In Rascal:

// use the extends relation from M3

#### 3.3.1 Type extraction

In order to define the subtype relations in class extensions, we will need to declare all existing class types. We can do this in rascal like is done in the example below:

```
visit (system) {
    case c:class(_, _, _, _, _): types += class(c@decl);
}
    Once all types are defined, we can add the subtype relation. We will need to have the subtype of
int() and float() and the class extensions. You can see that in the code below:
public rel[TypeSymbol, TypeSymbol] getSubTypes(M3 m3, System system)
{
    rel[TypeSymbol, TypeSymbol] subtypes
        // add int() as subtype of float()
        = { <\int(), float()> }
```

#### 3.3.2 Constraint extraction

Introduction is needed here... for now I will just list the types that I have found. Maybe this needs to be moved to a different chapter.

This is a list of items which are not supported (yet):

- References (in PHP they are symbol table aliases)
  - on expression assignments :: a = &b
  - on functions :: function &f() {...}
  - on parameters :: function  $f(\&\$a) \{\dots\}$
- Variable structures:
  - Variable variables :: \$\$a;
  - Variable class instantiation :: new \$a;
  - Variable method or function calls :: a();
- List assign :: list(\$a,\$b) = array("one","two"); (we can assume that the rhs is of type array, when the program is correct)
- Method or function parameters (including type hints)
- Class structures, method calls
- Class Constants
- The global statement (should be resolved by the usage relation from M3)
- Casts of expressions
- Predefined variables (\$this, self, parent, static)
- Eval (will not be supported)
- Closures (not used much in production code)
- Traits (not used much in production code)
- Callable (introduced in 5.4 as typehint, not used much in production code)
- For each (a as ... (=> ...)) => a is an array or an object;
- return; => return type is null (is added to the situation when there are no return statements)
- add predefined globals (and their type: \$[GLOBALS, \_SERVER, \_GET, \_POST, \_REQUEST, COOKIE, ENV, SESSION, php errormsg] (all in global scope))
- add magic constants: [DIR, FILE, LINE, NAMESPACE, FUNCTION, CLASS, METHOD]

- predefined constants: TRUE(b), FALSE(b), NAN(f), INF(f), NULL(n), STDIN(r), STDOUT(r), STDERR(r)
- define("name", value) mixed with constants (?out of scope?)
- keywords: self, parent, static in a class (is included in method and property calls

#### Legend

```
Equal to (type)
                                           C
                                                      A class
 <:
           Is subTypeOf
                                                      A class constant
                                           \rightarrow c
E_k
           An expression
                                          \rightarrow p
                                                  = A class property
           Type of some expression
                                          \rightarrow m = A class method
[E_k]
 f
           A function
                                           [m]
                                                  = (Return) type of a method call
[f]
           (Return) type of a function
                                          (A_n)
                                                 = The n'th actual argument
:: c
           Static property fetch
                                          (P_n)
                                                      The n'th formal parameter
           Static method call
                                           th
                                                      Type hint
:: m
           Static property fetch
                                                      Default value
                                            v
:: p
                                            Γ
           Modifiers
                                                      Whole program
Mfs
```

Table 3.1: Constraint legend

#### Expressions

Normal assignment:

```
\frac{E_1 = E_2}{[E_2] <: [E_1]}
```

```
1  $a = $b; // normal assign
2  $a = &$b // todo: ref assign and list assign
```

Listing 3.1: Assignment

Ternary:

$$E_1 ? E_2 : E_3$$
$$[E_1?E_2 : E_3] = [E_3] \lor [E_4]$$

```
$expr ? $b : $c; // typeOf($a) is subtypeOf($b) or subtypeOf($c)
```

Listing 3.2: Ternary

Assignments with operators (1)

```
(E_1 \& = E_2) \lor (E_1 \mid = E_2) \lor E_1 \hat{\ } = E_2) \lor (E_1 <<= E_2) \lor (E_1 >>= E_2) \lor (E_1 \% = E_2)
[E_1] = int()
```

Listing 3.3: Assignments with operators resulting in ints

Assignments with operators (2):

$$\frac{E_1 := E_2}{[E_1] = string()}$$

```
1 $a .= $b; /* $a = string() */
2 // An error occurs when $b is of type object() and
3 // __toString is not defined or does not return a string
```

Listing 3.4: Assignments with string concat operator

Assignments with operators (3):

$$\frac{(E_1 / = E_2) \lor (E_1 - = E_2)}{[E_1] = int()}$$

Listing 3.5: Assignments with operators

Assignment with operators (4):

$$\frac{(E_1 *= E_2) \lor (E_1 += E_2)}{[E_1] <: int()}$$

```
1  $a *= $b; /* when $b == (bool()|int()|null()) */ /* $a = int() */
2  $a *= $b; /* when $b != (bool()|int()|null()) */ /* $a = float() */
3  $a += $b; /* when $b == (bool()|int()|null()) */ /* $a = int() */
4  $a += $b; /* when $b != (bool()|int()|null()) */ /* $a = float() */
```

Listing 3.6: Assignments with operators

Comparison operators:

$$(E_1 == E_2) \lor (E_1 === E_2) \lor (E_1 != E_2) \lor (E_1 <> E_2) \lor (E_1 !== E_2) \subseteq E$$
  
 $[E] = bool()$ 

$$(E_1 < E_2) \lor (E_1 > E_2) \lor (E_1 <= E_2) \lor (E_1 >= E_2) \subseteq E$$

$$[E] = bool()$$

Listing 3.7: Comparison operators

Array declaration:

```
E', where E' is an array declaration [E'] = array()
```

```
1 array(/*...*/); // typeOf() = array();
2 // Rascal: array(_) => array()
```

Listing 3.8: Array declaration

Array value fetch:

$$E_1[E_2] \wedge E_1 == string()$$
, where  $E_1$  is an array 
$$[E_1[E_2]] = string()$$
$$E_1[E_2] \wedge E_1 == array()$$
, where  $E_1$  is an array 
$$[E_1[E_2]] = mixed()$$

$$E_1[E_2] \wedge (E_1 == string() \vee E_1 == array()), \text{ where } E_1 \text{ is an array}$$

$$[E_1[E_2]] = null()$$

```
$a[0];
// when typeOf($a) == string() => typeOf($a[/*...*/]) is string()
// when typeOf($a) == array() => typeOf($a[/*...*/]) is mixed()
// when typeOf($a) !== string|array => typeOf($a[/*...*/]) is null()
```

Listing 3.9: Array value fetch

#### **Scalars**

Scalars:

$$\frac{E, E \text{ is a string*}}{[E] = string()}$$

\* string can be single- or double- quoted, or be heredoc or nowdoc. (see below)

$$\frac{E, E \text{ is a float}}{[E] = float()}$$

$$\frac{E, E \text{ is a integer}}{[E] = int()}$$

```
1 "Str" // string()
2 'abc' // string()
3 100 // int()
4 1.4 // float()
```

Listing 3.10: Scalars

Encapsulated strings:

$$\frac{E, E \text{ is an encapsed string*}}{[E] = string()}$$

\* When a string contains expression(/variables), it is processed as encapsed.

```
1 "$var"
```

Listing 3.11: Encapsulated strings

#### Casts

Casts:

$$\frac{(array)E_1}{[(cast)E_1] = array()}$$

$$\frac{(bool)E_1 \lor (boolean)E_1}{[(cast)E_1] = bool()}$$

$$\frac{(float)E_1 \lor (double)E_1 \lor (real)E_1}{[(cast)E_1] = float()}$$

$$\frac{(int)E_1 \lor (integer)E_1}{[(cast)E_1] = int()}$$

$$\frac{(object)E_1}{[(cast)E_1] = object()}$$

$$\frac{(unset)E_1}{[(cast)E_1] = null()}$$

Listing 3.12: Casts

#### Clone

Clone:

$$\frac{clone(E_1)}{[clone(E_1)] = object(), [E_1] = object()}$$

```
1 clone($a) // typeOf($a) = object, typeOf(clone($a)) = object
```

Listing 3.13: Clone

## Class

Class instantiation (1) match class name:

$$\frac{new \ C'() \subseteq \Gamma \qquad class \ C \dots \subseteq \Gamma}{[new \ C'] = C, \ C.name == C'.name}$$

1 new C;

Listing 3.14: Class instantiation

Class instantiation (2):

$$\frac{new \ E_1 \subseteq \Gamma}{[new \ E_1] = \text{object()}}$$

```
1  $c = "C";
2  new $c;
```

Listing 3.15: Class instantiation of an expression

Special keywords:

$$\begin{array}{c} \$this \subseteq C \\ \hline [\$this] = \mathrm{class}(\mathbf{C}) \\ \\ \hline \\ self \subseteq C \\ \hline [self] = \mathrm{class}(\mathbf{C}) \\ \\ \hline \\ parent \subseteq C \\ \hline [parent] = \mathrm{class}(\mathbf{C}.\mathrm{parent}) \\ \\ \hline \\ static \subseteq C \\ \hline [static] = \mathrm{class}(\mathbf{C}|\mathbf{C}.\mathrm{parents}) \\ \\ \hline \end{array}$$

#### Class method:

```
// $this can only be used within a class

$this // in class C -> class(C)

self // in class C -> class(C)

parent // in class C -> parentOf(class(C))

static // in class C -> class(C) or parentOf(class(C))
```

Listing 3.16: Special keywords \$this

Class property fetch\* (1):

$$\begin{array}{c} \$this \to E_1 \subseteq C_1 \\ \hline [E_1] = C_1. \text{hasProperty}(E_1. \text{name, static} \notin \text{Mfs}) \lor \\ [E_1] = C_1. \text{parent.hasProperty}(E_1. \text{name, public|protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ \hline [E_1] = C_1[. \text{parent].hasMethod}("\_\_\text{get"}) \\ \hline \underbrace{self :: E_1 \subseteq C_1}_{[E_1] = C_1. \text{hasProperty}(E_1. \text{name, static} \in \text{Mfs})} \\ \hline \underbrace{parent :: E_1 \subseteq m}_{[E_1] = C. \text{parent.hasProperty}(E_1. \text{name, static} \in \text{Mfs})} \\ \hline \underbrace{E_1 \to E_2 \subseteq C_1^*}_{[E_1] = C_1. \text{hasProperty}(E_2. \text{name, static} \notin \text{Mfs}) \lor } \\ [E_1] = C_1. \text{parent.hasProperty}(E_2. \text{name, public|protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ [E_1] = C. \text{hasProperty}(E_2. \text{name, public} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ [E_1] = C. \text{hasProperty}(E_2. \text{name, public} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \\ \hline \end{array}$$

$$E_1 \to E_2 \not\subseteq C \subseteq \Gamma^*$$

$$[E_1] = \text{C.hasProperty}(E_2.\text{name, public} \in \text{Mfs} \land \text{static} \notin \text{Mfs})$$

<sup>\*</sup> Possible add fact that the field E is declared in class C, when it is on the left side of an assignment.

<sup>\*</sup>The same goes for static property fetches, except for the 'static ∉ Mfs' part: 'static ∈ Mfs'.

<sup>\*</sup>Property fetch outside a class scope, also for static properties.

Listing 3.17: Class property

Class property (2) variable:

$$E_1 \to E_2$$
,  $E_2$  is an expression  $[E_1] = \text{object}()$ 

```
1  $b = "b";
2  $a->$b
```

Listing 3.18: Class property variable

Class method call (1):

```
\begin{array}{c} \$this \rightarrow E_1 \subseteq C_1 \\ \hline [E_1] = C_1. \text{hasMethod}(E_1. \text{name, static} \notin \text{Mfs}) \lor \\ [E_1] = C_1. \text{parent.hasMethod}(E_1. \text{name, public}| \text{protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ \hline [E_1] = C_1[. \text{parent}]. \text{hasMethod}("\_\_\text{call"}) \\ \hline \underbrace{self :: E_1 \subseteq C_1} \\ \hline [E_1] = C_1. \text{hasMethod}(E_1. \text{name, static} \in \text{Mfs}) \lor \\ \hline [E_1] = C_1. \text{hasMethod}("\_\_\text{callStatic"}) \\ \hline \underbrace{parent :: E_1 \subseteq C_1} \\ \hline [E_1] = C_1. \text{parent.hasMethod}(E_1. \text{name, static} \in \text{Mfs}) \lor \\ \hline [E_1] = C_1. \text{parent.hasMethod}("\_\_\text{callStatic"}) \\ \hline \underbrace{E_1 = C_1. \text{parent.hasMethod}("\_\_\text{callStatic"})} \\ \hline \underbrace{E_1 \rightarrow E_2 \subseteq C_1 *} \\ \hline [E_1] = C_1. \text{hasMethod}(E_2. \text{name, static} \notin \text{Mfs}) \lor \\ [E_1] = C_1. \text{parent.hasMethod}(E_2. \text{name, public}| \text{protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ [E_1] = C. \text{hasMethod}(E_2. \text{name, public}| \text{protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ [E_1] = C. \text{hasMethod}(E_2. \text{name, public}| \text{protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ [E_1] = C. \text{hasMethod}(E_2. \text{name, public}| \text{protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \lor \\ [E_1] = C. \text{hasMethod}(E_2. \text{name, public}| \text{protected} \in \text{Mfs} \land \text{ static} \notin \text{Mfs}) \\ \end{bmatrix}
```

\*The same goes for static method calls, except for the 'static ∉ Mfs' part: 'static ∈ Mfs'.

$$E_1 \to E_2 \not\subseteq C \subseteq \Gamma^*$$
 
$$[E_1] = \text{C.hasMethod}(E_2.\text{name, public} \in \text{Mfs} \land \text{static} \notin \text{Mfs})$$

\*method call outside a class scope, also for static methods.

```
1  $this->methodCall();
2  self::methodCall();
3  parent::methodCall();
4  $a->methodCall();
5  $a::methodCall();
```

Listing 3.19: Class method call

Method calls (2) variable

$$E_1 \to E_2(), E_2 \text{ is an expression}$$
  
 $[E_1] = \text{object}()$ 

```
1 $a->$methodCall()
```

Listing 3.20: Variable method call

#### **Parameters**

Parameters in class instantiation\*:

```
new \ C_1 \ (A_1, A_2, \ldots, A_k) \subseteq \Gamma \qquad class \ C \ (th_1 \ P_1, P_2 = v, \ldots, P_k) \subseteq \Gamma \$a \rightarrow m() \ (A_1, A_2, \ldots, A_k) \subseteq \Gamma \qquad \text{public function } m() \ (th_1 \ P_1, P_2 = v, \ldots, P_k) \subseteq \Gamma function_1 \ (A_1, A_2, \ldots, A_k) \subseteq \Gamma \qquad \text{function } (th_1 \ P_1, P_2 = v, \ldots, P_k) \subseteq \Gamma [P_1] <: [A_1], [A_1] <: [th_1], [P_1] <: [th_1], \text{ hasRequiredParam}(P_1), \text{ hasRequiredParam}(P_k)
```

\*These parameters are just examples for what happens if they have typeHints (th), default values(v) or none \*The constructor can be found in the m3 model (@constructors(loc classDecl, loc constructorMethodDecl))

```
1 new C($foo);
```

Listing 3.21: Class instantiation with parameters

Type of a certain variable within some scope:

$$\underbrace{E, E', E'', E''' \dots \ etc \subseteq f \qquad E \text{ is a variable}}_{[E] = [E] \vee [E'] \vee [E''] \vee [E'''] \dots \ etc}$$

```
function f() {
    $a = 1;
    $a = "true";
}
// typeOf($a) is typeOf($a1, $a2, ..., $an);
```

Listing 3.22: Type of variable within their scope; this applies to global- class- function- and method- scope

Return type of function or method (1):

$$return \not\subseteq f \lor return; \subseteq f$$
$$[f] = null()$$

```
function f() {} // no return = null()
function f() { return; } // return; = null()
```

Listing 3.23: No return statements in function or method

Return type of function or method (2):

$$(\text{return } E_1) \lor (\text{return } E_2) \lor \cdots \lor (\text{return } E_k) \subseteq f$$
$$[f] <: [E_1] \lor [E_2] \lor \cdots \lor [E_k]$$

```
function f() {
   if (rand(0,1))
    return $a;
   else
    return $b;
}
// returns typeOf($a) or typeOf($b)
```

Listing 3.24: Return of a function or method; every exit path ends with a return statement

Return type of function or method (3):

$$(\text{return } E_1) \lor (\text{return } E_2) \lor \cdots \lor (\text{return } E_k) \lor (\neg \text{ return}) \subseteq f$$
$$[f] <: [E_1] \lor [E_2] \lor \cdots \lor [E_k] \lor null()$$

```
function f() {
   if (rand(0,1))
   return $a;
   else if (rand(0,1))
    return $b;
}
// returns typeOf($a) or typeOf($b) or null()
```

Listing 3.25: Return with possible no return value

Function call:

```
f() \subseteq \Gamma
[f()] <: \text{return of } [f]
```

```
function f() {}
f();
```

Listing 3.26: Functional call

Variable function call:

```
E_1() \subseteq \Gamma[E_1()] = mixed()
```

```
function f() {}

f
```

Listing 3.27: Variable function call

How to resolve expressions:

- Find all expressions which are defined above and annotate them with @type.
- $\bullet \ \ Annotate \ the \ rest \ of \ the \ expressions \ with \ @type = any();$

## 3.4 Annotations

Explain how the annotations are added to the constraints. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit

blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## 3.5 Constraint solving

Explain what will be done to solve the constraints.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## 3.6 Case Study

Explain how the case study is performed. (maybe move this section to a separate chapter)

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a

dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# Chapter 4

# Results

Summary of the results.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## 4.1 Annotations

The results of the analysis when adding the annotations to the analysis. Compare the results with the results of the analysis without the annotation information.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## Chapter 5

# Conclusion

Summary of the whole work, with conclusions. T.B.A.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## 5.1 Future work

Explain something about combining this analysis to other analysis (like dead code elimination, constant folding/propagation resolve, alias analysis, array analysis) to gain more precise results.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Something about performance optimisations... Explain what is already done to boost the performance and what still can be done.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# Glossary

#### Rascal

Rascal is a meta-programming language developed by SWAT (Software analyse and transformation) team at CWI in the Netherlands. See http://www.rascal-mpl.org/ for more information.

#### reflexive transitive closure

A relation is transitive if  $\langle a, b \rangle \in R$  then  $\langle b, a \rangle \in R$ .

A relation is reflexive if  $\langle a,b\rangle\in R$  and  $\langle b,c\rangle\in R$  then  $\langle a,c\rangle\in R$ .

A reflexive transitive closure can be established by creating direct paths for all indirect paths and adding self references, until a fixed point is reached.

#### stdClass

A predefined class in the PHP library. The class is the root of the class hierarchy. It is comparable to the Object class in Java.