


Hash Shell

I first created a copy of .bachrc

```
ruupe@ruupe-debian:~$ cp .bashrc .bashrc.copy
ruupe@ruupe-debian:~$ dir -a
.          practice
..         .profile
.bash_history Public
.bash_logout public-sites
.bashrc     snap
.bashrc.copy .ssh
```

Next I added an echo at the end of the file

```
echo "Hello, Linuxuser"
```

A terminal window titled "Terminal - ruupe@ruupe-debian: ~" with a menu bar (File, Edit, View, Terminal, Tabs, Help). The terminal shows the output "Hello, Linuxuser" and the prompt "ruupe@ruupe-debian:~\$".

```
Terminal - ruupe@ruupe-debian: ~
File Edit View Terminal Tabs Help
Hello, Linuxuser
ruupe@ruupe-debian:~$
```

Next I added a few aliases

```
alias gs='git status'
alias ga='git add .'
alias gc='git commit -m'
alias gp='git push'
```

Before modifying the HISTSIZE and HISTFILESIZE.

```
ruupe@ruupe-debian:~$ history | wc -l
449
```

Then modifying them

```
# for setting history length see HISTSIZE and HISTFILESIZE in bash(1)
HISTSIZE=100
HISTFILESIZE=200
```

Now testing in a new terminal

```
File Edit View Terminal Tabs Help
Hello, Linuxuser
ruupe@ruupe-debian:~$ history | wc -l
100
ruupe@ruupe-debian:~$

ruupe@ruupe-debian:~$ wc -l ~/.bash_history
200 /home/ruupe/.bash_history
ruupe@ruupe-debian:~$
```

After that I changed them back to 1000 and 2000

Shell Script

Challenge

I first created a bin folder to my home directory

```
ruupe@ruupe-debian:~$ mkdir bin
ruupe@ruupe-debian:~$ dir
bin      Documents  Music      practice  public-sites  Templates
Desktop  Downloads  Pictures   Public     snap          Videos
ruupe@ruupe-debian:~$ cd /bin
ruupe@ruupe-debian:/bin$ nano scriptChallenge.sh
ruupe@ruupe-debian:/bin$ sudo !!
```

Then I created the script

```
GNU nano 8.4 scriptChallenge.sh *
#!/bin/bash

read -p "Enter directory name: " dirname

if [ -d "$dirname" ]; then
    echo "Directory already exists"
else
    mkdir "$dirname"
    for i in {1..5}; do
        touch "$dirname/file$i.txt"
    done
    echo "Created 5 files in $dirname"
fi
```

I tried to run the script but then noticed it was in the wrong bin directory. I first moved the script to the correct bin directory, then moved in the correct directory.

After that I added the execute permission for the file and then ran the script.

```
ruupe@ruupe-debian:/bin$ sudo mv /bin/scriptChallenge.sh ~/bin/
ruupe@ruupe-debian:/bin$ cd ~/bin
ruupe@ruupe-debian:~/bin$ chmod +x scriptChallenge.sh
chmod: changing permissions of 'scriptChallenge.sh': Operation not permitted
ruupe@ruupe-debian:~/bin$ sudo !!
sudo chmod +x scriptChallenge.sh
ruupe@ruupe-debian:~/bin$ ./scriptChallenge.sh
Enter directory name: TestDirectory
Created 5 files in TestDirectory
ruupe@ruupe-debian:~/bin$ dir
scriptChallenge.sh  TestDirectory
ruupe@ruupe-debian:~/bin$ cd TestDirectory/
ruupe@ruupe-debian:~/bin/TestDirectory$ dir
file1.txt  file2.txt  file3.txt  file4.txt  file5.txt
ruupe@ruupe-debian:~/bin/TestDirectory$
```