

Vidyalankar Institute of Technology Department of Information Technology Department No. 1 Experiment No.1

Semester	T.E. Semester V – Department of Information Technology	
Subject	Internet Programming Lab	
Subject Professor In-charge	Prof. Prita Patil	
Assisting Teachers	Prof. Prita Patil	
Laboratory	Ms-Teams	

Student Name	Pooja Naik	
Roll Number	19101B0011	
Grade and Subject Teacher's Signature		

Experiment Number	1		
Experiment Title	Design and Implement web page using Basic HTML		
Resources / Apparatus	Hardware:	Software:	
Required	Computer	Browser	
	system		
Description	Theory:-		
	HTML is a langu	age for describing web pages.	
	• HTN	1L stands for Hyper Text Markup Language	
	• HTN	1L is not a programming language, it is a markup language	
	• A m	arkup language is a set of markup tags	
	• HTN	1L uses markup tags to describe web pages	
	HTML Elements: HTML documents are text files made up of HTML		
	elements.HTML elements are defined using HTML tags.		
	HTML Tags:		
	• ITH	ML tags are used to mark-up HTML elements.	
	• HTI	ML tags normally comes in pairs like and .	
	• The	e first tag in pair is the start tag; the second tag is the end tag.	



Experiment No.1

- The text between the start and end tags is the element content.
- Some HTML elements have a missing end tag.
- HTML tags are not case sensitive; means the same as .

Tag Attributes: Attributes can provide additional information about the HTML elements. Consider <body> tag with an added bgcolor attribute, we can set the background color of web page. For example, <body bgcolor="red"> this will set the background color to red.

- Attributes always come in name/value pairs like name="value".
- Attributes are always specified in the start tag.

HTML Headings:

- Headings are defined with the <h1> to <h6> tags.
- <h1> defines the largest heading. <h6> defines the smallest heading.

HTML Paragraphs:

- Paragraphs are defined with the tag.
- HTML automatically adds an extra blank line before and after a paragraph.

HTML Formatting Tags:

HTML uses tags like and <i> for formatting text in bold and italic form.



Experiment No.1

- The
br> tag is used when we want to end a line, but don't want to start a new paragraph.
- The
br> tag is an empty tag. It has no closing tag.

Anchor Tag and Href attribute:

- HTML uses the <a> (anchor) tag to create a link to another document.
- An anchor can point to any resource on web for example an HTML page, an image, a sound file etc.
- The syntax of creating an anchor:
 Text to be displayed
- HREF stands for Hypertext REFerence. The href attribute is used to create a hypertext link.

The target Attribute:

• The **target attribute** defines **where** the linked document will be opened.

The name Attribute:

• The **name attribute** is used to create a named anchor.

The Image Tag and the Src Attribute:

In HTML, images are defined with the tag.



Experiment No.1

- The tag is empty, which means that it contains attributes only and it has no closing tag.
- To display an image on a page, you need to use the src attribute. Src stands for "source". The value of the src attribute is the URL of the image you want to display on your page.URL points to the location where the image is stored.
- The syntax of defining an image:

```
<img src="url">
```

The Alt Attribute:

 The alt attribute is used to define an "alternate text" for an image. The value of the alt attribute is an author-defined text:

```
<img src="boat.gif" alt="Big Boat">
```

• The "alt" attribute tells the reader what he or she is missing on a page if the browser can't load images. The browser will then display the alternate text instead of the image. It is a good practice to include the "alt" attribute for each image on a page, to improve the display and usefulness of your document for people who have text-only browsers.

List Tags:

Tag	Description	
	Defines an ordered list	
	Defines an unordered list	
	Defines a list item	



Experiment No.1

<dl></dl>	Defines a definition list
<dt></dt>	Defines a definition term
<dd></dd>	Defines a definition description

Table Tags:

Tag	Description
	Defines a table
>	Defines a table header
	Defines a table row
	Defines a table cell
<caption></caption>	Defines a table caption
<colgroup></colgroup>	Defines groups of table columns
<col/>	Defines the attribute values for one or more columns in a table
<thead></thead>	Defines a table head
	Defines a table body
<tfoot></tfoot>	Defines a table footer

With frames, you can display more than one HTML document in the same browser window. Each HTML document is called a frame, and each frame is independent of the others. Frames allow content and navigation to be



Experiment No.1

separated from each other. It is used typically to present a left hand navigation menu and a top banner giving access to the main parts of the site.

A frame can contain interactive tables of the contents with links that when clicked display results in adjoining frame. Frames designed side by side permit queries to be passed and answered on the same page, with one frame holding the query frame and the other presenting the results.

Disadvantages:

- Frames often reduce the amount of usable space on the page.
- For low resolution monitors ,frames may be inconvenient
- It is difficult to print the content of all frames when compared to a normal web page.
- One of the main disadvantages of frames is that search engines will not deal with them properly.

Real Life Application:

HTML, or Hypertext Markup Language, is used to create web pages. Site authors use HTML to format text as titles and headings, to arrange graphics on a webpage, to link to different pages within a website, and to link to different websites.

Code

Problem Statement-: HTML code which includes table, hyperlink, character formatting, ordered and unordered list to display your resume.

```
<!DOCTYPE html>
<html lang="en">
  <head>
   <meta charset="UTF-8">
  <title>RESUME</title>
```



```
</head>
<body>
 <h1><center>RESUME OF <u>POOJA NAIK</u></center> </h1>
 <hr>
 23px;">PERSONAL INFORMATION
  First Name
   Pooja
  Last Name
   Naik
  Date of Birth
   21 August 2001
  Citizenship
   Indian
```



```
Place of Birth
   Mumbai
  Residential Address
   Shivaji Park, Dadar(W), Mumbai 400028
  Contact Details
   1234567
  Email
   dummy123@gmail.com
  <br><hr>
 23px;">EDUCATIONAL INFORMATION
```



```
Degree(s)
 BE (Information Technology) from VIT 
Skills
 <0|>
   Web-Dev
   Java
   Python
   C++
   Computer Networking
  Work Reference
 ul>
   >
    Tech Company
   >
```



