

Automation with AI and MCP Servers using Playwright-Notes-4

- Tools in Playwright MCP Server

- **browser_navigate tool-** used to **launch a browser session/open a browser and navigate to a specific URL**-this tool helps testers automate the first step in web testing which is opening a webpage- It simply tells the browser to go to a specific URL.

Prompt: Navigate to www.wishinfinite.com using Playwright MCP Server

- **browser_click tool-** used to **simulate a mouse click** on a web element such as a button, link, checkbox or any clickable UI component-in automation, clicking is the most common interaction whether its logging in, submitting a form, clicking on a button, etc-behind the scenes, the system ensures that the element is visible, interactable and performs the action just like a real user-it finds the element you describe and clicks it.

Prompt: Navigate to www.wishinfinite.com and under the Playgrounds tab click on the Mouse Events option in the left navigation menu using Playwright MCP Server

- **browser_type tool-** a core tool in Playwright MCP Server that allows you to type text into input boxes, text areas or any editable element on a webpage-almost every automation involves entering data into forms like username, password, search bar, response, etc-tells what text to type into any input field on a webpage — just like you would type on a keyboard.

Prompt: Navigate to www.wishinfinite.com and under the Playgrounds tab click on the Forms option in the left navigation menu then fill in the text input fields in the form with relevant data using Playwright MCP Server (or) Navigate to www.wishinfinite.com and under the Playgrounds tab click on the E-commerce App option in the left navigation menu then fill in the username and password of the login form with relevant data using Playwright MCP Server

- **browser_fill_form tool-** allows you to fill multiple form fields in a single action-works on inputs like form fields, textareas, username, password, etc-lets you **fill multiple form fields all at once** in a single step — instead of typing into each field one by one.

Prompt: Navigate to www.wishinfinite.com and under the Playgrounds tab click on the Forms option in the left navigation menu then fill in the text input fields in the form with relevant data using Playwright MCP Server

Simple analogy:

Think of the difference between:

- Telling someone "type name, then type email, then type phone" — one by one — that is **browser_type**
- Handing someone a filled out cheat sheet and saying "fill the whole form using this" — that is **browser_fill_form**

browser_fill_form fills the entire form in one go.

- **browser_press_key tool**- simulates pressing a keyboard key on the browser — just like a real user pressing a key on their keyboard.

Prompt: navigate to www.wishinfinite.com and press ctrl+a using playwright mcp

- **browser_hover tool**- simulates a real time mouse hover action over a specified web element in Playwright MCP server-simulates moving your mouse **over** an element — just like a real user hovering their cursor over something on a webpage.

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the Mouse Events option in the left navigation menu and hover the mouse over the "Hover me" area using Playwright MCP server

- **browser_select_option tool**- used to select values from dropdowns whether single select or multiselect just by passing the option's label, value or index without writing any code-simulates selecting an option from a dropdown list — just like a real user clicking a <select> dropdown and choosing an option.

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the Selectors option in the left navigation menu and select Mango from the Single Select Dropdown using Playwright MCP Server

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the Selectors option in the left navigation menu and select Mango and Banana from the Multi Select Dropdown using Playwright MCP Server

- **browser_drag tool**- lets you automate drag and drop actions by programmatically grabbing 1 element and dropping it onto another-simulates clicking and dragging an element from one place to another — just like a real user holding the mouse button down, moving it, and releasing it.

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the Mouse Events option in the left navigation menu and drag and drop the 'Drag me" div to Drop Zone 2 using Playwright MCP Server

- **browser_handle_dialog tool-** controls all browser dialogs including alerts, confirms and prompts through automated event handling-it allows scripts to accept, dismiss or input values into dialogs reliably, ensuring stable and fully automated UI test flows-handles browser dialog boxes that pop up — like alerts, confirmations, and prompts — just like a real user clicking OK, Cancel, or typing into a dialog box.

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the Advanced Events option in the left navigation menu and then under 'Toast & Alerts' click on 'Show Prompt' button and handle the prompt popup using Playwright MCP server

- **browser_file_upload tool-** helps automatically upload files-simulates uploading a file through a file input — just like a real user clicking "Choose File" and selecting a file from their computer.

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the File Handling section in the left navigation menu and upload the given file under the 'File Upload' section using Playwright MCP server

- **browser_tab tool-** helps manage browser tabs through the MCP server, enabling multi-tab automation workflows for testing and AI-driven browser control Think of Playwright like a **robot controlling a web browser**. Just like you can open multiple tabs in Chrome or Firefox, Playwright can too. The "browser tab" in Playwright is called a **Page**.

The Basics

Real World	Playwright Term
Your browser window	Browser
A single tab	Page
Opening a new tab	<code>browser.newPage()</code>

Closing a tab `page.close`
 `()`

Prompt: navigate to www.wishinfinite.com and open a new browser tab and navigate to www.wishinfinite.com and under the Playgrounds tab click on the E-commerce section and close the first tab using Playwright MCP server

- **browser_navigate_back tool-** simulates the browser's back button to move to the previously visited page-It's the robot pressing the browser's Back button That's it. Just like when you click "Back" in your browser to go to the previous page, this tool does the exact same thing — automatically.

Prompt: navigate to www.wishinfinite.com and click on the Playground tab, then go back to the Home page using Playwright MCP server

- **browser_resize tool-** allows you to resize the browser to different viewports, including desktop, tablet and mobile screens during test execution-helps validate responsive layouts and UI behavior across real-world devices-ensures consistent, reliable cross-device testing with a single test flow-It's the robot grabbing the corner of the browser window and resizing it — making it bigger, smaller, wider, or narrower.

Prompt: navigate to www.wishinfinite.com and resize the browser window size to 430*932

- **Taking screenshots-**

Purpose of screenshots-

1. Visual proof of test execution
2. Helps debug UI and functional issues
3. Shows exact step where test failed
4. Easy to share with devs and managers

Tools used:

1. **browser_evaluate tool-** evaluates runs JS code on a web page or element-lets you run JavaScript directly inside the webpage — like opening the browser's developer console and typing code.The robot reaches inside the page and runs whatever JavaScript you tell it to.
2. **Browser_take_screenshot-** takes a screenshot of current page-It's a camera snapshot of whatever the browser is showing at that exact moment. One tool, one job — capture what's on screen. Think of it as the robot saying "let me see what's in front of me right now" and saving a picture of it.

Prompt: navigate to www.wishinfinite.com and under the Playgrounds tab click on the E-commerce App section under the Playground tab. Using Playwright MCP server perform the following steps:

1. Enter username and password in the login form
2. Click the submit button

3. **Verify successful login (via success message, redirect or authenticated element)**

Additional requirements: Highlight each interacted element with a red border and a serial number in order of interaction. Also capture and save a screenshot after each interaction, using clear, relevant file names