```
1  /*-------------------------------------------------------------------------------------------
2   * Author:      Dan Cassidy
3   * Date:        2015-06-23
4   * Assignment:  cView-P4
5   * Source File: Default.aspx.cs
6   * Language:    C#
7   * Course:      CSCI-C 490, C# Programming, MoWe 08:00
8   * Project:     The overall goal of this project is to capitalize on the fact that government, from
9   *              local to national, has made some of its data open by developing a way to explore
10  *              this data and present it to a user in a meaningful fashion. This phase of the
11  *              project is meant to explore data from any combination of the Business dataset
12  *              (https://data.southbendin.gov/d/imxu-7m5i), the Parks and Features dataset
13  *              (https://data.southbendin.gov/d/yf5x-7tkb), and the Public Facility dataset
14  *              (https://data.southbendin.gov/d/jeef-dsq9) using a web-based ASP.NET UI interacting
15  *              with a SQL backend via the Entity Framework.
16  * Purpose:     Code-behind file for Default.aspx.  This file's only purpose is to redirect the
17  *              client to the Main.aspx page.
18  -------------------------------------------------------------------------------------------*/
19
20 using System;
21 using System.Collections.Generic;
22 using System.Linq;
23 using System.Web;
24 using System.Web.UI;
25 using System.Web.UI.WebControls;
26
27 namespace cView_P4_DanCassidy
28 {
29     public partial class Default : System.Web.UI.Page
30     {
31         /*-------------------------------------------------------------------------------------------
32          * Name:    Page_Load
33          * Type:    Event Handler Method
34          * Purpose: Handles anything that should happen on page load.  In this case, it shunts the
35          *          client over to the Main.aspx page instead of this one.
36          * Input:   object sender, holds a reference to the object that raised this event.
37          * Input:   EventArgs e, holds data related to this event.
38          * Output:  Nothing.
39          -------------------------------------------------------------------------------------------*/
40         protected void Page_Load(object sender, EventArgs e)
41         {
42             Server.Transfer("~/Main.aspx");
43         }
44     }
45 }
```